



No.

Boston Medical Library Association, 19 BOYLSTON PLACE.









SIXTH ANNUAL REPORT

RELATING TO THE

REGISTRATION AND RETURN

OF

BIRTHS, MARRIAGES, DIVORCES, AND DEATHS



VOLUME III. - NEW SERIES.

MANCHESTER:

JOHN B. GLARKE, PUBLIC PRINTER.

1887.

527.

CATALOGUED. E. H. B. 3/20/88.

W 2 AN3 O3-



REGISTRATION REPORT.

To His Excellency the Governor and the Honorable Council:

The sixth annual report relating to the registration and return of births, marriages, divorces, and deaths, for the year ending December 31, 1885, is herewith presented. The same order of arrangement, in respect to tables, has been maintained as in previous reports. Some additional information relative to certain diseases has been added. It is believed that the facts given in relation to marriages are as nearly correct as can be attained under any law. A comparison of the tables on this subject with those published in other States leads to the belief that approximate accuracy has been secured.

The registration of births is not so accurate, for the reason that a large number probably remain unreported, and of those reported a large number lack the name of the child. Some additional legislation is necessary to perfect the registration of births. The report made within six days after the birth seldom contains the name of the child. From a historical or genealogical standpoint, and in legal questions where the identity of the person is concerned, the record of the name of the child, as well as of its parents, date of birth, etc., are essential. On the other hand, unless the physician's return is made within a few days after the event, it is liable to be overlooked or forgotten; consequently no return would be made by him.

or forgotten; consequently no return would be made by him.

Again, there are a large number of births unattended by any physician, which are not reported to the local registrar. To obviate the defects which exist from these causes it is necessary to make some change in the law. There are two ways suggested: First. That a return of every birth which occurs during the calendar year preceding the annual return of the inventory blanks should be entered upon such blanks by the parents, with all the facts which the law calls for. Such an entry could be as easily made as any other fact called for by the inventory blank. As these inventory blanks are not returnable until April, every child would be at least three months old, and nearly all of them would have been named. The assessors or selectmen should then place these returns in the hands of the local registrar for recording, and the return to the state registrar would then be made in May instead of in January. This method might be supplemented by giving the local registrar a reasonable fee for discovering and reporting any births not returned, and for

securing and recording the names of those children who were not

named when the inventory blank was returned.

Second. The local registrar might be made responsible for the thorough enforcement of the registration law within his jurisdiction, and be required to collect all facts called for by the law, and not otherwise reported to him. This method, however, would probably be attended with greater expense than the other, and would not be as effectual in the aggregate, as its enforcement would depend in a great measure upon the interest manifested by the local registrar and the compensation allowed.

The registration of marriages is as complete as can be secured under any system; in fact, it may be said to be correct, very few

marriages remaining unreported.

Under the present system of requiring burial permits, the record of deaths has been brought to a degree of perfection that makes the record, so far as numbers are concerned, very nearly correct. This opinion is based upon the death rate. The difficulty with which it was thought the operation of this law would be attended has been found by experience to have but little foundation, and the accuracy of registration has been greatly improved thereby. In some instances there has been a little misunderstanding as to how and where a permit should be obtained, and under what circumstances it should be considered valid. For the information of those who do not clearly understand its provisions, the following brief statement is made:

1. A permit should be obtained in the town where the person died. The registrar of another town has no right to grant a permit.

2. A permit having been obtained according to law, it should be received by the authorities of any other town without question, and a second permit, except in case of disinterment, should not be required.

3. The return by the undertaker or sexton should always be made to the registrar of the town or city where the death occurred, without regard to the place of burial. Permits properly issued by authorities of other States should be recognized as valid in this State.

Local registrars should consider themselves responsible for the enforcement of the law within their respective towns and cities. They should inform the undertakers of the provisions of the law (copies of which will be furnished by the state registrar), and in all instances should require that permits be obtained before burial. Local registrars are also requested to notify the state registrar of any violations of the law that may come to their knowledge. Local registrars should at all times be provided with blanks for their own, sub-registrars', and physicians' use, which may be obtained from the state registrar upon application.

The attention of physicians is called to the nosological table which

this report contains:

TABINE 1.

7	
•	
10	
y.	
Q	
-	
-	
3	
8	
-	
-3	
9.	
3	
1	
-	
577	
90	
00	
2,1	
့လ	
00	
M	
_:	
7	
81,	
881,	
1881,	
1881,	
), 1881,	
30, 1881,	
80, 1881,	
880, 1881,	
1880, 1881,	
1880, 1881,	
r 1880, 1881,	
for 1880, 1881,	
for 1880, 1881,	
s for 1880, 1881,	
the for 1880, 1881,	
uths for 1880, 1881,	
eaths for 1880, 1881,	
Deaths for 1880, 1881,	
Deaths for 1880, 1881,	
d Deaths for 1880, 1881,	
nd Deaths for 1880, 1881,	
and Deaths for 1880, 1881,	
and Deaths for 1880, 1881,	
3, and Deaths for 1880, 1881,	
es, and Deaths for 1880, 1881,	
ges, and Deaths for 1880, 1881,	
ages, and Deaths for 1880, 1881,	
rages, and Deaths for 1880, 1881,	
rriages, and Deaths for 1880, 1881,	
urriages, and Deaths for 1880, 1881,	
Marriages, and Deaths for 1880, 1881,	
Marriages, and Deaths for 1880, 1881,	
, Marriages, and Deaths for 1880, 1881,	
8, Marriages, and Deaths for 1880, 1881,	
hs, Marriages, and Deaths for 1880, 1881,	
ths, Marriages, and Deaths for 1880, 1881,	
irths, Marriages, and Deaths for 1880, 1881,	
Births, Marriages, and Deaths for 1880, 1881,	
Births, Marriages, and Deaths for 1880, 1881,	
g Births, Marriages, and Deaths for 1880, 1881,	
ng Births, Marriages, and Deaths for 1880, 1881,	
ing Births, Marriages, and Deaths for 1880, 1881,	
wing Births, Marriages, and Deaths for 1880, 1881,	
owing Births, Marriages, and Deaths for 1880, 1881,	
howing Births, Marriages, and Deaths for 1880, 1881,	

							20110201	namoer reported.	vortea										
Comme	noital .088			Bii	Вінтна.					MARR	MARRIAGES.		-			ll ed	Deamire		
	Popu I lo	1880.	1881.	1882.	1883.	1884.	1886.	1880.	1881	1880	1883	1884	1000	1000		-			1.
												žoož.	10001	1000.	1881,	1882,	1883.	1884.	1885.
Rockingham	49,064	733	675	749	692	637	640	310	387	419	300	410	447	000					
Strafford	30,558	322	423	625	869	640	169		000	400				970	919	132	609	873	911
Bellinap	17.948	918	000	040			190	203	200	478	420	415	388	184	320	372	404	627	619
Carrell	10,000		100	019		747	256	108	177	166	198	147	150	147	153	219	262	285	989
Notice and the second s	10,224	153	198	273	988	275	246	136	140	159	175	171	182	107	180	910			000
Merrinack	16,5000	628	750	808	723	739	734	930	953	26.1	490	270						000	5269
Hillsborough	75,634	840	870	1 617		070	1	}	3	Tino	205	244	361	202	695	726	762	736	200
Carried and a second			5	4,014	1,040	1,843	1,952	752	67.4	1,025	949	988	815	1,203	1.396	1 300	1851	1 685	1 701
Catoshire	78,234	255	948	0.446	496	199	511	195	206	933	696	920	000						4,104
Suffivan	18,161	245	986	965	096	000	000					2007	007	240	7/1	405	418	497	404
Grafton	38.788	184	502	08.2	207	2007	107	134	151	149	167	138	109	130	261	261	254	273	284
	10 500	3	200	3	750	043	13	274	270	319	339	332	327	429	482	487	547	652	611
	10,000	777	987	910	403	406	462	135	146	172	149	202	168	107	157	190	181	263	227
Totals	340,397	4,249	4,615	6,124	6,150	6.247	6319	9 600	060 0										
Yearly increase since 1880										0,400	3,430	3,232	3,180	3,829	4,650	5,001	5,421	6,194	6,201
in numbers reported	:	:	366	1,509	26	97,	72	:	201	603	62	- 203	119		000	2			
Total increase in numbers													==	•	170	201	4.20	773	2
		0	5 6 0 0	1,875	1,901 1,998	1,998	2,070	:	:	804	998	663	551		1,172	1,172	1,592 2,365	2,365	2,372
						-	-	-		_									

Table 1 shows the number of births, marriages, and deaths for a period of six years, with the variations in the number annually reported. An examination of this table shows that there has been a constant improvement in the registration since the first report was made in 1880. During the period mentioned there has been a gain of 2,070 births, 551 marriages, and 2,372 deaths. In 1884 and 1885 there was a falling off in the number of marriages reported. In 1884 there were 203 less marriages reported than in 1883, and in 1885 112 less than in the preceding year. This decrease in marriages is believed to be actual, and not a defect in registration. The cause for this decrease may, perhaps, be better explained by those who are studying the subject of social science.

TABLE 2.

Population of 1880; Births, Marriages, and Deaths, with percentage of each to one thousand of the population, for the year ending December 31, 1885, by Counties.

Counties,	Population of 1880.	Births.	Rate per 1,000 of population.	Marriages.	Rate per 1,000 of population.	Desths.	Rate per 1,000 of population.
Rocking baun	49,064	640	13.04	447	9,11	911	18.50
Strafford	35,558	621	17.46	388	10.91	619	17.40
Belknap	17,948	256	14.26	150	8.35	289	16.10
Carroll	18,224	245	13.44	182	9.98	269	14.77
Merrimack	46,300	734	15.85	361	7.79	796	17.19
Hillsborough	75,634	1,952	25.80	815	10.77	1,701	22.48
Cheshire	28,734	511	17.78	233	8.10	494	17.19
Sullivan	18,161	267	14.70	109	6.00	284	15.63
Grafton	38,788	631	16.26	327	8.43	611	15.75
Соба	18,580	462	24.86	168,	9.09	227	12.21
Total	346,991	6,319	18.21	3,180	9.16	6,201	17.87

It will be seen by this table that the

Birth rate for the State is 18.21 per 1,000 of the population.

The birth rate is too low, showing that the registration is incomplete. An examination of corresponding reports for Massachusetts shows a birth rate of 25.12 to 1,000 of the population.

The highest rate in this State is returned from those counties which contain a relatively large number of the laboring classes. Hillsborough county, with its great number of factory operatives, reports 25.8 per 1,000; Coös county, which has a large number of laborers engaged in the lumbering business, ranks next, 24.86 per 1,000; and Cheshire and Strafford counties next in order, with 17.78 and 17.46 respectively.

The marriage rate is highest in Hillsborough county, followed by Strafford, Rockingham, Carroll, and Coös in order. The marriage rates for Massachusetts, Rhode Island, and Connecticut are 8.78, 8.40, and 7.89 respectively. It will be seen that our marriage rate, 9.16, is greater than in the States named.

The death-rate column shows that the greatest defect in registration exists in Coos county, where it is given as 12.21 per 1,000. It is believed that the death rate for the State, if correctly reported, would be between 18 and 19 per 1,000. The rather high rate of mortality in Hillsborough county is due largely to the fatality among the lower classes in the manufacturing cities.

TABLE 3.

BIRTHS, MARRIAGES, AND DEATHS FOR THE YEAR ENDING DECEMBER 31, 1885.

ROCKINGHAM COUNTY.

		Death rate per 1,000.	8.33 8.34 8.34 113.46 115.62 125.63 126.02 126.03 1
	Nativity.	Wot stated.	22 H 0 1 0 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Nat	•ngiero'H	क्ष्मिनन विक्सिन न
Окатив	,	•nsoirəmA	20 20 20 20 20 20 20 20 20 20 20 20 20 2
DE		-fatoT	** 08 1 2 1 4 0 4 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Sex.	Mot stated.	
	υŽ	Female,	20001-41821-10000
		Male.	80 614 - 811 91 94 661 61 61 61 61 61 61 61 61 61 61 61 61
		.latoT	800000-12-112-00000000000000000000000000
		Mot stated.	HH : 0 HH : 01
	Marriages	wife American.	HH 01 H 01H
	MARE	.u'oiremA basdauH	HH 04 00 04
	-	Both foreign.	H (0) (0)
		Both American.	
		Mot stated.	HH00 HH 1000
	age.	American assisted American article and article are article and article are article article article are article	H 0 0100
	Parentage	American mother.	
	Pa	Both foreign.	H 60 H 60 H
EB.		Both American.	22-247147247111-4825
BIRTHS		Hate per 1,000.	7.96 12.05 12.05 12.08 14.96 14.49 14.49 15.08 15.08 11.50 11.50 11.50 11.50 11.50 11.50
	й	Total.	46211231444444
	Sex.	Not stated.	
		Female.	0440H44800H00H004
		Male.	37088011223418 30708048
		Pollulation in 1880.	502 710 711 7136 613 6136 7140 7140 8,569 635 635 635 635 635 635 635 635 635 635
		TOWNS.	Aktinson Audiva Audiva Candia Candia Candia Darville Derry Enghine Exeter Fremont Hampstead Hampton Hampton Hampton Hampton Hampton Hampton

	1.00
19.44 11.4.67 11.4.67 11.4.91 14.91 14.91 17.10 17.10 16.00	18,50
641844445884551539558	. 32
	1.
4 ७००चच अध्यक्ष्यं ५००० चण	187
	•
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20
· · · · · · · · · · · · · · · · · · ·	100
111 12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	800
200 200 200 200 200 200 200 200 200 200	911
C9 C9	120
C4	
	19
022448 x 7 0 1 0 1 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	496
Trong-ran401ronscaa44	410
11 - 12 12 C - 12 14 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14
man in a second man in a secon	1.00
8 = 8 - 4 - 5 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6	447
10 m ; ; ; m to m ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	
	4
	18
1:3: ::::::::::::::::::::::::::::::::::	17
: : : : : : : : : : : : : : : : : : :	22
: :: :::: :::::::::::::::::::::::::::::	100
F 1 2 1 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1	ုတ္တ
::::=::::	
2022 Bacacasantas	83
	1 86
: in : in : in - in in in in in in	20
<u> </u>	104
- 0 6 H CH	#
	<u> </u>
H	103
	193
	-
91181882111283141-801100	100
	. 4
88.33 22.38 22.38 22.38 22.38 22.99 22.99 23.99 24.90 24.90 24.90 25.90 26.90	13.04
8.33 22.30 22.30 22.30 22.30 22.30 10.35 10.35 10.30 1	55
04858484848484848	0.50
941.01.02.02.02.02.00.00.00.00.00.00.00.00.00.	_ 3
	00
:: ::: ::: ::::::::::::::::::::::::::::	1
E 30 0 4 0 1 0 4 2 II 1 E 4 0 D 4	299
:01 - 0 1	
	333
000000400001000000000000000000000000000	3
1,080 1,363 1,363 1,066 1,005 1,095	49,064
ਜੀਜੀ ਕੀਜੀ ਜੀਜੀਜੀਕੀਜ਼ਜ਼ਜ਼ ਜ	45
	-
	:
	:
	:
- : [] : : : : : : : : : : : : : : : : :	
derry derry the rket rket rket red odu tlasn v v v v v v v v v v v v v v v v v v v	RG.
	SEA.
gato don ting this this this this this this this this	E
NNON NO STATE OF STAT	

* Died at county farm, 19.

STRAFFORD COUNTY.

		Death rate per 1,000.	11.35 25.92 26.53 26.53 26.53 13.98 15.11 10.55 12.95 9.85 14.01 16.46 9.79
	Nativity.	Not stated.	
	Nat	Foreign.	339 11 118 118 63
DEATHS.		American.	233 24 45 7 7 11 11 13 13 14 13 13 14 13 14 13 14 13 14 14 14 14 14 14 14 16 16 16 16 16 16 16 16 16 16 16 16 16
DE,		Total.	303 6 6 6 6 6 10 10 10 10 10 10 10 10 10 10 10 10 10
	l ii	Not stated.	10 -4 : : : : : : : : : : : : : : : : : :
	Sex.	Female.	1657 173 173 173 173 173 173 173 173 173 17
		Male.	276 6 6 8 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
		Total.	111.22.22.22.22.22.22.22.23.88.82.22.22.22.22.22.22.22.22.22.22.22.
		Not stated.	28 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	SH5	Wife American.	13 4 2 1 1 2 2 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 1 2 1
	MAKKIAGES	Husband Americ'n.	16 11244 191
2	ì	Both foreign.	14 10 10 10 10 10 10 10 10 10 10 10 10 10
		Both American.	
		Not stated.	į į
		and tor'n mother.	
	Parentage,	American father.	32 6 3 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
	агеп	Tantom masiramA	33 2217
	P4	Both foreign,	782 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
rH8,		Both American.	112 100 100 113 113 114 114 114 114 114 114 114 114
Вікти		Rate per 1,000.	8.65 11,03 11,03 11,03 115,76 11,03
	й	Total.	231 231 24 25 25 25 25 25 25 25 25 25 25 25 25 25
	Sex.	Not stated.	0 HH H D
		Female.	108 108 108 108 108 108 108 108 108 108
		Male.	123 119 119 110 110 110 110 110 110 110 110
		Population in 1880,	1,497 11,687 962 962 3,044 1,516 1,516 772 1,516 5,586 1,331 1,331 35,558
		TOWNS.	Barington Dover Durham Famington Famington Madbury Middleton Middleton Vew Durham Vew Durham Vew Jurham Vew Ju

		, 2011202121102009	
		Death.rate per 1,000.	11.51 8.48 22.02 9.50 9.50 17.01 18.18 16.44 16.93 16.93 16.10
	witch	Mot stated.	-40 GOUAGEO
	Nati	Foreign.	H 10 10HH 64 10
Веатне.		American.	32-42-43:00 15:00
DEA		Total.	289 20 11 12 8 2 8 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
	J	Not stated.	(d) (d)
	180	Female.	80150053551-031 00
		.ofaM	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		Total,	-5001-44004 00 001-44004 00
		Not stated.	
	GES;	Wife American.	
	V MARIO	Husband Americ'a.	
5	a	Both foreign.	4 11 12
		Both American.	00 01 10 10 10 10 10 10 10 10 10 10 10 1
		Not stated.	15 : wa 15
		snd for n.mother.	10 in in in in
	Parentage	American mocher and for national and far and far and far and for the formal and formal and for the formal and formal and for the formal and for the formal and formal	H H HH 1
	Parel	Both foreign.	84 65 m co 64
		Both American.	19998188189
BIRTHS.		Rate per 1,000.	8.80 13.05 13.05 15.16 17.50 20.34 17.55 11.33 5.03 8.58 14.26
		Total.	13 13 13 13 13 13 13 13 13 13 13 13 13 1
	Sex.	Not stated.	::::-::
		female	24 + 24 C
		.olaM	04001204001 1004001
	-	Population in 1880.	1,296 1,296 1,226 1,326 1,485 3,790 1,069 1,192 1,282 1,382
		TOWNS.	Alton. Barnstead Barnstead Balmout Gontre Harbor Gilloud Laconia. Meredith New Hampton Sanbornton Tilton

CARROLL COUNTY.

		Death rate per 1,000.	11.08 11.64 11.64 11.08 11.12 11.12 11.12 11.20
	Nativity.	Not stated.	4 1 1 10 1 4 1 4 1 1 1 8
	Nat	Foreign,	
DEATHS.		American.	44411244 60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DE		.IsdoT	441 24 88 8 60 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	ы	Not stated.	
	Sex.	Female.	83 12 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Male.	120048040 11-4882-108 X
		Total.	21 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25
		Not stated.	H 2
	Marriages,	Wife American.	
	(ARR.	HusbandAmeric'n.	H H H
'	~	Both foreign.	63
		Both American.	404080004 .000400040
	1	Not stated.	24 10 110 12 12 12 12 12 12 12 12 12 12 12 12 12
	- es	redican father.	
	Parentage.	American mother and for'n father.	H0 H H0 F
	Par	Both foreign.	10 1 4 1
80		Both American.	411 60 60 10 10 10 10 10 10 10 10 10 10 10 10 10
BIRTHS.		Rate per 1,000.	13.85 14.25 11.93 11.93 13.37 10.28 10.28 10.38 10.38 10.38 11.58
	×	Total.	15 15 15 15 15 15 15 15 15 15 15 15 15 1
	Sex.	Not stated.	0 0
		Female.	142.44.00.00 4 044.80.00.11 621
		Male.	4466688788 965 967 101 101 101 101 101 101 101 101 101 10
		Population in 1880.	361 1,044 428 428 421 2,094 629 865 714 70 714 70 1,254 1,701 1,711 1,170 1,170 1,274 1,27
		TOWNS.	Albany Bartlett Brookfield Chatham Chatham Chatham Conway. Eston Bartlett Bartlett Bartlett Madison Madison Madison Matison

		BIRTHS,	, MARRIAGES, AND DEATHS.	,
		Death rate per 1,000.	45.25.25.25.25.25.25.25.25.25.25.25.25.25	17.19
	Nativity.	Not stated.	64 6 4 6 4 6 4 6 6 6 6 6 6 6 6 6 6 6 6	18
	Nat	Foreign	ы ы н <mark>8 4 ынн а</mark>	72
Белтня.		Атетісап,	0%5334551-1480524850084434855	189
DE,		.IstoT	12222423	961
	2	Mot stated:		63
	Sex	Кетаје.	82-883F5-94-85F-54-58F588-688	393
		Male.	& \$24 & \$0 & \$4 & \$8 & \$4 & \$5\$ & \$4 & \$5\$ & \$4 & \$5\$ & \$4 & \$5\$ &	401
		.latoT	⊙∞4α►0-1 <mark>₹⊅∞∞∞∞×₽4</mark> ±∞€55%24⊢≅∞5	361
		Not stated.	HH 00 00 HHHHHHHHHHHHHHHHHHHHHHHHHHHHH	24
	MARRIAGES	Wife Аmerican.		22
	VER	Навранд Атетіс'в.		15
,	4	Both foreign.	19	25
		Вогл Ашегісап.	408888745480040480F7080104F080	275
		Not stated.	- 6 8 8 8 8 8 A HHHH	26
	•	American dest her and for a mother.	ळ च चळा ळचच च छत्। च	49
	Parentage.	American mether and for'n father.	न कि नियमनन क्षेत्र छ	47
	Par	Both foreign.	жния : : : : : : : : : : : : : : : : : : :	156
, m		Both American.	#####################################	457
Вівтнв.		Rate per 1,000.	84 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	15.85
	3	Total.	######################################	734
	Sex	Not stated.		6
		Female.	ដែល៖ពេល44ធ្វើមាលក្ដេលក្ដេចពេលផល4លីបើកក្ខាក	354
		Male.	2-0 :400 400 80 84 11 6 11 8 8 4 8 8 8 9 1	371
		Population in 1880.	1,201 1,201 1,201 1,201 1,003 1,003 1,205 1,205 1,205 1,201	46,300
		TOWNS.	Allenskown Andover Boscawen Boscawen Bradford Bradford Canteloury Chitelester Control	Total

Thirty-seven from public institutions.

HILLSBOROUGH COUNTY.

		.000, I req etar fitsud	13.06 21.33 20.31 18.52 20.31 20.50 20.60 20.60 20.60 20.60 20.60 17.22 11.22 11.22 11.22 11.33 23.21 24.55 24.55 24.55 24.55 24.55 25.50 26.50
	Nativity.	Not stated.	
	Nat	Foreign.	220
ДЕАТН		American.	51477 - 211 - 20 0 0 8 1 1 1 2 4 5 5 6 0 8 2 4 1 1 2 8 8 2 4 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
DE		.fstoT	525 6 24 6 25 6 25 6 25 6 25 6 25 6 25 6
	и	Not stated.	10
}	Sex.	Femsle.	011000000000000000000000000000000000000
		Male.	2000 00 00 00 00 00 00 00 00 00 00 00 00
		Total.	86 21 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
		Not stated.	H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	AGES.	Wife American.	- : : : : : : : : : : : : : : : : : : :
	MARKIAGES.	Husband Americ'n.	2 1 1 4 2 2 12
,	4	Both foreign.	62 4 84
		Both American,	22 22 23 24 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28
		Not stated.	11: 12: 12: 12: 12: 12: 12: 12: 12: 12:
	å	American fat her snd for'n mother.	2011 : : : : : : : : : : : : : : : : : :
	Parentage	American mother.	
	Pare	Both foreign.	1212 122224 1222
		Both American.	111 101 101 101 101 101 101 101 101 101
BIRTHS		Rate per 1,000.	17.14 17.11 17.11 17.11 14.32 14.32 14.32 17.13 20.27 20.27 20.27 11.00 11.38 11.00 11.38
		.fatoT	12111111111111111111111111111111111111
	Sex.	Not stated.	
		Female.	88 319 6 6 6 6 6 7 4 7 7 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
		Male.	21 - 22 - 23 - 24 - 25 - 25 - 25 - 25 - 25 - 25 - 25
		Population in 1880,	1,225 1,204 1,204 1,204 1,204 1,695 1,695 1,695 1,045
		TOWNS,	Amherst. Autrim Bedford Benington Benington Brookline Deering Francestown Greenfiel Greenville Halsborough Halsborough Hasson Masson Merimack Manchester Mitorded Manchester Masson Merimack Manchester Masson Masson

20.10	8	.49	11.	96	.61	11.44	:	22.48
-	123	130	14	19	23	=======================================	•	
- 2	-	:	***	_	00	=	:	1258 286 157
- 67	:	67	:	:	:	_	:	286
22.53	21	41	63	200	\$	18	:	
17	27	\$	00	00	3	8		1701
	:	:	:	:	:	:	:	83
00	=======================================	18	63	00	17	=	:	886
7100	11	*	-	20	8	0	:	783
(0)(0)	4.	16	٠ ١	ò	8	10		816
00	:			:		:	:	40 90 815
- :	:		:	:	:		:	9
470	63			:	:		;	23
::	:	:			:	:	:	189
4170	67	77	:	10	6	2	=	443
.00	-		:	:	23	C/3	:	186
67	:	:	:	:	:	20	:	36
2 2	67	က	:	:	_	41	:	100
C7 E-		6	:	:	¢ì	00	:	638
10	7	22	22	4	19	20	-	683
12.23 22.09	11.79	16.31	9.82	9.92	13,12	19.46	15.38	25.88 633 638 100 95 486 443 189 53
14	01	36	91	4	24	3.4	-	1962
-							:	33
80	00	18	1	7	6	19	:	198
17	[-	18	M		15	15		
1,144	848	2,206	203	402	1,829	1,747	65	15,634 956
- ::	:	:	:	:	:	:	:	:
		:	:		:	:		
	:	h				:	:	
w Boston.	lham	terborough	aron	mple	eare	ilton	indsor	Total

CHESHIRE COUNTY.

		Death rate per 1,000,1	4444 4444 4444 4444 4444 4444 4444 4444 4444	17.19
	Nativity.	Not stated.	अञ्चलकार्यक्षणचलका चला च रुखे	70
	Nat	.ngiero'H	мч надом н д н ю	34
DEATHS.		American.	######################################	390
DEA		.latoT	577555884783058 44482888404	494
	1 1	Not stated.	C3	4
	Sex.	Female.	######################################	252
		Male.	0100008-01104040 98 9411120	238
		Total.	8812147777777777777777777777777777777777	233
		Not stated.	H : 64 HDH HH H H : H0	17
	ATTERS.	Wife American.	H	00
	ARTIANES	Husband American.	(N)	-
	Ę	Both foreign.		14
		Both American.	70 F-11 0 8 8 4 4 4 5 8 4 4 4 5 8 4 4 4 5 8 4 4 4 5 8 4 4 4 5 8 4 4 4 5 8 4 4 4 5 8 4 4 4 5 8 4 4 4 5 8 4 4 4 5 8 4 4 5 8 4 4 4 5 8 4 4 5 8 4 5 8 4 5 8 4 5 8 4 5 8 4 5 8 4 5 8 5 8	181
	1	.betsta to M	0 : : : : : : : : : : : : : : : : : : :	26
	see.	American father and form mother.	HH HHHM H HM H MHF H	98
	Parentage.	American mother and for'n father.		32
	Par	Both foreign.	11 10 00 4 44 8 11 11 11 11 11 11 11 11 11 11 11 11 1	18
		Both American.	26921-191-651: 333-108	333
Впятия		Rate per 1,000.	10.66 11.08 15.57 18.53 18.53 28.68 28.20 11.42	17.78
	ı,	Total.	111 122 123 124 125 125 125 125 125 125 125 125 125 125	211
	Sex	Not stated.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9
		Female,	8 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	241
		Male.	7000000000 CT46000000 400-00040 - 90	264
		Population in 1880.	1,037 1,173 1,187 663 663 673 870 1,868 1,286 1,	28,734
		TOWNS.	Alstead Chesterfield Dublin Fitzwillam Gilsum Harrisville Hinsdale Hinsdale Hinsdale Kene Warbovough Marlow Nelson Ridge Ridge Ridge Ridge Ridge Stodard Sullivan Stodard Sullivan Swazzey Troy Wappole Wappole	Total

Died at county farm, 8.

SULLIVAN COUNTY.

		Death rate per 1,000.	18.99 11.47 11.47 11.47 15.30 15.30 16.30 17.47 16.30 17.47 16.30 17.47 16.30 17.47 16.30
	Nativity.	Not stated.	1000 1100400 040 Q
	ž	Foreign.	100 H 00 H 100 H
DEATHS		Атметісяп.	288 288 288 288 288 281 133 139 139 139 139 139 139 139 139 13
DE		Total.	284 154 154 154 154 154 154 154 154 154 15
	THÉ	Not stated.	i i i i i i i i i i i i i i i i i i i
	BOX	Female,	8 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
		Male.	1718870481485187680 CD
		Total.	00 ± 60 € 60 € 60 € 60 € 60 € 60 € 60 €
		Not stated.	- : 00 : 0 : : : : : : : : : : : : : : :
	AGES	Wife American,	69
	MARRIAGES	Husband American.	4 1 1 10
;	2	Both foreign.	4
		Both American.	ස4ර් පතකය ස්කලාවක ආදර් පතකයා ස්කලාවක
		Mot stated.	[H0] : : : H [0] H F
	9	American father.	
	Parentage	American mother and for n father.	HF 01 00 H 4
	Pare	Both foreign.	8
		Both American.	205 112 112 113 113 113 114 115 115 115 115 115 115 115 115 115
Вівтив		Rate per 1,000.	10.11.0.18.8.8.9.9.18.8.8.9.9.18.9.18.9.
	j.	Total.	10 88 88 86 86 86 113 117 117 117 117 117 117 117 117 117
	Sex.	Mot stated.	63
		Female.	0000000 + 00 − 00 0 0 0 0 0 0 0 0 0 0 0
		Male.	4050000004005114660
		Population in 1888.	982 1,587 1,156 1,156 603 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,177 1,178 1,17
		TOWNS.	According to the state of the s

GRAFION COUNTY.

		REGISTR	ATION REPORT.
		Death rate per 1,000.	28.25 26.25
	Nativity.	Not stated.	<u> </u>
	Nat	Foreign.	. '01 HW H HH H01 4
DEATHS.		American.	69911256633118411
DEA		Total.	85 51048 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	ž.	Not stated.	
	Sex.	Female.	2027: 124284244440255527755
		Male.	41 : అజరింగ్రభణనముబణులు కి : నీలకు
		.IstoT	ФРР РЕМЕРИАМ ФЕФЕТАТОВ
		Not stated.	H 400 H H H H H H
	S S S S S S S S S S S S S S S S S S S	Wife American.	g :
	MAKRIAGES	Husband Americ'n.	
	4	Both foreign.	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Both American.	880 1080 1080 114887 14887 1
		Not stated.	© 03 4 4 H H W H
	80.	American father and form	P P P P P P P P P P P P P P P P P P P
	Parentage	American mother.	H : : : : : : : : : : : : : : : : : : :
	Par	Both foreign.	000 0d :
, 00		Both American,	84 - 18 8 8 - 4 - 19 4 4 8 4 18 4 8 8 18 1
BIRTHS		Rate per 1,000.	13.28 14.25 14.25 14.25 15.06 17.06
		Total.	11877 - 80 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Sex.	Not stated.	
		Female.	4.00 : 00 : 00 : 00 : 00 : 00 : 00 : 00
		Male.	
		Population in 1880.	828 1,032 378 1,400 1,163 1,163 1,163 1,163 1,163 1,163 1,680 1,68
		TOWNS.	Mexandria Ashiand Sasth Sasth Senton Gethlehem Gethlehem Striggewater Siriggewater Ampton Aman Orchester Asston Trancouls Fratcouls Fratcoul Ilsworth Ilswor

11.14.6 11.14.	15.75
4 4 - 4 - 4 - 4	22
9 -	24
234 4854445885-0-886	203
28	011
	63
92 400 82443 88 88	313
242 : 200 200 200 200 200 200 200 200 200	296
84 - 211 4 x 81 - 25 11 65 1 8 4	327
9 - 1 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	28
4	20
81 D	18
38 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13
354 : 4 = E T E O O O : 2 2	249
	23
C3 FD	29
400	47
64 64 64 86 E	8.1
38 38 38 38 38 38 38 38 38 38 38 38 38 3	426
16.04 15.376 15.376 15.38 25.11 14.02 16.86 16.10 16.1	16.26
285 128 128 12 13 13 13 13 13 13 13 13 13 13 13 13 13	631
	64
初記 : 9 m O P m o S Z H 4 : 8 H	316
4 程 : 8 2 2 8 2 8 2 8 2 9 2 8 1 1 1 2 2 2 8 2 1 1 2 2 2 3 2 3 2 3 2 3 3 3 3 3 3 3 3	313
1,807 1,013 1,013 1,050	38,788
Liston Liston Liston Lymn Lymn Lymn Monroe O'Tord Perment INyment Rounree O'Tord Thornton Rounree Waterville Waterville	TOTAL

COOR COUNTY.

		Death rate per 1,000.	16.60 16.82 111.81 111.81 110.12 18.63 19.86 19.86 110.82
	Nativity	Not stated.	
	Nati	Foreign.	то нан с енин на 68
ВЕАТИВ.		American,	41 1188 110 10 10 10 10 10 10 10 10 10 10 10 10
DEA		Total.	22 22 22 23 25 25 25 25 25 25 25 25 25 25 25 25 25
	J.	Not stated.	7 1 1
	Sex.	Female.	0 144460102010 0000040011 40
		Male.	E
		Total.	25. 25. 25. 25. 25. 25. 25. 25. 25. 25.
		Not stated.	[[[] [] [] [] [] [] [] [] []
ž.	• dab	Wife American.	1 000 1 1 10 14 1 1 1 1 1 1 1 1 1 1 1 1
M. same	ARKI	Husband American.	
ž	i i	Both foreign.	4 : 4 : : : : : : : : : : : : : : : : :
		Both American.	122121222133213213213213
		Not stated.	H : : : : : : : : : : : : : : : : : : :
	, n	· Tentom n' Tot bas	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
	Parentage.	American mother. snd for'n father. red fat n father.	w4 ww : : : : : : : : : : : : : : : : :
	Pare	Both foreign, mother	122 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Both American.	16 17 17 17 17 17 17 17 17 18 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18
Вівтня		Rate per 1,000.	25.41.25.25.25.25.25.25.25.25.25.25.25.25.25.
		.f.sto.T	84 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
	Sex.	Not stated.	:::::::::::::::::::::::::::::::::::::::
		Female.	42 20 20 20 20 20 20 412 412 413
		Male.	
		.0881 at noitslugoT	1,144 632 632 1,580 1,580 1,580 1,081 1,383 1,081 1,08
		TOWNS,	Berlin. Carroll Carroll Calcarkeville Colebrook Columbia Dalkon Dalkon Dummer Berrol Gorham Jefferson Jefferson Jefferson Jefferson Milan Millan Millan Fitts burg Shark Shark Shark Strafford Stewartsfown Whitefield

This includes the population of the unincorporated towns. This at county larm,

RECAPITULATION BY COUNTIES.

В	IRTE	is, marriages,	AND DEATHS.	
		Death rate per 1,000.	18.66 17.40 16.10 14.77 17.19 15.75 12.21	17.87
	1636	Mot stated,	F82487575488	158
	Nativity	Poreign.	8851 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	578 7
DEATHE.		-делісап-	668 232 223 223 223 221 173	847
8		Total.	911 289 289 289 770 770 770 770 770 770 770 770 770 77	59 6201 4847
	ت ا	Not stated	1000 N 1000 N 1000 N	20
	Sex.	Female	496 1135 1131 1131 1131 1131 1131 1131 113	194
		Male	410 276 137 401 134 401 152 152 152 152	282 3180 2948 3194
		Total.	388 388 1180 1180 1188 1109 1109 1168	180
		Not stated.	4828487184	282 3
	Marriages.	Wife American.	8550-8488	154
	ARRI	Husband Americ'n.	8504755-P80	158
	8	Both foreign.	8850884422	368
		Both American.	333 278 107 107 107 187 187 104 104	2218
		Not stated.	82844888-44	716 2218
	9.	American father and for'n mother.	485,488188	334
	Parentage	American mother and for'n father.	38 100 100 141 141 141 141 141 141 141 141	350
	Pare	Both foreign.	265 244 49 49 1156 638 87 87 87 87 87	1506
		Both American.	294 294 194 197 197 197 196 196 196 197 197 197 197 197 197 197 197 197 197	3413
Віктив		Rate per 1,000.	13.04 17.46 17.46 18.49 16.26 16.26 16.26 16.26	18.21 3413 1506
		Total.	640 621 256 245 734 511 631 462	78 6319
	Sex	Not stated.	8800044 800044	186
		Female.	283 283 283 129 241 241 241 241 241	063
		Male.	333 333 331 110 110 371 142 264 264 264 274 313	3188 3053
			49,064 135,558 17,948 18,224 46,300 175,634 18,161 18,161 18,580 18,580	166
		Population in 1880.	25.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	346,991
		COUNTIES.	Rockingham Signature Larvell Carvell Mervinack Hillsborough Cline hine Sullivan Crafto	Total

BIRTHS.

There were reported for the year 6,319 births, 3,188 males and 3,053 females. The excess of male children is in about the same proportion as exists in other States. In 78 cases the sex is not stated. Under the head of parentage we find that 3,413 have parents both American; 1,506, parents both foreign; 350, American mother and foreign father; 334, American father and foreign mother; and 716, parentage not stated.

These figures present some interesting facts in connection with the subject of nativity of parents. The last census gave for this State a native population of 300,697; foreign-born, 46,294,—or, in other words, the foreign population was 10.45 per cent of the total population of the State, while the births from foreign parentage were 44 per cent of the American and 23.83 per cent of the total number of births for the year. It is probable that this rate should be increased by the greater part of those classed under "not stated" in the classification of parentage, as they undoubtedly belong largely to the foreign-born population. The columns of mixed parentage are very nearly balanced. Thus, it will be seen that while the foreign population is only about 10 per cent of the total, the births from foreign-born parents probably exceed 30 per cent of the total.

It is probable that the rate would be still further increased if there were a full registration of all births, as the deficiency is confined largely to the unreported among this class.

The same ratio in marriages does not by any means hold good. There were 2,218 marriages "both American," 368 "both foreign," and 282 "not stated." The columns "husband American" and "wife American" nearly balance.

The "both foreign" marriages were 16.59 per cent of the "both American," and 11.57 per cent of the total number of marriages. If the entire number classed under "not stated" were added to the column "both foreign," it would then be only 29.30 per cent of the marriages classed under "both American," and 20.44 per cent of the total number.

Of the 6,201 deaths 4,847 were native-born, 578 foreign-born, and 758 not stated. Those known to be foreign-born were 11.92 per cent of those known to be American-born. If the "not stated" are added to the "foreign-born," where doubtless many of them belong, they would then be 21.54 per cent of the total number of deaths.

 ${\bf TABLE~4.}$ Births by counties, showing proportion of males to females, 1885.

Counties.	Males.	Females.	Excess of Males.	Excess of Females.	Sex not stated.
Rockingham	. 333	299	34		8
Strafford	333	283	50		5
Belknap	126	129		3	1
Carroll	107	129		22	9
Merrimack	371	354	17		9
HIMsborough	055	965		10	32
Cheshire	264	241	23		
Sullivan	142	123	19		2
Grafton	313	316		8	ż
Çoos	244	214	30		4
Total for State	3,188	3,053	135		78

 ${\bf T\,A\,B\,L\,E}\ \ 5\ .$ Percentage of american and foreign births, by counties, 1885.

		PARENTS.						
Counties.	American- born.	Foreign- born.	One foreign- born.	Births with parentage not stated.				
Rockingham	75.78	10.15	9.53	29				
Strafford	47.74	39.29	10.46	18				
Belknap	64,45	19.14	6.64	25				
Carroll	80.40	4.48	5.30	24				
Marrimack	(62,20	21.25	13.07	25				
Hillsborough	32.42	32.68	9.98	486				
Gheshire	105.10	17.02	12.72	26				
Bullivan	70/77	10.86	9.73	7				
Griffon	:67.61	13.78	12.04	42				
Coös	47.18	30.30	15.15	34				
Total for State	54.01	23,83	10.82	716				

This table shows the percentage of births more fully than was given above. It is interesting to note the percentages in different counties. It will be seen that in Hillsborough county the births of foreign-born parents exceed the native-born. Of course the foreign population is greatest in those counties having manufactories. This is illustrated by Hillsborough and Carroll counties, the latter having but few manufactories.

TABLE 6. TWIN BIRTHS BY MONTHS AND COUNTIES.

Counties.	ry.	ary.						jt.	mber.	er.	nber.	aber.			ored iren.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	M.	F.
Rockingham	1				2		0.0,0			1	***	1	5		1
Stradi and	1			1		1	1						4		
Belknap			1									• • • •	1		
Carroll							1	••••	1	1	• • • •		3		
Merrimack	1					1		1	1			• • • •	4	1	2
Hillsborough		1	1	2	2	2		1	1	1	3	1	15	• • • •	/1
Cheshire				2					1	2			5		• • • • •
Sullivan			1			1				2	1		5		
Grafton		2				2		1	. 1				6	1	••••
Coos					1	2	1		2	••••	2	••••	8		••••
Total for State	3	3	3	5	5	9	3	3	7	7	6	2	56	2	4

TABLE 7.
BIRTHS BY SEX AND MONTHS, BY COUNTIES.

		_													
COUNTIES.	January.	February.	March.	Aprill.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Rockingham . Males	29 23 1	22 18 2	26 32	29 23 1	22 38	24 22	28 34 2	35 15	19 26 2	41 22	26 20	32 25	1	333 299 8	640
StraffordMales Females hot stated	36 18	23 27	43 22 1	32 21 1	25 25	21 28	37 28	27 18	20 19	19 28	19 27 1	31 22		333 283	©21
Belknap Males	20 	19 8	15 5	6 12	15 15	8	6	10 12	13 13	11 8	7 7 1	8 13		126 129 1	250
CarrollMalesFemales	14 6	8 3	11 18	2 13 1	6 11	14 14 3	12 8 2	3 12 1	9 8 1	6 14	12 12 1	9 10	1	107 129 9	246
MerrimackMales Females Not stated	29 24 1	29 26	27 42	35 34 1	27 18 1	32 33	40 27	30 34 1	28 35 2	34 32 1	26 24 1	34 25		371 354 9	734
Hillsberough. Males	70 83 2	71 70 2	85 88 2	84 81 4	87 70	81 79 2	96 91 3	97 70 1	75 77 8	70 75 7	66 82	72 97 6	1 2	955 965 32	1952
CheshireMalesFornales	16 18	22 15	19 17 1	31 19	25 21 3	16 16	32 24	19 24	24 29	26 22	14 15	20 20	1	264 241	511
SullivanMales	9 12	12 4	13 17	9 11 1	14 12	11 15	14 8	13 12 1	11 7	17 12	6 5	13 8		142 123 2	267
GraftonMales Females Not stafed	27 15	28 29	38 28 1	29 42	25 29	23 20	17 26	24 26 1	28 31	23 21	20 22	31 27		313 316 2	631
Coös Males	20 14 1	17 10 1	20 14	16 15	27 18	19 26	24 22 1	24 16	20 28	19 21 1	20 15	18 14		244 214 4	462
Total for State.MalesFemalesNot stated		261 210 5	283	271			306 275 8						5	3188 3053 78	7319

TABLE 8.

MARRIAGES BY COUNTIES AND NATIVITY.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Rockingham	333	33	22	18	41	447
Strafford	278	53	16	13	28	388
Belknap	107	15	9	6	13	1350
Carpoll	-157 (2	4	1	18	1182
Merrimack	275	25	15	22	24	361
Hillsborough	443	189	53	40	90	815
Cheshire	187	14	7	8	17	233
Sullivan	85	4	5	4	11	(109
Grafton	249	12	18	20	28	327
Coos	104	21	9	22	-12	168
Total	2,218	368	158	154	282	3,180

TABLE 9.

MARRIAGES BY AGES AND MONTHS, BY COUNTIES.

	1
Not stated.	8
December.	
November.	84 12 12 12 12 12 12 12 12 12 12 12 12 12
October.	320 : 18: 18: 18: 18: 18: 18: 18: 18: 18: 1
September.	88 : 33 : 38 : 38 : 38 : 38 : 38 : 38 :
Auguat.	25 31 11 11 18 18 18 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10
July.	200 200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
June.	269 S S S S S S S S S S S S S S S S S S S
May.	25 1 11 15 28 28 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
April.	24 2 33 33 34 44 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Матсh.	1
February.	26 2 201 16 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
January.	25. 1 188 1
Total	2338 2338 2338 2338 2338 2338 2338 2338
.betata toM	F-0024 30-40004 040 040 0
.08 T9VO	3:::::::::::::::::::::::::::::::::::::
70 to 80.	ישו מחו מחום: מחום : מחום : מחום : מחום
.07 04 08	880000000000000000000000000000000000000
.00 ot 33	Municipal 100
.dd ot 0d	OWL-94-94- : I & C & P G & C G &
45 to 50.	F. 882 - 1 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3
40 to 45,	108 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
35 to 40.	202 202 226 156 166 167 188 188 188 188 188 188 188 188 188 18
30 to 35.	25.55
25 to 30.	25
20 to 25.	149 162 162 163 160 160 160 160 170 170 170 170 170 170 170 170 170 17
15 to 20.	107 107 107 107 108 108 108 108 108 108 108 108 108 108
15 or under.	[:4 :4 :4 :4 :0 :4 :0 :4 :0 :5 :8
COUNTIES.	Am Males Females Females Familes Males Familes Familes Familes Familes Familes Familes Females Males Females Males Females
	Rockingham Strafford Belknap Carroll Merrimack Hillsborough Cheshire Sullivan Grafton Coös Total for

TABLE 10.

COUNTIES.	age of the bride exceeded that of the groom.	Widowers.	Widows.	Third marriage.		Fourth marriage.		Fifth marriage.	Oldest.		Youngast.		Oldest couple.		Youngest couple.	
	3 -	*	W	M	F	M	F	M	M	F	M	F	M	F	M	F
Rockingham	61	77	65	7					76	67	17	15	71	67	17	17
Strafford	37	66	51	6		1	1		75	63	18	14	75	55	18	14
Belknap	72	24	23	5					77	73	17	14	74	73	18	15
Carroll	21	33	21	7	5		. ,		78	75	19	15	78	75	19	16
Merrimack	53	83	59	8	3		1		75	72	16	14	71	72	18	14
Fillsoorough	134	124	91	15	5	2			77	72	17	12	73	72	17	16
(Cheshire	.21	38	27	10					80	61	18	15	80	61	19	16
Sultivan	1.0	21	20	2	1		1		82	72	16	14	82	72	16	16
Gratton .:	33	.66	42	. 5	8		1		73	60	18	16	69	60	19	16
Coös	17	21	20	4	2			1	77	75	18	13	69	75	18	15
Total for State	459	553	419	69	24	3	4	1	82	75	16	12	82	72	18	14

DIVORCES.

TABLE 11:

DIVORCES DECREED BY THE SUPREME COURT OF NEW HAMPSHIRE IN THE YEAR 1885, AS RETURNED BY THE CLERKS OF THE SEVERAL COUNTIES.

			Libellants.								
Countres.	Abandonment.	Adultery.	Absent 3 years.	Conviction of crime and imprisonment.	Extreme cruelty.	Impotency.	Habitual drunk- enness.	Treatment inju- rious to health.	Males.	Females.	Total of each county.
Rockingham	10	6.	ļ	1	5	1	: 2	,	10	15	25
Strafford	4	8	4		7	1	4		4	24	28
Belkmap	4	3	3	· · · · · ·	-5		5		3.	17	20
Carrell	.6	4			7		3.		10	10	20
Westimack	- 3	- 9	12		6		5		12	23.	35
Hillsborough	29	16		1	27		11	2	29	57	86
Cheshire	12	5			4		2	2	12	13	25
Sullivan	3	7			10				4	16	20
Grafton	10	2			10	5,0 0 0			7	15	22
Coös	2	2			4		2		3	7	10
Totals	83	62	19	2	85	2	34	4	94	197	291

The following table of divorces, by counties, since 1870, is given for the purpose of comparison, and as an interesting table of study to those who are interested in the statistics of divorces.

TABLE 12.

DIVORCES DECREED FROM 1870 TO 1885 INCLUSIVE, BY COUNTIES.

COUNTIES.	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	1885
Rockingham	19	20	29	34	41	23	37	18	30	30	44	30	23	2	28	25
Strafford	12	6	24	27	25	17	20	29	29	34	58	42	36	53	32	28
Belknap		7	7	13	12	10	18	16	16	16	22	17	14	15	19	20
Carroll	4	1	1	9	9	4	10	13	19	13	11	19	9	7	14	.20
Merrimack	15	27	32	13	51	37	40	23	22	36	41	2E	49	49	48	36
Hillsborough .	64	37	58	51	77	75	65	73	61	69	83	87	90	74	93	86
Cheshire	12	19	19	16	15	22	21	17	18	22	31	21	34	25	30	28
Sullivan	6	6	10	16	17	13	26	9	10	8	9	22	17	12	11	20
Grafton	13	21	15	29	22	20	20	29	17	27	25	37	27	14	28	22
Coös	4	5	2	4	12	11	9	10	11	10	15	7	15	3	12	10
Total	149	149	197	212	281	232	266	237	233	265	339	307	314	273	315	291

TABLE 13.

CAUSES OF DEATH, ARRANGED BY TOWNS AND COUNTIES.

- 1	1	Total for Class I.		OT :: 604 : : 015 H 44 0 : H 4 : . 01
		1 1	not stated.	reg ::::::::::::::::::::::::::::::::::::
		ota llas	.elism	
-		HO	.91	M : : 64 : : : 64 to : 64 : . : 14 : : :
				角 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1
		Dietic.	Total.	물 ::::::::::::::::::::::::::::::::::::
ı		iet	vation and Neglect.	ual : : : : : : : : : : : : : : : : : : :
1		O C	oholism.	IV
ł		ORDER 2. — En. ORDER 3. Dietic.	1	国 · · · · · · · · · · · · · · · · · · ·
ı		g	Total.	= 1 · · · · · · · · · · · · · · · · · ·
		l 7.	smr.	MI
	υô	2	rush.	
J	萬	He H	derignant Pustule.	
]A	L CE	philis,	
	SH	Ö		
	ā		,simesoite	
	D.		Total.	H : '40 : : : : : : : : : : : : : : : : : : :
	Ę			N : 100 : 100 : 10 : 10 : 10 : 10 : 10 :
	MC		, sitis,	
H	- 5		rebro-spinsl Menin-	9O : : : : : : : : : : : : : : : : : :
	2		.maitamuər	
	ٺ	,	Laria Fever.	
	CLASS I. —ZYMOTIC DISEASES.	Order 1. — Missmatic.	olera Infantum.	
	20	g	arrhœa.	
	Ę,	19.8	vgentery.	
П	•	×	Tuenza,	
			Thuncle.	30 : : : : : : : : : : : : : : : : : :
Н		1.	erperal Fever.	
Н		12.15	,aslediav.	W : : : : : : : : : : : : : : : : : :
П		RD	phoid Fever.	(T : : : : : : : : : : : : : : : : : :
Ц		0	hooping-cough.	M : : : : : : : : : : : : : : : : : :
П			-dno	
			'ysuii	0 : : : : : : : : : : : : : : : : : :
н			phtheria.	<u> </u>
П			arlet Fever.	
1			easles.	
			.xoq-llan	
П				
Н				
П				
Ш			TX	
			ž.	
			- ప	
			Ħ	
Н			YH.	
			ING	
			Ä	
			Гоwия ім Воскімонам Социти.	
			ě	
			22	
			T.M.	
			Ţ	
				B B B B B B B B B B B B B B B B B B B
				Kin.
				Athiesuit. Athiesuit. Brentwood Candia. Charlia. Danville. Danville. Derfeld Berry. East Kings Exelor. Greenland Hampstend Hampton Hampton Hampton Hampton Greenland
П				AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

≓ ⋅୴ଊଊଊ୴≅ ଼ଖଞ୍ଚଣଶଶ ⋅ ⋅୭ଋ ⋅ ⋅
#
<u> </u>
11:17:11:11:11:11:11:11:11:11:11:11:11:1
:::::::::::::::::::::::::::::::::::::::
- : 0000 mm : mmmm : 00m : :
: : : : : : : : : : : : : : : : : : : :
Londondary Lon
Tilizia i i i i i i i i i i i i i i i i i i
I:::::::::::::::::::::::::::::::::::::
<u> </u>
<u> </u>
* · · · · · · · · · · · · · · · · · · ·
11:::::::::::::::::::::::::::::::::::::
::::: : : : : : : : : : : : : : : : :

ke
ry.
underry anderry antich
Emgelon Emge
in con con con con con con con con con co
AUS SESSEE STATE S

TABLE 13-continued.

11		19	:
		.IstoT	: : : : : : : : : : : : : : : : : : : :
		Asthms.	1::::::::::::::::::::::::::::::::::::::
	e .	.aitignyra.L	
	Orders 2 and 3.	Pleurisy.	::: F:::::::::::::::::::::::::::::::::
ıνα	1 × 1	Pneumonia.	
SE	RS S	Bronchitis.	
EA	DE	Lung disease.	H . M H
SIG	ő	LatoI.	H : 60 H : H 60 H 60 H 60 H 60 H 60 H 60
l i		Pericarditia.	: : : : : : : : : : : : : : : : : : :
[F		Aneurism.	
CLASS III, — LOCAL DISEASES.		Heart disease.	HEWH
11 7	g l	Total.	· · · 04-4-4-0-4-0
H	ste	Neuralgia.	* * * * * * * * * * * * * * * * * * * *
H	Sy	Spinal disease.	
A SS	li B	Brain disease.	
OL C	LAC	Meningitis.	::H:::H:MM
	Ne K	Convulsions.	:::::::::::::::::::::::::::::::::::::::
		Tetanus.	
	H 1	Epilepsy.	
	Order 1. — Nervous System.	Paralysis.	HH4
	0	Apoplexy.	· :
	1	Total.	·4004 · 100 H 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Total for Cl. II.	Female.	:0040 :00H40H0HHH :04H
CLASS II. — CONSTITUTIONAL DISEASES.	F 5	Male.	idage: : : : : : : : : : : : : : : : : : :
	13	Total.	1 :00000 :4040040444 :404
D D	ORDER 2.— Tubercular.	M	:044 : :00 : :00 : :404040
S. S.	ER	Phthisis. Hydrocephalus.	4040 4040-10000400
ISE SE	da du	Tabes Mesenterics.	
QA	OH	Scrofula.	
		.letoT H	: : : : : : : : : : : : : : : : : : :
ll å"	1 8	R	: : : : : : : : : : : : : : : : : : :
70	1.	Mortification.	: . : : : : : : : : : : : : : : : : : :
ASS	ORDER 1.— Diathetic.	Cancer. Noma (Canker).	
님	ORI	Anæmia.	
		Dropsy.	:::::::::::::::::::::::::::::::::::::::
1			
11			
		.•	
		X.I.)	
		хио	
		Ö	
1		Z. Z	
		NG	
		OK	
		Ro	
		H	
11		SN.	
		Towns in Roceingham Countr.	ad day
11		Н	nn Ile inging
			Attinson. Auburn. Breulwvood Breulwvood Breulwvood Daville Deerfield Daville Ceerfield Cast Kingston Ifpuly Fremont Fr
11			Atta Bre Dan Dan Doer Doer Doer Tred Ign Ign Ing
			- イークのエエエエーエヨの王王田区区は200

10000	64 :1	الداء		4 60	: : "	
Newington Newing	Nothingham	-=	Brown 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1		South Hampton.	:
<u>: </u>	::		: : :	:::	_: :	::_
Im : :	::		: : :	: : :	::	:::
::::	: :	: :	: : :	:::	::	
:00 01 F4	eo :	:20 -	4=	100	:-	- 9-4
	1 17	- 2				-
	-		•			4 -
· ·	= :-	• =			• •	- 101
= 000	:				• •	:-
						<u>. </u>
		<u>: :</u>	: : :		:::	::
12:	::	-	::		:::	::
es & 65 :	= :	- 00 +	- co -	4	: :	: 20
	: 03 1	122	4 64 66	4	:::	: :
: 00 : 01	C	- 10 +	1 - 6	1 :00	:::	: :
	: :	:=	:::		:::	:::
		63				: : -
					- : :	•
		- 00				· ·
	_ :				-:	-
			: : :			<u>: : </u>
						: :
:::=	: :	: =	: "			: :
::::	: :	:=		: : :	::	: :
::	ග :	: 00 0	N : 50	: 00	::	
::==	03 23 -	7 10	: - 0		::	: :
MATERIAN A						210
-	4.5-1	4	1 43 6		03040	1 20
C1 20 - :		2			C4 ===	* 00
: 4:04	01.01	: 55 -	4 77 73	- 33	-1 :0	4 64
:97	- 10 +	16	53.00	0 70-0	dend .	:00
. 20 64 :	23 63	.2	1 : 4	رت سا	- :0	1 31
::::		: 63	: : :		::	: :
.00	co E- 1	-6.	107	03	C3 - F	4 50
	: .		:		::	. :
						-
000		H 00	. 01	- : -		
		: 4.				
	: :	: 04				==_
::::		: :	: : :	: : :	::	::
6163 : :	- T	40	: 63	: :		
::::		:=	: : :	: :	::	: :
	::	: :		. 67	1::	::
1111	::	: :	: : .	: : :	; :	::
	: :	: :	:-:		: :	: :
::::	::	:::	: : :	: : :	::	: :
::::	: :	: :	: : :	:::	::	:::
		: :				
		::	: : :			: :
::::	: :	::	: : :		: :	: :
		: :			::	
	: :	: :				: :
: :	: :	::	: ::	: :	::	::
::::	: :	: :	: : :	:::	: :	
::::	: :	: :				
					: :	: :
: : : :	: :	: :	: : :	: :	::	::
::::	::	: :	: : :	; ;	e :	: :
: : : :	: :	: :			rk	
:::5	: :				pt	
E : et	Z H	th		: :	W	: :
H. F.k	Show in	100	: :	WT NO	Han Ne	30
in in	H a	STEE S	g : g	ro	444	da da
W OW	t to		6 G	a de	THE PER	iğ
ZZZZ	ZZZ	350	i Ai S	200	00 00 to	1

TABLE 13 - continued.

	188	Total.	848478778778
	rotal r Clas III.	Sex not stated.	<u>и4шрчююю4грючни наг-</u>
	Total for Class III.	Males. Females.	448808080110 :4480088 8488845084558118 :1955 :
		[A	· · · · · · · · · · · · · · · · · · ·
	d P	-LatoT Z	
	tar n.	Tumor,	
	Order 8. —Integumentary System.	Disease of skin.	
	FR	Joint disease.	
)RD teg	Phlegmon.	:::::::::::::::::::::::::::::::::::::::
		Ulcer.	
	12	Total.	::::::::::::::::::::::::::::::::::::::
ued	ORDER 6.— Generative Organs.	Disease of uterus.	
tin	ER.	Uterine tumor.	
con	Ger O	Ovarian tumor.	
Ĭ		Ovarian dropsy.	
ES		.IstoT	::::=:=:::::::::::::::::::::::::::::::
AS	ary		:::0=:=::=:::::::::::::::::::::::::::::
CLASS III.—LOCAL DISEASES—continued.	Order 5. — Urinary Organs.	Uræmia. Prostatitis.	
DI	D-G	Kidney disease.	* * * * * * * * * * * * * * * * * * * *
님	organs.	Cystitis.	2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
DQ.	M O	Calculus,	
l ii	\$DE	Diabetes.	::: : : : : : : : : : : : : : : : : : :
	O I	Bright's disease.	::: H 3 : 101 H :::::::::::::::::::::::::::::::
		Nephritis.	
202		-IstoT F	:00 g : : : : : : : : : : : : : : : : :
V			: : : : : : : : : : : :
5	70	Disease of apleem.	
	urs.	Jandice. Liver disease.	
	Org	Hepatitie.	
	ΛΘ (Colic.	
	sti	Stomach disease.	T. : H : : : : : : : : : : : : : : : : :
	ige	Fistula,	:H::::::::::::::::::::::::::::::::::::
	P ₁	Stricture intestines.	
	4	Intussusception.	
	65	Hernia.	
	Order 4. — Digestive Organs.	Ascites. Ulceration of intestines	
1	0	Peritonitia.	
		Enteritia.	: : : : : : : : : : : : : : : : : : :
		Gastritis.	
		ž.	
		ND	
		ဝိ	
		CAM	
		NGE	
		OKT	
		Ro	
		E	
		(S)	600n Falls Ty
		Towns in Rockinsham Countr,	n design
		Ħ	Atkinson Auburn Immittensis Immittensis Chester Chester Chester Dearville Dearville Berry Expring Expring Expring Frement Greenland Hampston Hampton Falls Kansington Condonderry
			tkii uubi hes ann eerr seerr ppi keerr eerr eerr eerr eerr eerr eerr ee
			NEW XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

82	B	20	7	4	œ	8	9	6	œ	ಯ	12	~	~	67	9	
::			:	:				:	:	:	:	:	:	:	:	
100	7	3	10	63	67	55	83	9	10	- desired	10			-	20	
112	21	CI	0	_	_	4	2	9	63	2	20	_	_	_	-	
-:-		-	-	:	:	-	:	:		:	:	:	:		:	
:=		:		:	-	67		:	:	:	:	:	~ :	•	:	
		_	:	:		:	:	:	:	:	:	:	:		:	
		:	:	:	_	=	:		:	:	:	:	:	:	:	
	:		:	:	:	:	:	:	. :	_:	. :	:	:	:	:	
_: =	:	:	:	:	_:		_:	:		:	_:	:	_:	:	_:	
::	_:		:	:		_	_:	:	:	:	.:	_:	:	:	:	_
::	:	:	_	:	:	:	:	:	:	:	:	:	:	:	:	
::	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	Ī
::	:	:	_	:	:	:		:	:	:	:	:	:	:	:	
_::	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
::	:	:	:	:	_:		_:		:	:	_:	_:	:	:	:	
:=	:	:	~		:	3	:	:	:	-	-	:	:	:	:	
::	:	:	:	:	:	잭	:	:	:	***	:	:	:	:	:	
::			:	:	:		:	:	:	:			:	:	:	
_::	:	.:	:		:	:	:	:	:	:	:	:	:	:	:	
::	:	:	_	:	:	_	:	:	_:		:	:	_:	:	:	
	-:	:	:	:	:	_		:	_:	_:	_:	:	:	:	:	
		:	:		:		:	-:	-:	-:	:		:	:	-	
	-	-:	-:	-:	-	~		:	:	:		-:	:	<u>:</u>	:	_
			-	-:	-:		_	-:	-:	-	Ę	-:	-:	:	-	
				-		_		÷	•		-	•	-	-	-	
-:-	_			_	:		:	-	Ξ		:	_:	_:	:	:	
	:		_	-	_:	_	:	-:		_:	_	_	:			
	-	-:	:	-:			•	_	-	-:	•	-	-	-:	-	_
-	-:	-:	:	-		_	-	_	-:		_	-:	-:	÷	-	_
		-	-:	-:	-:	_	-:	-	-	•	_	-:	-	•	•	
	•	•	·	•	•	-	-:	-:	-:	:	•	-:	-:	:	-	
•	:	•	-:		<u>:</u>	-	-:	-:	-:	•	•		÷	•	•	
	-:		•		÷	•	•	•	÷	•	-:	•	•	•	.	-
=	:	:	÷	:	:	,	·	•	:	:		-:	:	÷	:	
-	:	:		:		•	:	:	:	:	:		:			
111	:	:	=	:	:	-	:	:	:	:	:	-	:	:	:	ī
::	:	:	:		:	7	:	:		:	:	:	:	:	:	
::	:	:	:	:	:	:	:			:	:	:	:	:	:	
: 63	:		:	:	:	4	:		-	:	:	:			:	
::	;				:	:	:	:	:		:	:	:	:	:	
::	-	:	:	:	:	ಣ	:	:	:	:	:	:	:	:	:	
				:				:		:			:			
::	:				:			:			:		:	:		
		:	:	•	:	:	;	:	:	:	:	:	:	:	:	
	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
::		:	:		:					:				:	:	
::	:	:	:	:	:	:	:	:	:	:		:	:	:		
	:	:		:	•	:	:	:	:	:	:	:	+	:	:	
		E.			:		0 0		:		:	n.	Ke			
::	:	oto	:	:	:		0	:	:	:	:	ptc	nai		:	
ret	:	une	po	BILL		th	o ped			:	:	8m	WI			
gto	ū	H	WO	gh	M	100	DIZO	:		WD	NO K	H	N	BEE	lan	
vin a	VEC	th	th	tir	istr	tsr	ZIZ.		HIIG	op	bre	tp	th	ath	pol	
Newnarket Newnar	Ne	No	No	ON.	Pla	COL	KB.	S	Sal	Sandown.	Sea	South Hampton.	South Newmarket	Structural.	Windham	

LABLE 13—continued.

	. [.ls	toT	20 20 20 20 20 20 20 20 20 20 20 20 20 2
otal	ses.		· stated ·	TAGE	
I pur	Ior All Classes.		nales.		20001-488 011-20-47-4-4-4-4-10-68
Gr	ΨI		-aəl	sM	110 110 110 110 110 110 110 110 110 110
		Total for Class V.	.ls	10T	H :: 000 - 00 - 000 - 00 - 00 - 00 - 00
	nd 5	ota]	.elen		: : : : : : : : : : : : : : : : : : :
zi.	k, 33		ported.	EM.	
Į Į	8,	-9J	ton sauso		H : : : : : : : : : : : : : : : : : : :
DE	ORDERS 3, 4, and 5.	30	Violent, no	M F	
CLASS V VIOLENT DEATES.	ő		.abioind	M	
VIOI	ORDER 1.—Accident and Negligence.		.LatoT	M M	::: : : : : : : : : : : : : : : : : :
1	nt .		.esiw1e	التعال	
À 1	1.—Accide		tocation.		
ASS	Accliged		son. Wning.		
CI.	legil.	-spi	sog bas an		
	ER		·spur	10W	1::::::::::::::::::::::::::::::::::::::
	OHO.	*/70.77/	troad accide		
	4	l for		Tot	H H 100 0 H 40 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	and	Total for Class IV.	nale.		
LNE	66		Atrophy ar	I.B.M	
PM	BS 2	pt		F	::::::::::::::::::::::::::::::::::::
CLASS IV. — DEVELOPMENTAL DISEASES.	ORDERS 2; 3, and 4.		Old age.	M	
EAS			ldbirth.		::::::::::::::::::::::::::::::::::::
DIS	Order 1.—Of Children.		Total.	MF	1::::::::::::::::::::::::::::::::::::::
→) # C		.Buida		
1 SS 1	1,—0 dren.		.noitamroll		
LAS	# # # # # # # # # # # # # # # # # # #		nosis.		
5	RDE	· rp	ria erutam		1 : : : : : : : : : : : : : : : : : : :
	6		l-born.	HIS	: : : : : : : : : : : : : : : : : : :
		Towns in Rockingham County.			Atkinson Aubum Breatwood Candia Conside Conside Chester Davville Davy East Kingston Exptre Extra Exptre Exp

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
[:::=:::::::::::::::::::::::::::::::::
#
HEG GEG : 50 10H H HE
Hem H H (EM 00) : : : : H
लेलन (न (न (चेल छ) () () (न () () (नन () जेल (नन (न (न)
ted lettigeter titled
Hen H 18 15 00 1 1 1 1
111111111111111111111111111111111111111
H
F
::-:::01:00::00:::::::::
:::::::::::::::::::::::::::::::::::::::
HO ಬರುಟಡುತ್ತಾರವಾಗುವ ರವನಾ
44 4 4 4 4 4 4 4 4
:::::::::::::::::::::::::::::::::::::::
:::::::::::::::::::::::::::::::::::::::
: : m : : m : : m : m : m : m : :
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
:::::::::::::::::::::::::::::::::::::::
: 0 : - : - 1 - 1 - 1 - 1
e e e e e e e e e e e e e e e e e e e
b to the contract of the contr
1 1 1 1 1 1 1 1 1
Newton Paramatel Paramat
erw erw orti orti orti orti orti orti orti orti
ZZZZZZZZZZZZZZ

TABLE 13—continued.

11 1	5.3	Total.	2841- : : 1 : 1758 :
	1 £	Sex not stated.	
	Total for Class I.	Female.	1216: 1: 312:
	25	Male.	LT:4:::::044:
	ei .	.fistoT E	[[
	E cie		:01 :01 : : : : : : : : : : : : : : : :
	RDI Die	Privation and Neglect.	
	0	Alcoholism.	: : : : : : : : : : : : : : : : : :
	÷	LetoT =	;= := : : : : : : : : : : : : : : : : :
	털		:::::::::::::::::::::::::::::::::::::::
.	ORDER 2. — En. ORDER 3. thetic.	Vorms.	:::::::::::::::::::::::::::::::::::::::
ES	2 set	Thrush.	
AS	25 43	Mal guant Pustule.	
SE	IM (Syphilis.	
		Septicamia.	[
0		Letell, cel	142 2
II.			
NO N		gitis.	
N. S.		- Cerebro-spinsl Menin-	.01
Z-		Rheumatism.	
CLASS I. —ZYMOTIC DISEASES.	12	Cholera Infantum. Malaria Fever.	·10 ·= · · · · · · · · · · · · · · · · · ·
203	Order 1. — Miasmatic.	Diarrhoes.	::::::::::::::::::::::::::::::::::::::
A.S	ı ı	Dysentery.	्स दे दे सम्बद्धाः
5	iae	Influenza.	
	Z,	Carbuncle.	
	l.	Puerperal Fever.	: : : : : : : : : : : : : : : : : :
	3.1	Erysipelas.	
	120	Typhoid Fever.	HP:H::::::::::::::::::::::::::::::::::
	OR	Whooping-cough.	:01 : : : : : : : : : : : : : : : : : :
		Croup.	:4:::::::::::::::::::::::::::::::::::::
		Quinsy.	
		Diphtheria.	
		Scarlet Fever.	HH : H : : : : : : : : : : : : : : : :
		Measles.	.c/
]		Small-pox.	
11			
11			
		뤐	
H		ENI	
1		5	
11		0	
		I	
11		Ĕ	
		7	
		T.	
11		20	
1		H	
		Towns in Strappord Countra	
		2	
		-	
			fon. y y n n n n n n n n n n n n n n n n
			d
			grto con con ter for wo
			arrington. over. unitham arrington. arrington. arrington. adbury iddleton. ew Durham ocheeter. olinsford. mersworth.
			Barrington. Dover. Durlington. Purlington. Lee Machury Middleton. Micon. New Durlington. Rochester. Rollingtord.
13			WWRNERSTEDDB1

OLASS II. — CONSTITUTIONAL TOWNS IN BREAKFORD OCCUPANTY. DOWNST. — CONSTITUTIONAL TOWNST. — CONSTITUTIONAL TOWNS IN BREAKFORD OCCUPANTY. DOWNST. — CONSTITUTIONAL TOWNST. — CONSTITUTIONAL TO		11	1	1 11	Say .	000 H 0 H 1 H 001 4 H
CLASS II. COLABORY. COLA				.IndoT	×	
CLASS II. CONSTRUCTION CLASS II. CLASS III. CLASS I				зсршв,	3 A	:::::::
CLASS II. CONSTITUTION CLASS III. CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CLASS I			60			I : # : : : : : : : : : :
CLASS II. CONSTITUTION CLASS III. CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CLASS I			Q			
CLASS II. CONSTITUTION CLASS III. CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CLASS I		αå	7 7			
CLASS II. CONSTITUTION CLASS III. CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CLASS I		130 EX	88			1 .0
CLASS II. CONSTITUTION CLASS III. CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CONSTITUTION CLASS III. CLASS I		EA	DE	1	E I	
CLASS II. Colorable. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. CLASS III. CLASS II. CLASS III. CLASS II. CLASS II. CLASS III. CLASS II. CLASS III. CLASS III. CLASS II. CLASS III.		810	Og	.IstoT -	Ħ	
CLASS II. Colorable. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. CLASS III. CLASS II. CLASS III. CLASS II. CLASS II. CLASS III. CLASS II. CLASS III. CLASS III. CLASS II. CLASS III.		13		ericarditis.	ď	*:::::::::::
CLASS II. Colorable. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. CLASS III. CLASS II. CLASS III. CLASS II. CLASS II. CLASS III. CLASS II		¥.				
CLASS II. Colorable. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. CLASS III. CLASS II. CLASS III. CLASS II. CLASS II. CLASS III. CLASS II		3		eart disease.	H	221881 :00819 :
CLASS II. Colorable. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. CLASS III. CLASS II. CLASS III. CLASS II. CLASS II. CLASS III. CLASS II		Î	ä	Total.		
CLASS II. Colorable. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. CLASS III. CLASS II. CLASS III. CLASS II. CLASS II. CLASS III. CLASS II		Ħ	rate			
CLASS II. Colorable. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. CLASS III. CLASS II. CLASS III. CLASS II. CLASS II. CLASS III. CLASS II		702	702			printed and a contract of
CLASS II. Colorable. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. Classific. CLASS II. CLASS III. CLASS II. CLASS III. CLASS II. CLASS II. CLASS III. CLASS II		AS	Jour Jour			
CLASS II. Colors CLASS II. Class III. Class II. Class II. Class II. Class II. Class II. Class III. Class II. Class II. Class III. Class II. Class II. Class III. Class III. Class III. Class III. Class II. Class II.		lo lo	91			:= := : : : : := : : : : : : : : : : :
CLASS II. Colors CLASS II. Class III. Class II. Class II. Class II. Class II. Class II. Class III. Class II. Class II. Class III. Class II. Class II. Class III. Class III. Class III. Class III. Class II. Class II.			Z			:00 : : : : : : : : : : : : : : : : : :
CLASS II. Colors CLASS II. Class III. Class II. Class II. Class II. Class II. Class II. Class III. Class II. Class II. Class III. Class II. Class II. Class III. Class III. Class III. Class III. Class II. Class II.			1			-01 :H : : : : H : :
CLASS II. Colors CLASS II. Class III. Class II. Class II. Class II. Class II. Class II. Class III. Class II. Class II. Class III. Class II. Class II. Class III. Class III. Class III. Class III. Class II. Class II.			2			:00 : : : : : : : : : : : : : : : : : :
CLASS II. Colors CLASS II. Class III. Class II. Class II. Class II. Class II. Class II. Class III. Class II. Class II. Class III. Class II. Class II. Class III. Class III. Class III. Class III. Class II. Class II.			RD	sialysis.	d	:2:::::::ныюн
CLASS CLAS			0	poplexy.	¥	
CLASS CLAS			le li			प्छ : प्रयम : शमध्यक्षेत्र
CLASS Color Colo		7	P P P			:4:14::100000
		N.	1		AL I	100 00 · · · · · · · · · · · · · · · · ·
	1	Ĭ	e.	LatoT Z	1	· · · · · · · · · · · · · · · · · · ·
		0	ula ula			: H : : : : : : : : : : : : : : : : : :
	1		B O O			:8 :51-4 : 4-5 24 0
		ON	Orac .	abes Mesenterica.	L	-64 -64
	ı	O.S.				
		1,0	Dia	Total.	1	HØ : H : H : R
		100	l g	dortification.	R I	: 여 : : 여 : : : : : 여 :
		ASS	1.	Toma (Canker).	I	
	f	당	DER			
			OB			
Towns in Stradsford County.						
Towns in Stradsford County. fon. fon. fin. f	ı					
Towns in Straffron County. fon. fon. fin. fi	П					
Towns in Sysamore Courage.	Н				1	
Towas in Stratsport Cour.	н			Ė		
Towas in Stragged Co	Н			E C	ш	
Towns in Stratifors	Н			8	-1	
Towns in Szakero				2		
Towns in Strady.				0		
Towns in Ser-	11			EV3		
Towas na fron				STE		
Towns I	11			24		
Tows Tows in the second of the				22		
Oon. To the seed of the seed o				EM.	1	
11				Ř		H
For a B - C 2 - D 2 - E 2 -						m ngt roy tor tor tor tor tor tor
Property Committee of the Committee of t						in her Do
Bar Has					1	Roce Man
- CCCCCANNERHUM						

TABLE 13-continued.

- 1	Total for Class III.	.IntoT	20 C C C C C C C C C C C C C C C C C C C
	SS I	Sex not stated.	.01
	Sla	of a month	201000 · 7007404
		. Male.	2000 : 1001-454
	to t	Total.	:-::::::::
	Order 8.—Integumentary System.	181	2
	J. S.	Tumor.	:::::::::::::::::::::::::::::::::::::::
1	8. ntar	Disease of skin.	
	Ten ten	Joint disease.	- CN
	E E	Phlegmon.	
	0 '	Ulcer.	
	10.	Total.	
	Onder 6.— Generative Organs.	Disease of uterus.	:::::::::::::::::::::::::::::::::::::::
	ER 1er	Uterine tumor.	
ed	Per Co	Ovarian tumor.	
CLASS III. — LOCAL DISTASES — continued.		· yaqorb nairavO	:::::::::::::::::::::::::::::::::::::::
ut	4	Total.	:0::HH:::0H
00	.y (121	
70	Order 5. — Urinary Organs.	Prostatitie.	
至	Jri B.	Kidney disease. Uræmia.	(A)
AE	Ur gans.	Cystitis.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SE	20.0	Calculus,	ia i i i i i i i i i i
ū	ER	Diabetes.	
H	RD)	Bright's disease.	9
70	0	Mephritis.	4
ii ii		1 554 1	· [- · ·
1		.LatoT	· 10 -
Ħ		Disease of spleen.	
T 20	e e	Liver disease.	PT - CO - CO -
A Si	85	Jaundice.	
C.	0	Hepatitis.	:::::::::::::::::::::::::::::::::::::::
_	140	Colic.	:::::::::::::::::::::::::::::::::::::::
	asti	Stomach disease.	:::::-::
) g	Fistula.	
	-	Stricture intestines.	:::::::::::::::::::::::::::::::::::::::
	1 4	Intusausception.	:::::::::::::::::::::::::::::::::::::::
	Order 4 Digestive Organs.	Hernia.	
	RO3	asnitastni to noitaresti	
	6	Ascites.	.01
		Peritonitis.	। 'जन : • • न • न • न • न
		Gastritis. Enteritis.	
		oitintan D	• • • • • • • • • • • • • • • • • • •
		ķi	
		TNT	
		Ř	
		A	
		FOR	
		AF	
		STE	
		Zi Zi	
		H 90	
		WNS I	gton
		TOWNS IN STRAFFORD COUNTY.	ington nam. nam. nam. nam. nington bury. neton. Durhan ester nsford
		Towns 1	Barington Dover Dutham Dutham Lee Madbury Middleton Middleton Middleton Rey Duham Robester Rollinsford Somesworth

Grand 1 Males. 9 7 8 9 1 3 1 Males. 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	:::
Solow H W S S : "S	
	113
	11.23°
1 1 1 1 1 1 1 1 1 1	
The state of the s	: 63 ;
1 1 1 1 2 2 2 3 3 3 3 3 3 3	.63 :
Cause not re-	H 00 H
::::::::::::::::::::::::::::::::::::::	:::
N	
Suicide.	:::
V	:::
JestoT Z 1:4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
S Sufficiention S Sufficiention S S S S S S S S S	
A Paragram Supplementary S	
1 1 2 3 3 3 3 3 3 3 3 3	
A	
Fractures. Wounds. Mounds. M	
Railroad Accidents.	:::
1	10000
Colored Colo	1000
E S S S S S S S S S	
## 90 bas photostal	:-:
2012 11 12 12 12 12 12 12 12 12 12 12 12 1	
E I E S S S S S S S S S S S S S S S S S	0101
LetoT Z Lw::::::	
CLAS CLASS	: - :
SS	: : :
Cyanosis.	64 : :
Premature Birth.	00:
[[[] 7]	
AFFORD COUNTY.	
72	
\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	А.
Towns in Strafford Courty. gron gron ig. i.y. i.y. i.y. i.y. i.y. i.y. i.y.	ort
ngt ing	nsf rsw ford
Towns in Stratford County. Barrington During. Ramington Madbury. Middler.	Rollinsferd. Somersworth. Strafford.
MARKETHODDI	H 40 43

TABLE 13—continued.

	i i	Total.	00 : HHPHHHHP
	otal fo	Sex not stated.	
	Total for Class I.	Female.	(d: 0: 10
		Male.	::::4HF:::0
1	က်း	LetoI.	
	RDER ? Dietic,	Privation and Meglect.	
	ORDER 2. — En. ORDER 3. Dietic.	Alcoholism.	
11 1	,	1 5	
11	뛆	,LetoT Z	
	1 3	.amroW	::::::::
B	ER 2 thetic.	Thrush.	
AS	DEE CT-	Malignant Puetule.	::::::::
SE	O	Syphilis.	
		Septicæmia.	
1 2		.LatoT =	0 :HH0 :4H :HD
io		gitis.	1
X W		-nineM laniqa-ordereD	
Z-		Rheumatism.	::=:=:::::
CLASS I. —ZYMOTIC DISEASES.		Malaria Fever.	H : : : : : : : : : : : : : : : : : : :
200	tic	Cholera Infantum.	H
8	E	Dysentery. Districts.	H
5	Lia	Influenza.	
	7	Carbuncle.	
	Овржв 1. — Міавтафіо.	Puerperal Fever.	:::::::::::::::::::::::::::::::::::::::
		.asloqiavTH	:::::::::::::::::::::::::::::::::::::::
		Typhoid Fever.	: : : : : : : : : : : : : : : : : : :
		Whooping-cough.	
		Quinsy.	
		Diphtheria.	
		Scarlet Fever.	
		Measles.	:::=:::::::::::::::::::::::::::::::::::
		Small-pox.	::::::::
i i			* * * * * * * * * * * * * * * * * * * *
		.•	
		ALL N	
		Б	
		Ď.	
		NA.	
		SLK	
		B	
		H	
		Towns in Belikhap County,	
		Lo	
			dron swipsiesd selmont enter Ha Hiford sconia eredith eredith ere Hang
			for he long to bor on.
П			A Lacing Men

L OLASS III LOCAL DISEASES.	Total for ORDER 1. — Nervous System.	Formalo. Total. Appplary. Faralysis. Loscotty. Loscotty. Loscotty. Telebray. Memorythis. M	MANUAL
GLASS II. — CONSTITUTIONAL DISEASES.	Diathetic. Tubercular. C.	Cancer. Moma (Canker). Moradearion. Scrotula. Tabes Mesenterica. Putunals. Putunals. Types Mesenterica.	######################################
O	0	TOWNS IN BELKNAP COUNTY. Dropsy. Amemis-	A floring Barnstead 1 1 1 1 1 1 1 1 1

FABLE 13 - continued.

	_ 8	Total.	7001121138
	Cla	Sex not stated.	<u> </u>
	E E	Female.	1 00 1 4 1 5 1 0 5 1 1 5 1 5 1 5 1 5 1 5 1 5 1 5
	44	Male.	ars : 0200000 :
		Total.	::::::::::::
	ORDER 8. —In- tegumentary System.		::::====:
	l tig	Tumor.	:::::::::
	a 8 me rste	Disease of skin.	
	DE Sy	Joint disease.	
	C th	Phlegmon.	
		Ulcer.	
.:	18.	Total.	F ::::::::::::::::::::::::::::::::::::
ned	ORDER 6.— Generative Organs.	Disease of uterus.	
in	DER Der rgs	Uterine tumor.	
oug	Gen	Ovarian tumor.	
9		.vaqorb naitavO	
202		Total.	: : = : = : = = : = = = = : = = = = = =
SE	ILLA		::03:::H::H:
EA	ing	Prostatitis.	:::::::::
CLASS III,—LOCAL DISEASES—continued.	OEDEE 5. — Urinary Organs.	Uræmia.	·
A	5. — U Organs.	Kidney disease.	: : : : : : : : : : : : : : : : : : :
\AI	10 G	-Cystitis.	
8	HZ	Calculus.	
립)BID	Disbetes.	• (0)
	0	Mephritia. Bright's disease.	
H		PititdasM	
700	no.	.IntoT	: : : : : : : : : : : : : : : : : : :
Ţ.		K	: : : : : : : : : : : : : : : : : : :
5		Disease of apleen.	
	3,11	Jandice. Liver disease.	
)rg	Hepatitis.	
	76 (Colic.	
	ati	Stomach disease.	
	966	Fistula,	
	Ä	Stricture intestines.	
		Intussusception.	::::::::::::
	4	Hernis.	:::::::::::
	Order 4. — Digestive Organs.	Ulceration of intestinus	:::::::::::
	OBI	Ascites.	:::::::::::::
		Peritonitia.	: : : : : : : : : : : : : : : : : : : :
		Enteritia.	1:::::
		Gastritia.	:::::::::::::::::::::::::::::::::::::::
		×	
		TXI	
		200	
		<u>_</u>	
		A A	
		SUE	
		Ä	
		NI NI	
		Точки и Ведкиле Социти,	
		O W.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		H	the story
			Alton
			ito

a :	i	tal.	oT	20 20 20 20 20 20 20 20 20 20 20 20 20 2
Tota	-	· betate to	oN	1:::::::
Grand Total for All Classes.		males.	Fe	82528352631
G. A		esles.	314	00208284404
7	Total for Class V.	Total.		म्म म्य चाळळळ स्यान म
NT DEATHS. ORDERS 8, 4, and 5.	Tota	ale.	ON S	H
THS.		Cause not ported.	15	ਜ :0 : ਜਚ::::
DEA		Violent, no	MF	
OLASS V.—VIOLENT DEATHS. 1.—Accident and Assistance.	-	Suicide.	M F	
TOLE	<u> </u>	.latoT	F	::0:==:=:::
OLASS V VIO		herwise.	[40	: : . : : : : : : : : : : : : : : : :
3 V.		owning. Hoeation.		
CLASS V. 1.—Accide Negligonce.		, troai	lo4	
D 11	lds.	unds.		: : C4 : : : : : : : : : : : : : : : : :
Ora	·sins	ilroad Accid		:::::::::::::::::::::::::::::::::::::::
	I Sec.		oT	- :- :- 02 to 4 to - 62
AL hud 4	Total fo	male.		- : : : : : : : : : : : : : : : : : :
CLASS IV. — DEVELOPMENTAL INSPASSES. DRAW 1.— Of Childen. ORDERS 2, 8, and 4.		Atrophy ar Debility.	EM.	: : : : : : : : : : : : : : : : : : :
P. P	pt		MFM	- : : : : : : : : : : : : : : : : : :
ORD	-	ildbirth.		: : : : : : : : : : : : : : : : : : :
	İ	Total.	M F	: : : : : : : : : : : : : : : : : : :
CLASS IV DE INSI		.Baidt	Tee	:::::::
1.—Cdren.		na Bifida.		
CLA	+950	mature Birt	Cys	: : : : : : : : : : : : : : : : : : :
O		Il-born.		1:::==:0
	ú			
	TNIC			
	Ö			
	ILECK.			
	ğ			
	TOWNS IN BELENAF COUNTY	bor		
	Ton			ead
				Alton Barnstead Barnstead Belmout. Center Harbor Gilford Gillord Laconia Agreedith New Hampton San bornton Tilton
				HERECECE SE

TABLE 13—continued.

	1	Total.	· • = · • • • • • • • • • • • • • • • •
	Total for Class I.	Sex not stated.	[
	a.I.	Female,	
	25	Male.	
	ORDER 3. Dietic.	.latoT E	
	etij		1::::::::
	D H	Privation and Neglect.	
		Alcoholism.	
	ġ	Total.	::::::::::::::::::::::::::::::::::::
	P		:::::::::::::::::::::::::::::::::::::::
6	ORDER 2. — En- thetic.	Worms.	:::::::::::::::::::::::::::::::::::::
質	a 2 het	Thrush.	
Ā	DE C	Malignant Pustule.	1::::::::::::::::::::::::::::::::::::::
E	CEC	-silidqy8	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
Ä		Septicamia.	1 : . : : : : : : : : : : : : : : : : :
Ö		.IstoT E	: a · : - : a : - : : : : : : : : : : : : : :
CLASS I. — ZYMOTIC DISEASES.			:4-4 :0 : : : : : : : : : : : : : : : : : :
MO		gitia.	:::::::::
X		Cerebro-spinal Menin-	
77		Rheumatism.	:::::::::::::::::::::::::::::::::::::
		Malaria Fever.	: : : : : : : : : : : : : : : : : : :
70	tic	Cholera Infantum.	im : im im : : : : : : : : : : : : : :
200	D.B.	Diarrhoa.	::::::::::::::::::::::::::::::::::::
Ĭ	381	Dysentery.	1:::::::::::::::::::::::::::::::::::::
0	M	Influenza.	1::::::::::::::::::::::::::::::::::::::
		Carbuncle,	
	ri.	Puerperal Fever.	1 : : : : : : : : : : : : : : : : : : :
	Order 1. — Miasmatic.	Erysipelas.	1::::::::::::::::::::::::::::::::::::::
	ED.	Typhoid Fever.	; to m ; m ; ; ; ; m ; ; ; ; ; ;
	0	Whooping-cough.	1::::::::::::::::::::::::::::::::::::::
		Croup.	l : : : : : : : : : : : : : : : : : : :
		-yanin9	
		Diphtheria.	:::::::::::::::::::::::::::::::::::::
		Scarlet Fever.	1::::::::::::::::::::::::::::::::::::::
		Measles.	1::::::::::::::::::::::::::::::::::::::
		Small-pox.	
		E	
		Ĕ	
		ಕ	
		뎙	
		88	
		74	
		Гочиз ім Саволь Сопиту.	
		FI.	
		WIN	
		ľo.	
			4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			Part Barrer
			Albany Bartiett Brotkfield Chakham Chakham Chakham Brotkfield British Fart's Location Hart's Location Hart's Location Hart's Sales Monitonborough Castleed Ramorth Rithermorth Ratield Ramineragh
			Albany Bartlett Brookfil Brookfil Chathat
			Albany Brokfald Brookfald Chathan Conway Laton Conway Laton Fredom Malison Mal

11	1	Total.	HO::00H01:::H01:::01
			: : : : : : : : : : : : : : : : : : :
		Astlina.	1 : : : : : : : : : : : : : : : : : : :
	05	Laryngitia.	
	ORDERS 2 AND 3.	Pleurisy.	[= 0 · 0 9 = = = · · · = = · · · · · · · · · · ·
30	2	Bronchitis.	1
30	2	Lung disease.	* * * * * * * * * * * * * * * * * * * *
EA	Ma	1 Gra	· · · · · · · · · · · · · · · · · · ·
3	Ö	LatoT Z	: : : : : : : : : : : : : : : : : : :
		Pericarditia.	1::::::::::::::::::::::::::::::::::::::
NA.		A neurism.	
् ०		Heart disease.	::: :-: :
1	á	.latoT =	· · · · · · · · · · · · · · · · · · ·
H	i i	Neuralgia.	1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :
显	8	Spinal disease.	
02	93	Brain disease.	
CLASS IIILOCAL DISEASES	LAO	Meningitis.	
	8	Convulsions.	m : : : : : : : : : : : : : : : : : :
	1	Tetanus.	1 : : : : : : : : : : : : : : : : : : :
	ORDER 1 Nervous System,	Epilepsy.	:::: : : : : : : : : : : : : : : : : :
	1	Insanity.	· · · · · · · · · · · · · · · · · · ·
	OR	Paralysia.	
		w poplexy.	
	Total for Cl. 11.	Female.	: : : : : : : : : : : : : : : : :
CLASS II. — CONSTITUTIONAL DISEASES.		.slaM	· · · · · · · · · · · · · · · · · · ·
Z	ORDER 1. — Dia. ORIER 2. — Tu. Toral thetic.	E-	: H - WH - H - H - H - H - H - H - H - H
G.		Z Total.	::::::::::::::::::::::::::::::::::::::
a .		Hydrocephalus.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
五萬		Phthisis.	: : - : 40000 : - HO4HH : 000
N S		Tabes Mesenterica.	
56	0	Scrotula	
4.2	– Dia-	LatoT Z	· · · · · · · · · · · · · · · · · · ·
Ε.		Mortification.	
00	R 1. —	Noma (Canhan).	
S P	# 5	Cancer.	:H : : 0 : :H : : : H 0 : 0 H : H
5	Овр	Antemia.	
		Dropey.	
		X	
		NOO	
		Ö	
		OLL	
		E E	
		C	
		NI NI	
		NS.	
		LOWES IN CARROLL COUNTY.	gh ior
		H	ong.
			M. V.
			Ilangy reokindi reokindi reokindi reokindi reokindi reokindi reokindi redom reedom reedom reedom reison rei
			Illany antipic antipic Duckham Duckham Duckham Duckham Duckham Gingham Gingham Harl's Location Bekson Multonbrough Saspee Sandwich Cultonbrough Cultonbrough Mandwich Cultonbrough Makefield Wakefield Wakefield
			SHEUDERHEDERUUCHEPP

-
6
80
3
8
.65
(~)
~
0
8
0
-
- 1
1
ಣ
10,0
Special Contract of the last o
-
AA
- 4
-
-
P 1

50	ON	MEL	REGISTRATION	REPORT.
00	1 -	Hi.	Total.	4 9 1 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
00	MAR	Tale I	Sex not stated.	
) ota	Females.	wro⊶ : ∞ va co u co 4 + 4 co
1	- 40%	200	Males.	1 : 2 : 1 : 2 : 1 0 t 1 0 2 0 0 7 5 5 5
11	PA	理例例	JatoT Total.	:::::::::::::::::::::::::::::::::::::::
	1	The state of the s	191	
		8. ent	Disease of skin.	
		um syst	Joint disease.	
		ORDER 8. + System	Phlegmon.	11::::::::::::::::::::::::::::::::::::
		0	Ulcer.	
		1 0	Total.	::::=:::::=::::
	bed.	Order 6.—Generative Organs.	Disease of uterus.	
	in	DEI Der Der	Ovarian tumor.	
	ont	Ge G	Ovarian dropsy.	
	9.		(Fr. I	
	200	P 2	.LatoT	, , , , , , , , , , , , , , , , , , ,
	ASI	na)	Prostatitie.	
	SE	Uri B.	- institues T	
	i i	gan	Kidney disease.	:::::::::::::::::::::::::::::::::::::::
ed.	AL.	Org.	Calculus. Cyatitis.	-::::::::::::::::::::::::::::::::::::
nu	Ş	ORDER 5. — Urinary	Disbetes.	
ıtı	1 7	OB	Bright's disease.	::::=::::::=::::=
8	🔒		.aititaqeM	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
13 — continued	CLASS III.—LOCAL DISEASES—continued		JatoT Z	
က	AS		Disease of spleen.	
prod.	5	88	Liver disease.	: : : : : : : : : : : : : : : : : : :
户		183	. Jaundice.	::::::::::::::::::::::::::::::::::::::
TABLE		O O	Hepatitia.	
29		tive	Stomach disease.	
A		iges	Fistula.	
H		Ä	Stricture intestines.	::::::::::::::::::::::::::::::::::::::
		Order 4. — Digestive Organs.	Intusausception.	
		81	Ulceration of intestines	
		RDI	Ascites.	
		0	Peritonitia.	H : : : : : : : : : : : : : : : : : :
			Enteritia.	: # : : # : : : : : : # : : : :
			Gastritis.	1 : : : : : : : : : : : : : : : : : : :
	li		3	
			TA	
			200	
	II .		3	
			380	
	li .		CAX	
	11		H	
	II .		E K	ngh ngh
	1		Тоwия и Саввоіл Собитх.	relations of the control of the cont
			H	Albany. Bartlett Bartlett Jackhau Jackhau Gaton Intiglam
	11			Alb Bar Bro Con Con Con Hac Hac Han Tarr
				THE STREET STREET

11 =	. 1		.le	10T	441 100 100 100 111 111 111 111 111 111
oto	BBe		. stated.	ON	:::::::::::::::::::::::::::::::::::::::
and 7	Grand Total for All Classes.		.selsa		8000 : LT 11 : L8 81 42 L 20 C C C C C C C C C C C C C C C C C C
Gre			*99	Mal	120045042 11-4857-1108
	ů.	Total for Class V.	Total.		H
	Suporde: Suporder Suporder	· · · · · · · · · · · · · · · · · · ·			
702	4	E0	ported.	E V	· · · · · · · · · · · · · · · · · · ·
1 5	3, 4	10-	Cause not	M	
E I	60		classed.	54	
	DE	30	Wiolent, u	N	
EN	0		Suicide:	MEM	
1 6					
	2		Total.	ME	
	der 6		erwise.		in the second second
CLASS V VIOLENT DEATHS	ORDER 1. — Accident and Negligence.		ocation.		
702	A Sili		w.pipg.	Dro	
LA	60		*0D		: : : : : : : : : : : : : : : : : : :
0	80	.ebi	ms and Scal		::::::::::::::::::::::::::::::::::::::
	E CE		.aban		
	ő	Fractures.			
		Railroad Accidents.		Rai	
	OEDEES 2, 8, AND 4.	for IV.	.le	Tot	
3		Potal for Class IV	nale.	I GI	
1 6		Potal		RM	ं :संस्था :सं : : : : सं :संसम्ह
		- 1	Atrophy ar	54	::::::::::::::::::::::::::::::::::::::
		od De-	Асторћу ві	M	
63			≅ Old Age.		::::::::::::::::::::::::::::::::::::::
1 S.S.					::::::::::::::::::::::::::::::::::
EE			ldbirth.	Œ	1
56			Total.	M F	
>	0 :		.Baida		
CLASS IV DEVELOWHEXTHE	Order 1. — Of Children.		formation.		: : : : : : : : : : : : : : : : : : :
20	Hild		.abhiil ac	ida	1::::::::::::::::::::::::::::::::::::::
SIL	CI		,aison		
	Ö	. th	nature Bir		:::::::::::::::::::::::::::::::::::::::
			-mrod-l	IIIS	
		Towns in Carroll Courty.			Albany Bartlett. Brookfald Gouwy Granlman Canthan Effingham Freedom Anteison Moultonborough Ossipee Sunflwish Tuttonborough Waterbeigh Waterbeigh

TABLE 13-continued.

. 1	# :	Total.	40004-1-0-1-0-0-0-1
	583	Sex not stated.	
	Total for Class I.	Femsle.	O : : HH ; : HHEOHH : : : : :
	Ĕ,	Male.	מממה : השמם : : ישם : שמחם : ש
	£ 3	.IstoT Total.	
	iet	Privation and Meglect.	
	ORDER 3. Dietic.	Alcoholism.	
		LasifodoofA	
	g	Total.	
	7.		
700	tic.	Thrush.	
ES	ORDER 2 En-	Malignant Pustule.	
EA	102	Syphilis.	
	ō	Septicamia.	· · · · · · · · · · · · · · · · · · ·
		16.	О··н· : 90 : на по на на · · · · ·
CLASS I. —ZYMOTIC DISEASES.		Total.	8888 · · · · · · · · · · · · · · · · ·
0.1		- P	
3		Cerebro-apinal Menin- gitis.	
23		Rheumatism.	
		Malaria Fever,	
H	ည	Cholera Infantum,	· · · · · · · · · · · · · · · · · · ·
SS	ati	Diarrhoas.	HH
1 2	8333	Dysentery.	
5	Æia	Influenza.	
		Carbuncle.	1 : : - : : : : : : : : : : : : : : : :
	Order 1. — Miasmatic.	Puerperal Fever.	H : : : : : : : : : : : : : : : : : : :
	g	Erysipelas.	[:H::::::H:::H:::::::::::
	ŽŽ.	Typhoid Fever.	; : e ; ; : e d e ; : o ; e ; e e ; ; ;
	ő	Whooping-cough.	
		Croup.	(a)::::::::::::::::::::::::::::::::::::
		Quinsy.	
		Diphtheria.	:::0::.0::: :::::::::::::::::::::::::::
		Scarlet Fever.	
		Measles.	
	!	Small-pox.	
]]			
11			
ii ii			
		r i ≜	
		8	
		3	
		Na.	
		3	
		8	
		3	
		Towns in Memitrade Constraint	
		18	
		N. A.	
		5	
		160	
			# : d : : d : : d : : : d : : : : : : :
			ry r
			Allenstown. Andover. Boscawen. Bow. Bradford. Contesting. Contesting. Concord. Concord. Concord. Frenting.
11			orweigh and a state of the stat

00	2		~	_			
-	-	-:	-	_		_	
-	613		_	دی	_:		
4				~	:		
- :	~ :	:	1		:		
H				•			
-			÷	:			
_	-:	:		-			
		. •	_ •	•	•		
:	:	:	:	:	:	:	
	:	:	-				
-:		:	:	:	:		
-	-:	1		-:	•		
-		÷			÷	-	
	٠.	÷	-:		-:		
÷		·	ᇊ	-	÷		
÷		•		-			
A.	03	:			:	~	
60	03	:	:	-	:		
:	-		:	-		:	
	:	:	:	:	:	:	
:	:	:	:	:	:	1	
•		•					
4	=	÷	÷	÷	÷	÷	
-	-		-	-	-		
÷		-	_	÷	÷		
		•	٠	÷	•		
:		:	:	:_	:	:	
:		:	:	:	:	:	
	_	:	:	:	:		
:	:		:	~	:	:	
=	:	:		:	- 1	m	-
		•	÷	÷	÷		
23	:	÷	÷,	÷	÷	÷	
-		÷	÷		÷	÷	-
-	÷	÷	<u>.</u>	•	÷		- 1
-			•	-	٠.	•	-
÷	i	Ė	÷	:		Ė	
	_	:	:	:	<u>:</u>	:	_
:	:	:	:	٤.	:	:	
:	:	:	:	:	:	:	
:	:	:	:	:	:	:	
:	:		:	:	:		1
	:	i	:				
:	:	:	:	:	:	:	
:	:	:	:	:	:	:	-
	:	:		:	:	:	
:	:	:	:	:	:		
:	:	:	:	:	:	:	
:	:	:	:		:	:	
:	:	:	:		:	:	
:	:	:	:	:	:	:	
:	:	:	:	:	:	:	
:		:	:	:	:		
:	:		:	:	:	:	
:	:		:	:	:	•	1
:	:		•	:	:	:	1
:			:	:			
:			:	:	:		
:	: :		:	:	:	:	
:	: :					:	1
0							1
NO NO	7	2					1
Pembroke stress	algebra	*** ** ** ** ** ** ** ** ** ** ** ** **	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Webser 2	100 MI		
H	118	1	1	1 6	35		
	- 0		5	- 6	. 5		

TABLE 13—continued.

	1	1	Fe	
		Total.	M	: : : : : : : : : : : : : : : : : : :
		thma.	s y	1 : : : : : : : : : : : : : : : : : : :
	ಣೆ	.sitiga vr		1 : : : : : : : : : : : : : : : : : : :
	Q.	.ysimu		.:= ;; ::::::::::::::::::::::::::::::::
]]	a	eumonis.		
CLASS III. — LOCAL DISEASES	Orders 2 and	aijidono		:::-:::::::::::::::::::::::::::::::::::
SAS	DER	ng disease.	E)	· 0 0 -et
181	ORI	Total.	- N	:00 : H :01 : H = 101 : H = 101 = 1
A		ricarditia.		
∏ ¥r		eurism,		
Ö		art disease.		: 04 : 0H : 0 : HH 000004040H0
Ä	d	Total.	F	Ø=88888 : 80 : = 10 : = = = = :
į.	Order 1. — Nervous System.		N	: : : : : : : : : : : : : : : : : : :
	3ys	.cigleru		
υ <u>ν</u>	133	nal disease,		
Š	104	.easesib nin		
5	Yer	nvulsions.		10
	ï	tanus.		
	ri i	.kaqəli		2 2 2 4 4 5 4 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
11	85	sanity.		0 H
	Q	ralysis.		: 04 H 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		oplexy,	I V	: GROWHH : : 00 - : - :
	7. H	fal.		wednessed supplementa : worker
H	Total for Cl. II.	male.		04HHH0000 : H4000 : 040H
V Z	- 0	.914.		:
CLASS II. — CONSTITUTIONAL DISEASES.	ORDER 1, — Dia- ORDER 2. — Tu- thetic.		M F	10000 : HO : 000H HO
5	DER 2.— I bercular.	vdrocephalus.		
Ess	R 2.	thisia.		<u> </u>
SSE	Del	bes Mesenterica.	B.T.	Ν
EA	ő	rofula.		
75	ė	Total.	E	: co : H : H : F : : : 4 : 2 H : · 64 : ·
11	Di		M	: d : : h : : 6 : H : : H : H : H :
τΩ	io.	rtification.	M	:::::::::::::::::::::::::::::::::::::::
AS	R 1. — thetic.	ma (Canker).		::::::::::::::::::::::::::::::::::::::
C C	DEE E	ncer.		· 4 · · · · · · · · · · · · · · · · · ·
	ORI	opsy.		
		1000	·U	
		pi.		
		EXC		
		ő		
		X X		
		MAA		
		REI		
		Towns in Merrimack Codinty,		
		Z		
		S Z		
		O.W.		
		H		la Para la la
				do d
				Affentiwes. Box. Box. Tradition Box. Tradition Antiboration Antib
				ooso ooso ooso ooso ooso ooso ooso oos
				本本は日本の日の日本は日本日田田田田田田田田田田田田田田田田田田田田田田田田田田

7.0000	
- m (2 0) (2)	
H H . T	
4.01	
	
	
m m m m m	
HOOHO - 01-	
H C100 H . 00	
1	
·	
1000-100	
######################################	
015-11-01-00 01:12	
-45-01005-11	
- max : mu-4	
するならのかさる	
Hw01:00:Hw	
200000404	
::::::::	
:::::::	
:	
::0::-	
1::::::	
:::::::::::::::::::::::::::::::::::::::	
: www : www : ww	
11::::::	
: : 64 : :	
:::::::	
11::::::	
1:::::::	
;::::::::::::::::::::::::::::::::::::::	
1111111	
::::::::	
r. ry.	
Northfield Penabooke Penabooke Pittsfield Pittsfield Salisbury Warner Wester Wester Wester Wester Wester Wester Warner Warner Wester Wester Warner Warner Warner Wester Wester Warner W	
lieb aritte	
ZZZWWZZZ	

TABLE 13-continued.

Alteration of intractine to the continued to the continue					
One of the control of	I	t m	.tai. [О.Т.	conpression
One of the control of		188 .			1 1 2 3 5 144
One of the continue of the con		# 55 H			
One of the continue of the con		[0]			
One of the continue of the trace of the trac	-	-	nle,		100000000000000000000000000000000000000
One of the continue of the trace of the trac			TOTAL	Ē	[: : : : : : : : : : : : : : : : : : :
M M M M M M M M M M M M M M M M M M M		ry	[-4-0]	M	
M M M M M M M M M M M M M M M M M M M		1 5 8	mor.	nŢ	N
M M M M M M M M M M M M M M M M M M M		S. Sate	nize to essea	Ω	: : : : : : : : : : : : : : : : : : :
M M M M M M M M M M M M M M M M M M M		un civi			
M M M M M M M M M M M M M M M M M M M	į.	Eeg 3			1:1:::::::::::::::::::::::::::::::::::
ODDER TO THE PROPERTY OF THE P		0			1::::::::::::::::::::::::::::::::::::::
ODER IN CONTRACTOR OF THE PRINCE OF THE PRIN		1.0			
ME MACO MATTER THE METALISTS AND A SOLICES A	j.	8. Y			
OLARS II. — LOCAL DISEASES OLARS II. — LOCAL DISEASES OLARS III. — LOCAL	nn	an La			
OLARS II. — LOCAL DISEASES OLARS II. — LOCAL DISEASES OLARS III. — LOCAL	uti	DE DE			
ME MACO MATTER THE METALISTS AND A SOLICES A	100	S S			1
Manual Ma	l i		against agings	·U	
Manual Ma	700 643		Total.	14	
Manual Ma	82	ıry			::
Manual Ma	EA	ing			
Manual Ma	SI	Ur.	.nimæ:	n	
Manual Ma	A	an			::::::: ==:::::=:::
Manual Ma	AL	5. Fig			:: # :::::: : : : : : : : : : : : : : :
Manual Ma	20	SB C	grinal.	CE	
Manual Ma	ŭ	\$D.	.aeteds.	σ	
Manual Ma		O ₁	right's disease,	B	: H H H H : : OH : : H OH - H OH : : : :
Manual Ma	11		- sitiridge	N	:::::::::::::::::::::::::::::::::::::::
Manual Ma	70		1000.000	E	
Manual Ma	88				H . HO . ON OH
Manual Ma	17		sease of epleen.	n	
Merrinador Montre. Countre Merrina Merr		88			·
Merrinador Montre. Countre Merrina Merr		83			2
Merrinador County. Gestricis. Entertitis. Entertitis. Entertitis.		0.10			1 1 1 1 1 mm and 1 1 1 and 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Merrinador Montre. Countre Merrina Merr		9			
Merrinador Montre. Countre Merrina Merr		ţ;			
Merrinador Montre. Countre Merrina Merr		86			
Merrinador Montre. Countre Merrina Merr		Ä			* * * * * * * * * * * * * * * * * * * *
Merrinador Montre. Countre Merrina Merr					
Merrinador Montre. Countre Merrina Merr		4,			
Merrinador County. Gestricis. Entertitis. Entertitis. Entertitis.		田田田			
Merrinador Montre. Countre Merrina Merr		BD	Catalian of the catal	LL	
MERBINACE COUNTY. Continue C		0			H
IN MERRIMACE COUNTY.					
IN MERRIMACE COUNTY.					
Allenstown. Audover. Boscawen Boscawen Boscawen Gunord Chindester Concord Con			eitiving	ן טי	
Allenstown. Audover. Boscawen. Bosca					
Allenstown. Andover. Boscawen. Boscawen. Boscawen. Gonicerbury. Concord. Concord. Danbury. Dunbarton. Fracelin.					
Towns in Merrinace Course Allenstown. Allenstown. Andover. Boscawen. Boscawen. Guogerichenter. Concord. Conco			Ž.		
Allenstown. Allenstown. Andover. Boscawen Boscawen Guocer Concord Co			E .		
Towns in Merrinage Allenstown. Audover. Boscawen. Boscawen. Boscawen. Chinoserbury. Chinoserbury. Chinoserbury. Chinoserbury. Danbury. Dunbarton. Franklin Franklin Franklin Mowbury. Mewbury. M			ŏ		
Allenstown. Andover. Boscawen. Boscawen. Boscawen. Gonicerloury. Concord. Danbury. Dunbarton. Fracklin.			M		
Towns in Merrit			KA		
Towns in Mer Allenstown. Allenstown. Boscawen. Boscawen. Goscawen. Concord.			IBI		
Towns in Malenstown. Allenstown. Bocawen. Bocawen. Bordford. Gonferbling. Concord. Concord. Danbury. Dunbarton. Epson. Epson. Epson. Epson. Epson. Englist. Inglister			E		
Towns in Allenstown. Andover. Bossawen. Bossawen. Bossawen. Gonierbary. Concord. Danbury. Dunbarton. Pracklin. Pracklin. Pracklin. Pracklin. Moksett. Hill micker. Hill micker. Moksett. Joudon.		2			
Towns Towns Towns Allenstown Boscawen Boscawen Guncerbarg Chinester Concord Chinester Ch			2	1	
Tow Allenstow Boscowen Boscowen Boscowen Charlestow Cha			SA SA		e : : : : : : : : : : : : : : : : : : :
Allenst Andove Boscaw Bendfol Concor Dunban Erash I Tendik Hendik			WO		Territory.
Anle Anle Anle Bose Bose Bose Chin Chin Chin Chin Chin Chin Chin Chin			H		instance of the control of the contr
NEW THE PROPOSE OF TH					lle oose oose oose oose oose oose oose o
					NEW LEMENT DO COURTE

2 Embroke	11 11 16111 27	00	00	13	10	5	
~		•					
4	-	4.			6	8	-
-	5	-		10	4	4	
	=						
_:			:			:	
	-		:	:	:	:	
•	:	:			:	:	
:	-		:	:	:	:	
- :		:			:	:	
:	:	:	:	:		:	
- 7	:					:	
=							
	÷	÷	÷	•	÷	÷	-
÷		:		÷	-	÷	-
÷	:	÷				÷	-
÷		÷		÷	÷	•	-
=	÷				:		
:	:		-			-	
:				_		:	
:		I		:		:	
:	:			:	:	:	
	:		:	:	:	:	
:	:					:	
:	:		:		:	:	
:	:	:		:		-	
:	:	:	:			:	
:	:	-	:		:	:	
=	_				_		
=	-	÷.	÷			•	-
-	÷	÷			•	•	-
-	÷	÷	<u>.</u>	•	•	÷	-
÷	÷	-	÷	÷	÷	•	4
÷	-	<u>.</u>	<u>.</u>	÷	÷	÷	
<u></u>	÷	-		٠	÷	÷	3
-	÷	÷	÷	÷	÷	•	-
-	÷	÷		÷		÷	
-	÷	_	÷	÷		<u>:</u>	
÷	÷	÷	:	:	_	÷	
\equiv	:	:	:	:	÷	÷	
<u>:</u>	:	:	:	:	Ė	:	
_:	:		:	:	<u>:</u>	:	
	:	:	:	:	:	<u>:</u>	
-:	:	·	:	:	:	:	
-	:	:	:	:	:	:	
:	:	: 1	-	:	:	:	
:	:	:	:	:	:	:	
:	:	:	:		:	:	
:	:	:	:	:	:	:	
:	:	:	:	:	:	:	1
:	:	:	:	:	:	:	
:	:	:	:	:	:	:	1
:	:	:	:	:	:	:	
:	:	:	:	:	:	:	
:	:	:	:		:	:	1
:	:	:	:	:	:	:	
:	:	:	:	:	:		1
:	:	:	:	:	:	:	1
0	: .	:	:	:	:	:	
10	L. L. C. L.	Control of the contro	The contraction of the contracti	TOTAL COLUMN TOTAL	The second secon		
de	a h	00	3 8	1 10	200	Í	1
100	3 1	100	100	5 0	2 2 2	7	1
HP	40	20	21	- 1	- 6		

ABLE 13-continued.

	rî l		'[8	Tot	1184284285454818518821881866
lot.	BBei		· betate :	Not	:::::::::::::::::::::::::::::::::::::::
pa	All Classes.		1816ន•	Fer	821-88212014-683012-841-8
Grand Total	All		, 489	sM.	8 8 4 4 4 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	10	Total for Class V.		30I	HB 88 HB8 HB8 : 6884
	Orders 3, 4, and 5.	las las	.ele.	Fer	
ιż	F, 33	HO		EM.	:0 :00 :=4 : : : : : : : : : : : : : : : : : :
E	3, 4	re-	Cause not ported.	M	· · · · · · · · · · · · · · · · · · ·
E	ZR.S		Violent, n	F	
l i	I I		Violent, n	100	
CLASS V VIOLENT DEATHS.	0		K Buicide.		
10	Ę		Total.	=	::::::::::::::::::::::::::::::::::::::
1	Onder 1.—Accident and Negligence.			×	:ca : : : : : : : : : : : : : : : : : :
٧.	leni		focation.		
<u>22</u>	1.—Accide Negligence.		.Sninw		
NA.	lige		som.		
io	Neg .	Burns and Scalds.			::::::::::::::::::::::::::::::::::::::
	8	-abranoW			
	<u> </u>		ctures.		::::::::::::::::::::::::::::::::::::::
	0		broad Accid	isA	;œ : : : : : : : : : : : : : : : : : :
J	and 4.	Total for Class IV.		Tot	- го - г
3	ag a	Pot	.6[81	IsM naH	: : : : : : : : : : : : : : : : : : :
EN	Orders 2, 3,	2,0	T) epitity.	F	:= · · · · · · · · · · · · · · · · · · ·
S		pu	ıs yaqorta zerilidəC	N	::::::::::::::::::::::::::::::::::::
CLASS IV. — DEVELOPMENTAL DISEASES.	DIKH		Old Age.	F	:4
DISEASES.	0,0			H	1 : : : : : : : : : : : : : : : : : : :
EE		1	dbirth.	[F4]	
Tä	lid		.lstoT	M	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Þ.	5		'Sujų		T : : : : : : : : : : : : : : : : : : :
22	1.—0 dren.		.noltamrol		::::::: := :::=::::::::
N S	4.9		.sbftid &		
5	Order 1.—Of Children,	*****	nature Bir		
	OB	- 4.1			
	1 0	1	-born.	HIIIS	□ : : : : : : : : : : : : : : : : : : :
		TOWNS IN MERRIMAGE COUNTY.			Mlenstown. Indover. Seawwest Construction Training Multinester Oncord Junitester Oncord Junitester Oncord Junitester Oncord Optimin Ookseet Ooksincon
					Allenstown. Andover Escantisis Bow. Braining Concord. Danbury Danbury Prankin Frankin Frankin Frankin Frankin Frankin Godon. Codoon.

	4	13	22	2 2 1 30 19 1 30	20	10	
14 15 3				-		-	
							-
5.3	22	8	[19	90	9	
-						_	
2 4	57		15	8	12	2 10	
	-	-			=		=
C3 ~	. —		8	2	-	64	
		-:		57			
	-	-:	2		÷	-	
=-	_	•	-	23	_	.	
			_	1	-		-
		:	_	•		-	
				_:	÷		
	:	:	:	:	:	:	
:		•	:	:	:	:	
: :	:		_		:	:	
-			:	:	:		
-	:		:	:		-	
	:	:			•	*	
-						:	1
				2 2 2 2 2			
		-	·:		<u>.</u>	-	
-	-	÷		-:	-:	-:-	
-:-		:				-	
-		٠		:	•		
::				<u>:</u>			
::	_:	:		:		:	
100	-11	~		00		_	
	4.	.,	,				
. 03	-	C/3	-	-	-	qued	
	60	=	ĝ,	CA.	8	:	
	:	=	To .	No.		-	
-: :	8		=	-	69	-	
	=	=	4	-	-	÷	
÷-		-	68		460	÷	
	÷		-	÷		-	
	÷	*	÷	÷	•	<u>:</u>	3
		:	•	÷		÷	
	<u>:</u>				÷	÷	
: :	:	:	:		:	<u>:</u> _	
: :	:			:		:	
: .	:	:	:			:	
: :	:	:	:	:	:		
	:	:	:	:	:	:	
			M	-	:	1	
::	:	:	:	-	:	:	
::	:			-		:	
	:			T		:	
	:					:	
	:						
	:						-
	:						
	:		000000000000000000000000000000000000000	m1			
				m1			
			000000000000000000000000000000000000000	T			
			000000000000000000000000000000000000000	T			
(P)							
oke	ple				0	7	
broke	sheld		0.000		18.6 Con	Tion of the contract of the co	The second secon
embroke 1 1 1 1 1 1 1 1 1	ittsfield	41 FOUL Y	TCCON	Traction	CONTOUR SECTION SECTIO	TIMEOTO	The second secon
Worthfield. Pembroke	Pittsfield	2011 1 1 1 2	Succontinuous and a second and a second as	T. T. D. C.	Webster Constitution of the Constitution of th		The state of the s

TABLE 13-continued.

11 1		.18	Tot	
	Total for Class I.	not stated.	xeg !	
	tal lass	nale.		: m : m = m = 0 : m = 0 : 0 : : d : : m
	52	ie.	sM	
		1	F4	
	ORDER 3. Dietic.	Total.		
	iet iet	Tabige M bas noitev	Pri	
	OH	oholism.	Alc	
{	ė	Total.	124	া : : : : : : : : : : : : : : : : : : :
	Order 2.— En- thetic.		Z	:::::::::::::::::::::::::::::
<u> </u>	EB 2	rush.		
HS.	is (lignant Pustule.		* * * * * * * * * * * * * * * * * * * *
SEA	RDI	.ailide		
i ii	0	cicemia.		: . : : : : : : : : : : : : : : : : : :
9			Ge	: H H . HHO : HOO : N : : O : : H
		.IstoT	Ħ	
ĕ		itis.		
KZ		-nineM Isniqs-orde	Cer	9
		.matism.		1:.::::::::::::::::::::::::::::::::::::
1 20	စ္	lera Infantum. laria Fever.		· · · · · · · · · · · · · · · · · · ·
CLASS L.—ZYMOTIC DISEASES.	nati	rrhes, Trientum		H
5	1881	sentery.		
	×	"gzuən		1::::::::::::::::::::::::::::::::::::::
	Order 1. — Miasmatic.	princie.		::::::::::::::::::::::::::::::::::::::
	B)	sipelas.		
	RDK	hoid Fever.		: H = 00 : : : : : : : : : : : : : : : : :
	0	ooping-cough.	ЧM	
		·đn		
		htheria, system		
		rlet Fever.		: : : : : : : : : : : : : : : : : : :
		ssles.		
		.xoq-lla	ms	1::::::::::::::::::::::::::::::::::::::
11				
11		-		
Ħ		si.		
		TNIC		
11		5		
		H		
11		BOB		
		EII.		
		岳		
		ži.		
		Тоинз и Иплевоворин Сориту.		
		To		
		1		gh.
				gddddddddd.
				Amherst Antrim Antrim Battord Bennington Brookline Jeffstown Freanestown Freanestown Freanestown Freanestown Freanestown Freanestown Freanestown Illsborough Illsborough Indson irchfield yndeborough irchfield
]				AAm Bed Ben Bro Dee Cra Har Har Har Ita
				ЖАКМИНИМИНОООППИМОГ

	. 69	:				:	:			:
	: :	:				:	:	. 0	:	
÷	37	:	prof		7	:	:	20	:	
-	10		_	-:	10	-:	•	~	-	·
	. 64	:			~	:			_	
-				-					=	-
~		-	-:		-:	÷	•	-:	-:	:
-		•	-:	-	•	÷	•	÷	÷	<u> </u>
_		÷	•	-		-		:	:	<u>:</u> _
_	: :			. :	:		:	:	:	
	: :	:	:		:		:	_	:	
-	-	:	:		:	:	:		:	:
	: :	:			•	÷	÷	•		÷
-		÷		-:	÷		÷	÷	÷	÷
		÷	•	÷	÷		÷	•	•	
-		•		•	•	÷	÷	•	•	
-	•	•	•	•			•			<u>. </u>
		÷	:	:	:	÷		Ξ.	÷	
=	37	: '	-		CF		:	4	:	:
=	00	-	-	÷	10	÷	•		-	<u>.</u>
	CA	:				:	:			:
-			:	:	:	:	:		:	:
	:	:		:	:	:	•		:	:
-:	:	:	:	:	:	:	:	:	:	:
-	:	•	:	:	:	:	:	:	:	:
-	8	•	÷	÷	÷	÷	•,	÷	÷	÷
=	듷	÷		•	-	÷	÷		÷	<u>.</u>
_	8	·	÷	÷	÷	÷		۰	•	
		-	:		:	:	-		-	-
		:		:	:	:	:	:	:	:
	:	:		:	:	:	. 9	~	:	:
:	63	:	:	:	:	:	:	:	:	:
:	-	:	:	:	-	:	:	. 1	7	•
-	00	•	÷	•	prof	÷	÷	÷		÷
- :	491	÷	÷	-		:	•	÷	÷	÷
÷	10	÷	<u>:</u>		÷	÷	.,	-		<u> </u>
	÷	÷	÷	•		:	•		:	•
-:		:	٠.	÷		:	i.	•	٠.	-
	63	: 1	_	*	.71	:	:	:	:	:
_:	7	:		:	:	:		:	:	:
:	:	:	:	: 1	7	:	•	:	:	:
- :	:	:		:	:	:	:	:	:	:
-	÷	•		-				-	:	:
- :		:	ì	:	:	:	:	:	:	:
:	:	:	:	:	:		:	:	:	:
•	:	:	:	:	:		:	:	:	:
		:	:		:	:			:	
	:	:	:		:	:		:	:	
:	:	:	:	:		:	:	:	:	:
:	:	:	:	:	*	:		:	:	
:	:	:						:		
:	:	:			:				:	:
:	:	:		:	:	: :		•	:	
:	:	: :		:		:			:	:
:	:									
	:	:								
:	:	:			:					
:	:	:				: :				
:	:				:					
	:									
:	:	: :								
on	: :	4		4	2					
formon formation of the first o	. 0	vic			3					
Ve	- a	180		-	3				1	
42	Name Backen	New Leavier.	27	Dateshaven	Shared Care 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Temple	16	Wilton	Windsor	
O	SE	100		100	100		ea	ii.	i	
2	42	12	Pelham	A	4 00	H	Weare	1	B	

TABLE 13—continued.

II.—CONSTITUTIONAL DISEASES.	ORDER 2,— for Total ORDER 1,—Nervous System. Tubercular, Gl. II.	Tabes Mesenterica. Phthisis. Hydrocephalus. Male. Male. Total. Total. Total. Total. Total. Total. Paralysis.	2041000
CLASS II.—C	ORDER 1. — Diathetic.	Dropsy. Angmis. Gancer. Moms (Carker). Mortification.	
		Towns in Hillsborouge County.	

63 -	4	63	_	:	:	63	:
∓ 0	7	22			03	03	:
	٠	٠,	-:				
	•		-:		•	-:	
<u>.</u>	٠	_:	-:			-	
<u>:</u>		_:				:	:_
:0		H			87	8	:
60	i	623	yed	:		Ħ	:
:							
- 0		10	ä	-		=	
· ·		-	=	_	200	_	<u>. </u>
							•
		:			:	:	:
:		:		:	:		
63.0		8	67	63	9	63	:
= 0	ä	-		:	00		
ped p	4	60		-	행		 -
				-			-
•	÷			÷			
					:		
- : -	-	7	:	:	C4		:
:				:	:	•	:
-		-		-	1	07	-
÷		-		÷			 -
-:-		-		-:	-	-	
-			÷		-		
:		:		:		:	:
F4 0	ä	63		:	ಬ	:	:
=				=			
						-	
0.0	-	[-	- 1	6.3		93	
60 4	Ħ	-91	÷	01	03	=	÷
= 0	ū				10	<u>~</u>	<u> </u>
***	•			_			÷
69.0	*			C-1	-		:
	7	33	:	_	C3		
1			:	-	· :		
40	3	60		63	3	•	
						-	<u>:</u>
			:		:		
:		yes					:
	1	3	:		₩	=	
	-(-,	÷	=;		67	÷
÷							<u>:</u> -
		÷			:		
		-			:	:	<u> </u>
	3	: ::	:		1	2	<u> </u>
- 6	9	8		:		2	
:	9	8		:	1	2	
	9				. 3	2 1	
:					3 1	2 1	
- 0					3		:
:							
						2	
- 6						2 1	
						2 1	
						1 2	
		8				2	
						21	
						1 2 1	
						2 1	
						1 2 1	
						1 2 1	
					- T	1 2 1	
		D				1 2	
		agh				1	
		rough				1 2	
pswich		borough			å	m	sor.
le l'est ch.	46.000 mm contract to the cont	erborough	TOR	elga	3. 1	[max	udaor.
1 2 4 1 1 1 1 1 1 2 1 2	OF 14 (CAMP CONT. CO. C.	eterborough	haron	elample elample		William	Windsor.

TABLE 13—continued.

ORDER S. —In-	y for Class	fale. Female. Sex not stated. Isto!	2
ORDER 8, —In-		emale.	2
ORDER 8, —In-		'emale,	1470700000450040000000000000000000000000
ORDER 8, —In-			
l	<u> </u>		
l	A		· · · ·
-		Total.	
-	tar o.	`umor. ≥	
-	ystem	Disease of skin.	
-	Sys	oint disease.	
-	teg	hlegmon.	
nued.		Neer.	
m 9	Generative Organs.	otal.	
1 6 6	enerati Organs.	Merine tumor. Disease of uterus.	
mti	Org	.Tomut nairav(
9 00	3	varian dropsy.	
83		16	::::::::::::::::::::::::::::::::::::
ASE	3	.IatoT	: : : : : : : : : : : : : : : : : :
SE/		rostatitis.	
I I I	e l	Træmia.	
,-LOCAL DISEAS) ORDER 5 Urinary	Organs.	ystitis. Zidney disease.	[]:::::::::::::::::::::::::::::::::::::
700	jo i	alculus,	
1 gg		Siabetes.	
	3	disease.	
		ephritia.	
A.88		.fatoT €	
G	- 1	sease of apleen.	
1 8	108.	iver disease.	[]::0::::::::::::::::::::::::::::::::::
	Eg.	aundice.	
	0	lepatitis.	
1 4	ORDER 4. — Digestive Organs.	tomsch disease. Jolic,	
8	ige	'stutei'	
6	9	tricture intestines.	
	4	ntussusception.	
	# .	Ternia,	
	ED.	socites. Recration of intestinu	
9	° -	eritonitia.	
! ,		nteritis.	
		,aititia,) ::: = :::: : : : : : : : : : : : : : :
		Гочив и Иплевовопан Сопии.	Amherst. Antrim Antrim Bendrod Bendrod Bendrod Bendrod Bendrod Bendrod Francestown Greenfield Green

					_	^-	~~	_	_		
		12	, oc		20	600	6.0	23	೦ು	:	
-:	:	:	:		:		:	:	4 5	:	
4		Co	-	9	10	S)	-	500	10		
~ 7	·	56				_	~	~	wiii	-:	
1	õ	-	4.	-	ĭ	_		=	4		
-		-						-	-	•	-
-:	9	-:	-:	-	Ξ.	:	-:	•		÷	-
÷	-	-:	-:	-;		÷	:		÷		
÷		-	-:		:	÷	÷	•	-	÷	-
÷		-:		-:	-:	÷	÷	-	-	•	-
		•	-:	-:	-	-	-:	-		÷	-
-	ì	-:	-	-		•		<u>:</u>	-:	÷	
<u> </u>	•	•					-	٠			
:	:	:	:	_	:	:					
:			:	_	:	:	:			:	
:	:	:	•	:	:	:	:	:	:	:	
-:	:	:	:	:	:	:		:	:	:	
:		:	:		:			:	:	:	
	0				-	٠.					
PH .	2	-	:	-	2	•		3	•	:	
-			•	-		•	•			•	
-		-	-:	-	-		-				-
-	÷	-				-:	·	-	•		-
		:	-	٠	٠	:	•		:		
_: '	1	:	. :			:	÷	:	:	÷	
:		_:	:	:		:	<u>:</u>		÷	:	
:	.71		:	_	Ξ	:		:	:	:	_
	ď	_	:		63	:	:	63			
:	:		:	:	:	:	:		:	:	_
-	5		-	:	=	:	:	=	:	:	
- 0	.4		:	:	-	:	:	:	=	:	
·			•	÷	-:	:		-			_
- 0	i	÷		-	:	•	÷	-	-:	:	
-	•	•	÷	-:	÷	•	-:		:	:	
÷	•	-:	-:	-:		÷	÷	=		÷	-
÷	:	-:	·:	.	•	-:			÷	÷	
÷	÷	:	-:	-	-:	•	-:	-	-	-:	-
÷	:	•	-:	÷	÷	-:	÷	:		-:	
<u>:</u>	:	-:	·	•	:	-:			•	•	
÷			·	-		-	<u>.</u>	-:	<u>:</u>		-
<u>:</u>	:	:	-	-	÷	-		•	-		
-	:	÷	<u>:</u>		:	Ŀ			-		
<u>:</u>	:		:			:		:		:	
:	:	:	:	:	:	:	:	:			
:					-				-	.:	
:	ď	:	-	:	-		:	:	:		
: 0	3	:		:			:	:	:	:	
:	:	:	:	:		:	:	:	:	:	
:	:	:	:	:		:		:	:		
		•	:	:	:	:	:	:	:	:	
:	:	:	:	:	:	:	:	:	:	:	
:		:	:	:			:	:	•	:	
:	:	:	:	:	:	:	:	:	:	:	
:	:	:	:	:	:	:	:	:	:	:	
	:	:	:					:	:	:	
:		:	:	:	:	:	:	:	:	:	
:	:	:	:	:	:	:	:	:	:	:	
ė	:	:	:	:	j		:		;		
no		uc	icl	:	ngu		:	:	:	:	
er	:	Bte	BW	:	ro	:	:	:	:	-	
Work Vernon	118	New Boston	New Ipswich.	RIL	Peterborough	Sharon.	Temple 2 1 3	Weare	Wilton	Windsor	
ont	181	A	M	17	ter	ar	H	981	ilte	inc	
M	3	Ne	Ne	Pe	Pe	SH	Te	A	×	M	

TABLE 13-continued.

le le	86	Total.			25 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
Grand Total for All Classes.		Not stated,			1::::::::::::::::::::::::::::::::::::::
		Females.			000000000000000000000000000000000000000
		Males.		[sM	0 7 7 7 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9
CLASS V. — VIOLENT DEATHS.	Оврине 3, 4, Амр 5.	for a V.	· I.s	JoT.	
		Total for Class V.	nale,		; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
				. Ma	H = 0 1 H = H = 1 10 10 10 10 10 10 10
		- Cause not re-		M	
		elassed.		1	
		Suicide.			
				124	:::::::::::::::::::::::::::::::::::::::
				M	`:::::::::::::::::::::::::::::::::::::
	ORDER 1. — Accident and Negligence.	• letoT Z			H
				720	::::::::::::::::::::::::::::::::::::
		Suffocation.			
		Drowning			9 4
		Poison.			::::::::::::::::::::::::::::::::::::::
		Burns and Scalds.			::::::::::::::::::::::::::::::::::::::
		Fractures.			
Railroad Accidents.					
CLASS IV. — DEVELOPMENTAL DISEASES.	ORDERS 2, 3, AND 4.				4-00 01-02-024-40000
		Total for Class IV.	male.		4 9
		_ <u> </u>	.61	sM	: HH : 01 : : : : : : : : : : : : : : : : :
		-9(T pu	Atrophy a	H	# : : : : : # : : # : # : # : : # : :
		-u pa		F	다 : 전 : : : : : : : : : : : : : : : : :
			.egA bIO	ME	लन न न न लक्ष
			ildbirth.	CP	::::::::::::::::::::::::::::::::::::::
	Order 1. — Of Children.	Teething.		1	· · · · · · · · · · · · · · · · · · ·
				T.66	: : : : : : : : : : : : : : : : : : :
		Malformation.			::::::::::::::::::::::::::::::::::::::
		-spina Bifida.			
		Cyanosis.			
		Still-born. Fremature Birth.			CA : : : : : : : : : : : : : : : : : : :
daod-Ilit8				: : : : : : : : : : : : : : : : : : :	
Iowns in Hillsborough County.					
					oon oon oon oon oon oon oon oon oon oon
		To			Amherst Antrim Antrim Sedion Senion Senion Seron
					mherst ntrim edford eedford rooklin eering reering
					AAn Bee Bee Bee Fra Fra Fra Fra Fra Fra Fra Fra Fra Fra

2222	23	- 9	77	8	50 (00	23	8	:	
4	-						4		:	
0			:	24 19	:					
			÷				•	÷	÷	-
800	S	တ ;		13	7	80	1	1	:	
		_							÷	
53 44 53	14	œ :	=	74	~ 1	2	200	C	1	
=										
4: 00	-	=		_	:	63	_	63	:	
: 4					:				:	
								67		
63 . 53	-	-	4			63	-	1	:	
	-			-			-	÷	÷	
							•			
- : : :		_	:		:				•	_
:::	:			:	:			•	:	
:::					:		:	1		
			•		:					
	-		÷	-	÷		-			
		•	•	٠	:	-		-		
			÷	٠	•				·	
64 : 03		: 1	-		:	CA	-	:		
-		:		-		-	:	-	:	
-						•		:	:	
				8		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		5		
• •					÷		_	-		_
		-:				:	•	٠		
:::	:	:	:	:	:	:	:	:		
: : :	:	:				:		:	:	
			•		:					
		÷	÷		÷			-	÷	-
		•				•			-	
-80	20	63	4	8	:	:	0	10	:	
4					:	:			:	
-01	_	-	_	8	:		60	3		
	4	-	1 1	. 5			9	37	:	
- 016						÷		-	÷	
		-:	_			-		~	÷	-
:: : : : : : : : : : : : : : : : : : : :		:				-				
→ : ∞		-		တ	:		23	2	:	
: : =	03		63	ಌ	:	:	di	:	:	
-		•	:			-:				
	<u> </u>	÷	÷	-			=			
			-	-		-:	63			
: : 5	-		.:			٠				
:::										
:::			:						:	
								:		
		-	-				į			-
d Verson 1 8 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		pswioh 1 1 1	:			:				
			•		-			•	٠	
:: -	2	-		_		:	513		:	
:::	:			:	:	:	:	:	:	
:::	:			•	:	:		:	:	
:::	:	:	:	:	:	:	:	:	:	
:::	: :	:		:	:	:	:	:		
. : :	:	:			:	:	:			
:::		:			:	:	:		:	
:::		:			:				:	
:::		:	i		:	:	:	:	:	
:::						:	:		:	
		-			:	:	:	•	:	
		2		20	:	:	:	:	:	
		:	:		:	:	:	:	:	
1 : :					:	:	:	:	:	
:::			*		:	:		:	:	
: d		d	:	è.	:	:	:	:	:	
100		ic		gn		:				
1 6	84	*	:	0		:			-	
2 × 5	Bo	Eps.	3	90	n.	16	6	g.	80	
ford 1	ew Boston.	W Ips	slham	sterborough 1 3 3 1	MIGIN.	91018	Vegree 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	llton.	indsor	

FABLE 13—continued.

		REGISTRATIO	N REPORT.
	1 8.	Total.	
	1 fc	Sex not stated.	
	Total for Class I.	Female.	: : : : : : : : : : : : : : : : : : :
	H	Male.	וחים: ימחשם: יייימיים:
	ကိ	.IstoT Est	1::::::::::::::::::::::::::::::::::::::
	Order 3. Dietic.	. 15	:::::::::::::::::::::::::::::::::::::
	E C	Privation and Meglect.	
		Alcoholism.	
	ORDER 2. — En- thetic.	LetoI =	::::::::::::::::::::::::::::::::::::
	17.	Worms.	
20	etic	Thrush.	
ASI	th	Malignant Pustule.	
SE	I III	Syphilis.	
DI		Septicamia.	::::::::::::::::::::::::::::::::::::
2		.LatoT F	ימם ימם מחים ים ימים
OI			H : H : : : : : : : : : : : : : : : : :
K W		Cerebro apinal Menin-	
Ş		Kheumatism.	
٥		Malaria Fever.	1: 1::::::::::::::::::::::::::::::::::
5 2	tte	Cholera Infantum.	: HH : : : : : : : : : : : : : : : : :
CLASS I. —ZYMOTIC DISEASES.	i iii	Diarrhea.	[변수: : : : : : : : : : : : : : : : : : :
G	/Lia	Influenza. Dysentery.	
	1	Carbuncle.	
	÷	Puerperal Fever.	63
	Order 1. — Miasmatic.	Erysipelas.	
	080	Whooping-cough.	H : : : : : : : : : : : : : : : : : : :
	Ŭ	Croup.	::::::::::::::::::::::::::::::::::::::
		Quinay.	
		Diphtheria.	[
		Bearlet Fever.	: : H : : : : : : : : : : : : : : : : :
		Measles.	
		Small-pox.	
		₽.	
		D.W.	
		Ç	
		E	
		HS .	
		7	
		1 2	
		Тоwнь и Сневивь Сопит.	
		Ħ	
			Harrie Harris Ha
			Intend Instendidublin Instendidublin Instendidublin Instendidublin Instendidublin Instendidublin Instendidublin Instendibu Instendib
			Alstead. Chesterfill Dublin. Bland All Alstead Glister Illia
			TASS SENERAL MANAGEMENT TO THE COLUMN TO THE

63	-	6	
-:	:	:	
:	:	80	
22	-	9	
=	:	•	
-		-	
=		:	-
=			
-		-	_
÷	-:	÷	
- :	-:	:	
<u>:</u>	:	:	_
-	-	:	
-	:	:	_
=		ळ	
<u>e3</u>	-	9	-
•			
	:	:	
-:			
-:	:	:	
-	:	63	
=	_	:	
:	:		
:	:	_	
-:	:	:	
:	:	:	
:	:		
:	:	37	
:			
:		က	
	:	<u>:</u>	_
<u>:</u>	:		_
-		÷	_
-	<u>:</u>	÷	_
<u>:</u>		÷	
	:	:	
	:	:	
:	:	:	
	i	:	
:	:	:	
:	:	:	
	:	:	
:	:	:	
:	:	:	
:	:	:	
	:	:	
:	:	:	
:	:	:	
:			
:	:	:	
:	:	:	
:			1
		•	
	-		

imoreland

TABLE 13—continued.

	1	[4	;= ::::= := := := :== :== :===========
1		Total.	H : : MHMMMHH :H :M : : : H
1		Asthma.	:::::::::::::::::::::::::::::::::::::::
11	က်	Laryngitia.	
1	B	Pleurisy.	
]] .	ORDERS 2 AND	Pneumonia.	: 10-404440 : 0 :- :- 0
肾	62	Bronchitis.	
NAS	RE	Lung disease.	OH : HHHHH : H : HO
1 22) BE	LetoT =	NH
		Pericarditia.	
		Aneurism,	: * : : : : : : : : : : : : : : : : :
g		Heart disease.	401 : : : 010100 mm = : : : : = 170
Ä	d	Total.	니다의 : :: : : : : : : : : : : : : : : : :
	<u> </u>		он :чонцнаско::::: :а
	3ys	Meuralgia.	
CLASS III.—LOCAL DISEASES.	12	.easesib laniqa	
[Ā	04	Meningitis. Brain disease.	· · · · · · · · · · · · · · · · · · ·
5	Order 1. — Nervous System.	Convulsions.	
	ī	Tetanus.	
	i	Epilepsy.	1 : : : : : : : : : : : : : : : : : : :
	12	Insanity.	. : : : : : : : : : : : : : : : : : :
	9	Paralysis.	mai : : : : : : : : : : : : : : : : : : :
	-	Apoplexy.	:::: Hww :400 + :::::
	78.1	Total.	Lessance Control of Guller
H ₂	Total for Cl. II.	Female.	HHH +H + 0100HHHH4 + +H + 20
MA		Male.	0
CLASS II. — CONSTITUTIONAL. DISEASES.	ORDER 1. — Dia- ORDER 2. — Tu- thetic. beroular.	LetoT Z	·= · · · · · · · · · · · · · · · · · ·
5	DER 2. — T	Hydrocephalus.	
Egg	B 2	Phthisis.	NH: N : 10 41 0 8 10 + 10 8 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SSIS	De	Tabes Mesenterica.	: : : : : : : : : : : : : : : : : : :
SE	Ö	Serofula.	
II Tä	d	Total.	
H H	Ä		H : H : H : H : H : : : : : : : : : : :
72	B 1. —	Mortification.	
SA	B 1	Cancer. Noma (Canker).	HHHHH : : : : : : : : : : : : : : : :
5	DE	-simænA	1 : : : : : : : : : : : : : : : : : : :
	Ô	Dropsy.	:H : : : : : : : : : : : : : : : : : :
			:::::::::::::::::::::::::::::::::::::
		į.	
		TAL	
		Ç	
		2	
		THIS SHIT	
		HE	
		Гоwлв и Сивянии Сосити.	
		8	
		W.W.	
		To	
			d
			nnillii i i i i i i i i i i i i i i i i i i i
			Alsavad. Chesteerfeld Chesteerfeld Chesteerfeld Chesteerfeld Silam Silam Silam Giray Hinstale
11			A Pitter Billion Billi

::c1++
::014
1::::
1 : : :
1:::
0,0004
::0=
::::
67-1-61
0100
::::
000000
61.4
<u> </u>
• • •
00 - 00 - 00 - 00 - 00 - 00 - 00 - 00
- 63 - 111
_; ea : : _
45044
4,510,50
· 60 60 ==
0101-00
64 :
6110 614
Q
* * * * * *
~ :-::
-:::
:::::
::::
::::
: : : :
::::
::::
::::
yy by b
: : : : :
ter
ole non neg
per po

TABLE 13—continued.

		MADIMITON	TIEST OTOTA
	Total for Class III.	.ГезоТ	800 440 90 800 800 800 800 800 800 800 800 800
	al f	Sex not minted.	
	Cots	Female.	विषयम्बर्धमायम्बर्धायम् विषयः । विषय
	- 60	Male.	कथ :थाएकककळक्रम्बर्धन्य :मन :क
	<u>.</u>	Total.	::-:::::::::::::::::::::::::::::::::::
	H b	2	
	Fa a	Tumor.	:: ":::::::::::::::::::::::::::::::::::
	Order 8. — In- tegumentary System.	Disease of skin.	
	Syl	Joint disease.	
	o s	Phlegmon.	
		Ulcer.	
~:	1 0	Total.	11:::::::::::::::::::::::::::::::::::::
kea	RDER 6. enerati Organs	•auretu lo essesid	
in	DE	Ovarian tumor. Uterine tumor.	* * * * * * * * * * * * * * * * * * *
oug	Order 6.— Generative Organs.	· yaqotb naitavO	
Š I		, Fr.	
20 E2	Þ	LatoT Z	
AS.	nar	Prostatitia.	1::::::::::::::::::::::::::::::::::::::
質	Ë.	-aimætU	: :::::::::::::::::::::::::::::::::::::
Ĩ	6. — U	Kidney disease.	
H	5.	Cyatitia.	
GA.	#	Calculua.	
3	Order 5. — Urinary Organs.	Disbetes.	
1		Nephritie. Rright's disease.	
目		1 554 1	· · ল · · · · · ল তা · · · · · · · · · · ল
CLASS III. — LOCAL DISEASES — continued.		.fatoT Z	::::=0::::0===::=::=
I.A	e Organs.	Disease of apleen.	:::::::::::::::::::::::::::::::::::::::
0		Liver disease.	::::::::::::::::::::::::::::::::::::::
		Jaundice.	
		Colic. Hepatitia.	
	iti Kv	Stomach disease.	
	Order 4. — Digestive Organs.	Fistula.	
		stricture intestines.	
		Intusausception.	
		Hernia.	1 : : : : : : : : : : : : : : : : : : :
	DIE	Ulceration of intestine	:: : : : : : : : : : : : : : : : : : : :
	OB	Ascites	
		Peritonitia.	* * * * * * * * * * * * * * * * * * *
		Gastritis.	
		- saititias-	
		X.E.	
		100	
		D _N	
		Ē	
		20	
		5	
		ă	
		Гоумя и Снеяние Соимтк.	
		Foy	tead in
			Ilstead Describida
			Als Objury Mar Mar Mar Mar Mar Mar Mar Mar Mar Mar

1-	14	16	17	
-	=			
3 4	· 000	00		-
8	20	00		
- :	- :	:		
	-:	-		
-:	•	•		
=	÷	•		-
* 1-1-11-11-11-11-11-1	:			
-	:	-		
=		-		
	•	•		
÷	÷	:		-
÷	:	÷	•	
-	÷	÷	•	
Ė	÷	÷	i	
÷			~	
-	÷	_		
-		÷		
-	÷	1 1 1	÷	
-	-	-	-01	_
-	÷	-	-	
÷	<u>.</u>	:	:	
-	•	-		_
÷			÷	
-			٠	
	27			
=======================================		=17	20	
	:		:	
:	:	:	:	
:				
:	:	:		
-:			:	
<u>:</u>	:	:	:	
<u>:</u>	:	:_	:	
_	i.			
•		÷	:	
÷		÷	÷	
÷	:	٠	÷	
-		÷	÷	
		-		
÷				
-	•	•		-
:	:	:	:	
	:	:	:	
:	:	:	:	ľ
:	:	:	:	
:	:	:	:	ı
:	:	:	:	
:	:	:	:	
:	:	:	:	
:	:	:	:	
:	: 7	1	:	
:	. 0	For	100	
Troy	Wathnest	100	T	
	4	4	1	
L'o	D C	Viv		
Cal P.	10	6		

TABLE 13—continued.

		10120.	IDINAII	011	REPURI.
as l	sā.	i	•14	doT	1 2 1 2 1 2 2 2 3 4 4 4 8 2 3 1 4 4 4 8 2 3 1 4 4 4 8 2 3 1 4 4 4 8 2 3 1 4 4 4 8 2 3 1 4 4 4 8 2 3 1 4 4 4 8 3 1 4 4 4 8 3 1 4 4 4 4 8 3 1 4 4 4 4 4 8 3 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Tot	r 1886	. Mot stated.		Not	: : : : : : : : : : : : : : : : : : :
Grand Tota	for All Classes,	Femsles.		цел	11100000000000000000000000000000000000
Gre	A.I.	Males.		[sM	010000000000000000000000000000000000000
		Total for Class V.	J.	Tot	00044400000044 : :4 : :4
	1G	tal	.elan	T,GI	: :
76	P. P.	55		8M	ळळच :चचळक्षक :चच : :ळ : :च
H	Orders 3, 4, and 5.	-0.1	Cause not ported.	F	: :== := : : : : : : : : : : : : : : :
EA	88 3			N.	विवास : सं : सं : सं : सं : सं
A D	DE	30	Violent, no	M	
LNS	ő		Suicide.	F	:::::::::::::::::::::::::::::::::::::::
00		<u> </u>		M	- · · · · · · · · · · · · · · · · · ·
CLASS V. — VIOLENT DEATHS	ORDER 1.— Accident and Negligence.		.IstoT	M	: : : : : : : : : : : : : : : : : : :
	ent .		.eaiwise.		: - : : : : : : : : : : : : : : : : :
702	nee		focation.		
84 B	-Ac lige		son.		
5	[eg]	-spi	and Sea		2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	88		•spun		* * * * * * * * * * * * * * * * * * *
	ED I		ctures.		:::::: :::-::::
			: : : : : : : : : : : : : : : : : : :		
	1 for		Female.		46488104884 8 14844
[<u>3</u>	A.	Jotal for Class IV.		leM Ten	: : <pre></pre>
E E	ω,	-50	Yamasu	Po IVE	
	tió Cá_	pu	a ydqorta Debility	MF	(2) (2) (2) (3)
class iv. — developmental diseases.	Orders 2, 3, And 4.		Old Age.	MF	:04-04-00 : - : 0 : : : HHH
V.E.	0,8				: : अनननन : यन : : न : न : न
DISEASES	1.	1	ldbirth.	GP!	
TA	Order 1.— Of Chil-dren.		Total.	N.	H4
IĄ.	ĕ -		thing.	99T	
200	1.—0 drem		Hormation.	M.	
LA	₩.		na Bifida.		
0	E C	*u2.	mature Bir		
	ő		1-born.		62
		Ė			
		THE			
	Ç				
		異な			
	Тотив іх Сневніва Сосити.				
		Ome			
		8			
		100 200			
		0Ж.			B e e
		H			llia llia lle.
					Alatead Chesterfeid Chesterfeid Chesterfeid Chesterfeid Glisum Glisum Husdale Husdale Husdale Marlborough Marlborough Marlborough Marlborough Stelmond Stodaud Glodaud Glodaud Husday Stodaud Husday

A3	

-	03	-	

-	10	ೞ	5

⁻⁴⁰⁰

. 4.4.0

::::

-
- ----

eland...

alpole ...

TABLE 13-continued.

11		[tal.	oT	or itemme : immm imora
	for I.	x not stated.	262	
	Total for Class I.	male.		01 <u>(00</u>
	g _D	rje.	BM	ः सः ः ः ः ः ः ः ः । । । । । । । । । । ।
	R 3	Total.	Z i	
	ORDER 3. Dietic.	SelgeN bas noitsvi	14	: . : :
		coholism.		:::::::::::::::::::::::::::::::::::::::
	ORDER 2. — En-	Total.	=	
		.amro	<u> </u>	
<u>zá</u>	etic.	.daur		::::::::::
AS	開告	alignant Pustule.		
ES	OB1	pticsmis. philis.		.61
				Q:00====::==::==
) 2:		*1810.T. -	E4	
CLASS I ZYMOTIC DISEASES.			B	:: :::::::
123		rebro-spinsl Menin:		
7		neumatism.	1	H (H) (H) () () () () ()
T		Jaria Fever.	1	
A.S.E	ktic.	nolera Infantum.	CF	. :∞
OL.	9103	arrhæa.		7::::::::::
	Mis	duenza.		
	Order 1. — Miasmatic.	rbuncle.	RO	
	1.	erperal Fever.		: X:::::::::::::::::::::::::::::::::::
	0.00	phoid Fever, ysipelss.		·
	0	hooping-cough.	M.	
		·dno.	Cr	1:::=::::::::::::::::::::::::::::::::::
		.yanii		<u> </u>
		arlet Fever.		
		-aalaa.	M	
		.xoq-lisi	ng	
		el.		
		DN'S		
		Ç		
		×4		
		LT A		
		7 <u>1</u> 02		
	Towns in Sullivan Countr.			
		NA NA		
		Low		
				H. G.
				th.
				Acworth Unarisotown Unarisotown Coornish Coornish Goslen Goslen Langlor Langlor Correct Planned Planned Planned Ranned R
				Para la

			1 50	
		3	.latoT Z	00
		ORDERS 2 AND 3.	Asthma.	1 : - 1 : : : : : : : : : : : : : : : :
ı			Laryngitis.	1::::::::::::::::::::::::::::::::::::::
			Pleurisy.	0.4.00 HH 1000 0
	02	. ₹	Bronchitis, Preumonia,	014000HH
	SE 300	133	Lung disease.	· · · · · · · · · · · · · · · · · · ·
	EA	ED	150	00000 - 00000
	3	ō	Z Total.	w-w : : : : :0
ì	3		Pericarditia.	
	CLASS III. — LOCAL DISEASES		Aneurism.	100000 · 610 · · · · · · · · · · · · · · · · · · ·
	rog	-	Heart disease.	H00HH H
1	1	Onden 1. — Nervous System.	. Leave T.	- CA
	. E	yet	Meuralgia.	T:::::::::
-	92	92	Spinal disease.	:: == : : : : : : : : : : : : : : : :
	AB	vou	Brain disease.	·==== : : : : : : : : : : : : : : : : :
	5	Yer	Meningitis.	1::::::::::::::::::::::::::::::::::::::
		1	Tetanus. Convulsions.	: : : : : : : : : : : : : : : : : : :
		4	Epilepsy.	THE STATE OF THE S
		1 2	Insanity.	1: :=::::::
		OH C	Paralysis.	: :0 : : : : : : : : : : : : : : : : :
		1	Apoplexy.	Luana4 : : : : : 4 w : : : :
1		I I	Total.	4004-0-000 000
	T.	Total for Cl. II.	Female.	000 00 : - : - : 00 : - : 0 : 0 : 0 : 0
	CLASS II CONSTITUTIONAL DISEASES.	ORDER 1, — Dia. ORDER 2, — Tu. for for thetic. Dercular. OI. II.	Malleri	1 = 01 to - = = - = - = 03 * - =
			Total.	י מאי המה יהי ומשהמן
	Oice .		Hydrocephalus.	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
	55		(ElselfAfT	======================================
	NO	a c	Scrotula. Tabes Mesenterica.	
	P S	-	1 Gr.	H0103 : H · · · H · · · · · · · · · · · · ·
		Dia	LatoT _	C1
	E.	10	Mortification.	
	AS	1.	Monna (Canker).	
	15	DEB C	Cancer,	6000
		OR	Dropay.	
	<u>'</u>			
1				
П				
Н			pi	
Н			THI	
11			පි	
Н			'A'N	
П	SULLIV			
			ä	
11	Точив га Биллуда Сооитт			
				things and the second of the s
				strong no. 1
				Agmorth Charlestown Charlestown Commiss Commiss Commiss Goshen Goshen Lempster Flainfield Surabes Commiss Comm
				Washing Washington

TABLE 13—continued.

n	1		010000000000000000000000000000000000000
	Total for Class III.	Total.	
-	tal ass	Sex not stated.	140000400400400
	55	Female.	4000040411011004
	-	Male.	T
- 11	teg 78-	Total.	1
	Ęź.	TomuT.	
- 11	8. Far	Disease of skin.	1::::::::::::::::::::::::::::::::::::::
- 11	ORDER 8.—Integumentary System.	Joint disease.	1::::::::::::::::::::::::::::::::::::::
	Un Un	Phlegmon.	
-	1.0	Ulcer.	
	Order 6. — Generative Organs.	Disease of uterus.	
Ш	RDER 6	Uterine tumor.	
jg.	Oren	Ovarian tumor.	1::::::::::::::::::::::::::::::::::::::
nae	05	Ovarian dropsy.	:::::::::::::::::::::::::::::::::::::
nti	i.	Total.	::::: : : : : : : : : : : : : : : : :
8	13 C		:
70	naı	Prostatitis.	
CLASS III LOCAL DISEASES continued	Order 5. — Urinary Organs.	Kidney disease. Uræmia.	H : H : H : H : H : H : H : H : H : H :
EA	80	Cystitis.	
1181	10 21	Calculus.	I : : H : : : : : : : : : : :
1 7	SDE	Diabetes.	::::::::::::::::::::::::::::::::::::
O.A.	Ö	Nephritis. Bright's disease.	: : : : : : : : : : : : : : : : : : :
3		I Fr.	1
	Order 4. — Digestive Organs.	Total.	[
IJ Ė		Disease of spleen,	
702		Liver disease.	: ::= : : : : : : : : : :
[F		Jaundice.	
		Colic. Hepatitis.	
-	sti	Stomach disease.	· · · · · · · · · · · · · · · · · · ·
)ige	Fistula.	
	H	Stricture intestines.	
1	4,	Intussusception.	:::::::::::::::::::::::::::::::::::::::
	Эврев	Ulceration of intestines Hernia.	
		Ascites,	
		Peritonitis.	H : H : : : : : : : : : : : : : : : : :
		Enteritie.	:c4 : : : : : : : : : : : : : : : : : :
		Gastritis.	::::::::::::::::::::::::::::::::::::
		ы	
		FAC	
	S		
ll .		5	
		rara,	
		Son	
		ž	
		m E	
		Гожив ім Виглими Сопити.	d d d d d d d d d d d d d d d d d d d
		H	Acworth Charleston Charleston Charleston Charleston Charleston Cornish Choydon
			llar lord
			ACCOCCALINE BECK

Ig a		018824211980081200411 111200081200411		
Tot	Wet stated.		Not stated.	1:::::::
Grand Tota	for All Classes		Females.	8555180-4-15510-1411-
G.	Gr.		Males.	11588042148524000 11588042148524000
	20	Total for Class V.	- legal	
	OLASS V VIOLENT DEATHS. 1, - Accident Negligence.		Menale.	= 04 4 0 H
H			E Canse not ported.	: :0:00 : : : : : : : : : : : : : : :
DEA	BB 3	-91	· presenta - Eq	1::::::::::::::::::::::::::::::::::::::
NA	RDE	40	Wiolent, no	
OLE			Suicide.	+ + + + + + + + + + + + + + + + + + +
IA	ORDER 1. — Accident and Negligence.		.latoT 🔀	:= : Q = : : = : = :
, Y	oold	-	Suffocation. Otherwise.	:::===::::===========================
80	- Ac	-	Drowning.	
3	1 2		Poison.	
5	T T D	.abi	Burns and Scal	1::::::::::::::::::::::::::::::::::::::
	30.00		Wounds.	1 : : : : : : : : : : : : : : : : : : :
	Ö		Fractures.	
	,	1 2 .	Hafitoad Accid	
ا د	4,	Potal for Class IV.	Total.	900 H40 H 00 H 10 H
. ₹	ORDERS 2, 3, AND 4.	Fotal	Female.	-4p+0 - 20+0 - 20+
EN			Male.	1
1 2		nd De-	Atrophy as	
92	ER		.93A Mo Pge.	100 : HHHHH : : : : 01 :
SE SE)BI			
EA			Childbirth.	F := ::::=:::
OLASS IV.—DEVELOPMENTAL DISEASES.	jo		Latol' F	[[] [] [] [] [] [] [] [] [] [
IV.	1 g		Teething.	1 : : : : : : : : : : : : : : : : : : :
70	- da		Malformation.	
1	ORDER 1 Of Children.		Spina Bifida.	
0)BI	*110	Premature Bir	
		44	Still-born,	
				Acworth Classing Clarenous Cartish Croydon Gosben Gosben Gosben Bangdon Langdon Pannineld Pipingfad Unity Waturgton
		ÞÍ		
	Towns in Sullivam Countr			
		WNE		
		To		Acworth Canadaeneaca Canadaeneaca Carata Carata Carata Carata Carata Canada Goshen Goshen Goshen Canada
				mon
				Acworth. Claremon Claremon Corrish. Croydon Goshen Farauthan Langdon. Lempster Newport Sinapse. Sinapse. Washingt
'				ACCOCCEPTED COCCEPT

TABLE 13—continued.

11 1	H 8. •	Total.	:: 01 : H0000 + : H410 H000 H4HH
	£ £	Sex not stated.	
	ta. las	Female.	· · · · · · · · · · · · · · · · · · ·
	Total for Class I.	Male.	·
		-1-50	
	60 5	Total.	
	EB	Notes Notes	
	ORDER 3. Dietic.	Privation and Meglect.	
	0	Alcoholism.	
		Total.	
	Order 2. — En- thetic.	E Loton	::::::::::::::::::::::::::::::::::::::
11 . 1	1 3	Worms	
E	žić	Thrush.	
52	the	Malignant Pustule.	::::::::::::::::::::::::::::::::::::::
E	10.	Syphilis.	1::::::::::::::::::::::::::::::::::::::
	Ö	Septicamia,	
		1 5	
		Total.	
		181	
CLASS I. — ZYMOTIC DISEASES.		Cerebro-spinal Menin- gitis.	
G		Chrebrospinal Menin-	
H		Malaria Fever.	1
bc	tic	Cholera Infantum.	
1 4	D.S	Diarrhoss.	
5	88	Dysentery.	1 : : = : : : : : : : : : : : : : : : :
	i i	Influenza.	::::::::::::::::::::::::::::::::::::::
	Order 1. — Miasmatic.	Carbuncle.	
	, i	Puerperal Fever.	
	Ħ	Erysipelas.	: 1, : : : : : : : : : : : : : : : : :
	RD]	Typhoid Fever.	[: : ef : ef : : : 0 : : : : : : : : : ef
	Ô	Whooping-cough.	
		Croup.	::::::::::::::::::::::::::::::::::::::
		Quinay.	: : : : : : : : : : : : : : - : : : :
		Diphtheria.	ः ः ः ः लाः ः ः । जानाः नानाः ः ः
		Scarlet Fever.	:::::::::::::::::::::::::::::::::::::::
		Measles.	
		Small-pox.	
1			
11			
1		볊	
		E.	
		5	
		8	
		Ď	
	AF.		
11 .		B H	
1	Towns in Grapton Countr.		
		#C	
		N.A.	
		H	
			8
			Mlexandria saliand saliand saliand santh senton sethlehem rrigovater rrigovater rrigol ampton amston Oorbester oorbester rratonia rratoni rratoni amover fanover
			A lexasdri A shiand. Bath Bath Benkon Bethekan Brigevar Brigol Canaan Oorbeste Edileworth Edileworth Enfeld Enfeld Enfeld Enfeld Edileworth Enfeld Edileworth Edileworth Enfeld Edileworth Ediled Ediled
			lexan ahlan ahlan ahlan ehllel ridge anan orche anan anson nifeld rancol raftor roton roton roton roton roton roton
11			HERE BEEN CORRESPONDED TO THE BEEN CORRESPOND

; t= ; = 10 ; ·= = 0 ; 00 d(0) ·= -	
.d	: :
:4 :: :: :-: :-: :-: :-: :-: :-: :-:	
	: :
	: :
111111111111111	::
	: :
IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	: :
	::
	:::
	: :
11:1:1:1:1:1:1:1:1:1:	: :
1111111111111111	::
: : : : : : : : : : : : : : : : : : :	::_
100 1 10H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: :
Labridaff	Woodstook
	::
	: :
103	<u>: :</u>
* * * * * * * * * * * * * * * * * * * *	
* * * * * * * * * * * * * * * * * * * *	
* * * * 60 * * * * * * * * * * * * * * *	 -
Landaff Lebano Lebano Liston Liston Liston Liston Lyman Lyman Lyman Lyman Lyman Lyman Lyman Lyman Maure- Oorford Permont Permont Permont Rumnsy Rumnsy Thorton Marrea Marr	* -
	• •
• • • • • • • • • • • • • • • • • • • •	
- id i id i i i i i i i i i i i i	
::::::::::::::::::::::::::::::::::::::	
Landaff Lancoln Lincoln Lincoln Lincoln Lincoln Listen Littleran Littleran Littleran Littleran Littleran Lyme Cyman Lyme Cyman Lyme Cyman	: :
Landaff Lebanon Lebanon Liston Liston Liston Lyman Lyman Lyman Lyman Lyman Cyman Cym	: :
	: :
	: :
	: :
:::::::::::::::::::::::::::::::::::::::	: :
:::::::::::::::::::::::::::::::::::::::	
:::::::::::::::::::::::::::::::::::::::	
:::::::::::::::::::::::::::::::::::::::	
*;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	
:::::::::::::::::::::::::::::::::::::::	
	:
	H
	00
The part of the pa	Ist
n in	00
A A A A A A A A A A A A A A A A A A A	Mo
HHHHEHHHAOOMMHHHAPPP	-
8	

TABLE 13—continued.

	1 3	·rmor [F4	::::: : : : : : : : : : : : : : : : :
H		LatoT A	::::::::::::::::::::::::::::::::::::
H	3.	Asthma.	1::::::::::::::::::::::::::::::::::::::
		Laryngitis.	<u> ::::::::::::::::::::::::::::::::::::</u>
}	Orders 2 and	Pleurisy.	· · · · · · · · · · · · · · · · · · ·
<u> </u>	1 00 A	Bronchitis, Pneumonis,	
1 50 1 50 1 50 1 50 1 50 1 50 1 50 1 50	200	Lung disease.	
I A	DE	I Gru	:= \alpha :
11 18	Om	Z Total.	: 01 : 10 = 10 01 = 1 = 1 = 1 = 1 = 1 = 1 = 1
11 3		Pericarditia.	1::::::::::::::::::::::::::::::::::::::
8		Aneurism.	
1 3		Heart disease.	H: 00 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
11	i	-LatoT Total.	1
ll 👸	ate)	Neuralgia.	: : : : : : : : : : : : : : : : : :
H 70	Syi	Spinal disease.	1
CLASS III, - LOCAL DISEASES.	us	Brain disease.	:::: = = = = = = = = = = = = = = = = =
CIF	Order 1. — Nervous System.	Meningitia.	: : : : : : : : : : : : : : : : : : :
	Ne	Convulsions.	::::::::::::::::::::::::::::::::::::
H	1	Tetanus.	
	H. H.	Epilepsy.	
	DEE	Paralysis. Insanity.	: :
	OB	Apoplexy.	
1	1 .		ומס יוועמטרחחורמטימרדיום
11	Total for Cl. II.	.latoT	1
4	15 A 12	Male. Female.	
CLASS II.—CONSTITUTIONAL DISEASES.		(Fr.	HO
Ĕ	1 %	LatoT Z	: : : : : : : : : : : : : : : : : : :
	cin;	Hydrocephalus.	1::::::::::::::::::::::::::::::::::::::
に記録	Der	Phthisis.	- HO : HHOOP : HH4HOH4PHO
CONSTI DISEASES.	ORDER 2.— Tubercular.	Tabes Mesentericu	1::::::::::::::::::::::::::::::::::::::
5E		Serofula.	1::::::::::::::::::::::::::::::::::::::
		.LetoT Te	וווווווווווווווווווווווווווווווווווווו
		>	1::::::::::::::::::::::::::::::::::::::
202	ORDER 1 Diathetic.	Noms (Canker). Mortification.	
I.A	DE lati	Cancer,	
	OA	Anæma.	
		Dropsy.	: : : : : : : : : : : : : : : : : : :
1			
		ь.	
		E M	
		20	
		z	
		PTO	
		RA:	
		5	
		LOWNS IN GRAFFON COUNTY,	
1		WW	
		J.	60
			d
			Nexandria. Sath. Sath. Sath. Settlehem. Settlehem. Fridgewater. Fridge
			Milex Manual Ma

: 00 : 14 : 10 1 10 : 01 - 1 : 1
:::::::::::::::::::::::::::::::::::::::
11:::::::::::::::::::::::::::::::::::::
1::::::::::::::::::::::::::::::::::::::
0101 : 01 : 01 : 01 : 01 : 01 : 1 : 1 :
[# : :# : : : :# : : : : : : : : : : : :
[PT 1] 1 1 1 1 1 1 1 1 1
: H : HH : HH : : : : : : : : : : : : H
[G : [A :] :] [GH :] H :
1:::=::::::::::::::::::::::::::::::::::
. : : : : : : : : : : : : : : : : : : :
: 00 : H4 : HH : : : 00 4 60 : 60 : HH
this was and an
- 10 : 10 10 10 10 10 10 10 10 10 10 10 10 10
:::::::::::::::::::::::::::::::::::::::
- : - : : : : : : : : : : : : : : : : :
.::04=:=0=01::::::
: 01 : 01 : H : : : HH : H : H :
10:::::::::::::::::::::::::::::::::::::
1:::==:::::::::::::::::::::::::::::::::

[0]::::::::::::::::::::::::::::::::::::
H00 .004HHD0004 .H .D0
<u> </u>
:
1000 :
: : - : : : : : : : : : : : : : : :
:@::4::::Ho::Hu
45 : 4 : 50 : 44 colored : : : color

: m : : : : : : : : : : : : : : : : : :
:4 :01 - : - : - : - : : : : : : : : : : : :
:::::::::::::::::::::::::::::::::::::::
- : - : : : : : : : : : : : : : : : : :
क्षा वा सम्बद्धाः स्टब्स
<u>· 4, 6대학 : 독학 : 독학 대학 /u>
[4] [5] [4] [4] [5] [6] [6] [6] [6] [6] [6] [6] [6] [6] [6
4 01
4 21
C3
G3
C3
CX
C
G :
G3
C3
T
(A)
(a) : : : : : : : : : : : : : : : : : : :
7 CH HH H H CO H CO H
11
daff ann ann ann ann ann ann ann ann ann
######################################
Lubanon

TABLE 13—continued.

		.IstoT	:00:004055001010044:5
	50		· · · · · · · · · · · · · · · · · · ·
	E S H	Sex not stated.	#: 010 + 010 010 010 · 0
	Total for Class III.	Female.	
	¥	.olaM	
		i Gu	
	y y	fatoT Total.	
	tar 0.	Tumor.	::::::::::::::::::::::::::::::::::::::
	S	Disease of skin.	
	JA S	Joint disease.	
	OEDER 8. — In- tegumentary System.	Phiegmon.	
	9,1	Ulcer,	::::::::::::::::::::::::::::::::::::::
	1 0	Total.	::::::=:::::::::::::::::::::::::::::::
per	ORDKR 6.— Generative Organs.	Disease of uterus.	
ini	RDKR 6 enerativ Organs.	Uterine tumor.	:::::::::::::::::::::::::::::::::::::::
out	Org	Ovarian tumor.	
1	0.5	·vaqorb mairavO	
Δű		1 50	· · · · · · · · · · · · · · · · · · ·
SE	Þ	IstoT Z	::: H H :0 ::: H :H :HH :
EA	180	Prostatitis.	::::::::::::::::::::::::::::::::::::::
CLASS III.—LOCAL DISEASES—continued.	Ogder 5. — Urinary Organs.	Uræmia.	::::::::::::::::::::::::::::::::::::::
A,	5 Ur	Kidney disease.	:::::::::::::::::::::::::::::::::::::::
AI	rgg	Cystitis.	
8	- P	Calculus.	
H	NO.	Diabetes.	
٥	Ö	Bright's disease.	: e : : : : : e : : : : e : : : : : : :
Ħ		Mephritia.	
82		Total.	्सी : ; इसेसेसे : - : ; इसन : इस
Į.			:::::: '04 ::::::::::::::::::::::::::::
5		Disease of apleen.	
	811	Гітет дівевае.	:::::::::::::::::::::::::::::::::::::::
	188	Jaundice.	
	00	Hepatitia.	
	Eiv	Colic.	
	Seg	Stomach disease.	
	Ä	Stricture intestines.	
	1	Intussusception.	
	Order 4. — Digestive Organs.	Hernia.	
	E	Innitestal to noitsteelU	
) RD	Ascites.	
		Peritonitia,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Enteritis.	T: :- :- : : : : : : : : : : : : : : : :
		Gastritis.	::::::::::::::::::::::::::::::::::::
			:::::::::::::::::::::::::::::::::::::
		•	
		P.Y.	
	Towns in Grafion County.		
		łB.A	
		5	
		#	
		THE	ia.
		For	lexinad Ishland Ishla
			Alexandradd Ashland Bath Bathland Bethlehe Bridgew Bristol Sampton Saman Caston Easton Elsevort Elsevort Friber Frib
			Alle Alle Sari Sari Sari Sari Sari Sari Sari Sari
			日本日本日日の日本日本のの東田田田

23 : 28	:	
: :::	. ' :	101-101000 4H
100: 12:20	_01 C ==	: 10 p- 10 10 00 01 : 4 -4
	· m m 03	
HH : HH	:	:
	1-4	
-1 1 1 1 1	-: . : :	• • • • • • • • • • • • • • • • • • •
	:	
		- 1 1 E-: 1+
: : : :	;;;;	
:::::	: : : :	<u> </u>
1 : 1 : 1	:-::	<u> </u>
:	. :	1::::::
		-: • • • • • • • • • • • • • • • • • • •
		
	: : : :	
:::::	: : : :	1111111111
1:::::	::::	::::::::
		·
		· · · · · · · · · · · · · · · · · · ·
		* * * * * * * * * * * * * * * * * * *
	• • • •	
	: : : :	
1:::::	::::	<u> </u>
::::::	: : : :	
:::::::	1:::	. : : : : : : : : : : : : : : : : : : :
		· · · · · · · · · · · · · · · · · ·
:00 : :-		104 1 104 1 1 17
:::====	: :	:044444
1:::::	::::	::::::::
·= := :	: :	1:-:-::::::::::::::::::::::::::::::::::
:::::	. : : :	
	: : : :	· - : : : : : : : : : : : : : : : : : :
		
		-::::::::::::::::::::::::::::::::::::
1111		
:::::	::::	
:::::	: : : :	
:::::	::::	:::::::::::::::::::::::::::::::::::::::
	: : : :	:: ::::::::::::::::::::::::::::::::::::
		· 0 · : = · · = · ·
		
:::::	::::	
:::::		
:::::		
	: : : :	11:::::::
:::::	::::	.::::::::::::::::::::::::::::::::::::::
:::::	: : : :	
: : : : :	::::	:::::::::::::::::::::::::::::::::::::::
:::::	::::	
:::::		
: : : : :	3:::	::::::::::::::::::::::::::::::::::::::
: : : : : :		of the state of th
HOE -	g a : 0	late of the late
6 5 5		
ban bon box	ma me nr(for the property of the proper
Agndaff Januarian Ja	Liveri Lyma Lyme Tonro	Orange Orford Orford Direction Orford
Landaff Liebanon Lincoln Linco	Lyman Lyman Lyman Monroe Monroe	Orange Orange Orange Defrort Permont Plymouth Plymouth Waterell Waterell Woodstook

TABLE 13-continued.

11		1	•11	Tota	1888 : 504458 90 92 - 1224 48
1 2	seg.				
Grand Total	for All Classes.		. betata		1 .
ll list			ıs,les.	ma'H	1
	, ,		.89	[sM	44 :00000000000000000000000000000000000
	10	Total for Class V.		otoT	ннн ; р : 48 : : : : : : : : : : : : : : : : :
-	AM	Glass	18,16.	Mal Ren	· · · · · · · · · · · · · · · · · · ·
SE	4		ported.	E	HHH : 01 : 01 H : 01 H
EA.	82	-01	classed.	EM	:::: \(\alpha\) ::: = :: = : : = :
H	ORDERS 3, 4, AND 5.	40	Tiolent, n	M	1 : : : : : : : : : : : : : : : : : : :
OLASS V. — VIOLENT DEATHS.	0		Suicide.	[2]	
[]	- g	1		H	
	t an		Total.	M	: : : : : : : : : : : : : : : : : : :
b'	iden		focation.		
ASS	Acci		·Baiaw	Dro	
GL.	1.— Accide Negligence.	*SYDY*	rns and Sor		
11	EB.	- spic	.abau		
	ORDER 1.—Accident and Negligence.	*COULTON	lroad Accid		
	1				1
Пн	Orders 2, 3, and 4,	Total for Class IV.		toT	14
TTA ATTY	, A.	Tot	le. nale.	Ma	
CLASS IV. — DEVELOPMENTAL DISEASES.	2, 3	*/	Atrophy s	F	
10P	EBS			F	- C10
VEI ASB	ORD		Old Age.	MF	:-:::-::-::-0::
DE SE			lldbirth.	CP. F=1	::::::::::::::::::::::::::::::::::::::
I ja	Chi		Total.	M	C3 C3
1 2	ŏ,		lformation thing.		
AS	1.—0 dren.		na Bifida.	iq8	
ID	Order 1,— Of Children.	*******	anosis.		11:11:11:11:11:11:11:11:11:11:11:11:11:
	OB	· · · · · · · · · · · · · · · · · · ·	Il-born.		: : : : : : : : : : : : : : : : : : :
Ħ		TY.			
		2007			
		NO			
11		T.A.			
		£5			
1		£1 82			
		TOWER IN GRAFTON COUNTY.			
		H			Alexandria Ashland Ashland Bath Benton Bridgewaten Bridgewaten Bridgeworth Bridger Beston Bridger
					Alexandri Ashland. Benton. Berton. Bertolena Bridgewat Bristol. Canaban. Caraban. Elatonia Elatonia Gratton. Gratton. Gratton. Gratton. Gratton.
					HE H

Maintenance	11 00 : 08 1
1	1::::::::::::::::::::::::::::::::::::::
HO	
1	## : ## : ## : ## : ## : ## : ## : ##
	H04 00 HHH H04H 0 0H
	(0) = (0) 4 · · · · · · · · · · · · · · · · · ·
	वित वित का कि कि कि
	<u> ११११ : लाग्न इन १ : इने १ इने इन इन</u>
	::::::::::::::::::::::::::::::::::::::
	T :00 : : : : : : : : : : : : : : : : :
	::::=::::::::::::::::::::::::::::::::::
Locations	
Londentees. Londen	24 mm w∞+ m∞α+ F
Letterness Letterness Letterness Letterness Listeness Li	: 00 : 01 - 101 - 1 : 1000 : 100 : 101 :
Londenteen	
Landerness Landerness Landerness Landerness Listerine Li	
Letterness Letterness Letterness Listerness	: · · · · · · · · · · · · · · · · · · ·
Leadentest Landertest	
Lordences. Lotaniar, Lotaniar, Lordences. Liston Li	
Landenness. Landenness. Laterann. Listeoin. Li	111111111111111
Landsteines. Landsteines. Landsteines. Landsteines. Likecon. Likecon. Likecon. Liverance. Lynnan. Lorence. Monroe Orione. Plynouth Rusaey. Plynouth Rusaey. Narven. Warven. Warven. Warven. Warven. Warven.	
Loudemens. Lotanian. Lotanian. Liston	
Landenness. Landenness. Laterann. Listeon. Listeon. Listeon. Listeon. Liverance. Lynnan. Lynnan. Monroe Orford. Rauge. Orford. Phymorth Rusaey. Naceville. Waceville. Wateville.	<u> </u>
Landentees. Landentees. Landencon Liston Lis	:::::::::::::::::::::::::::::::::::::::
Loddentees. Lotanist. Lotanist. Lotacon Liston Liston Liston Liston Lyman Lyma	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Landemens. Landemens. Landemen Listen	
Landentees. Landentees. Landencon Lincoln Liston Li	
Loudences. Letwon Liston Liston Liston Liston Liston Liston Lyman	
Landenness. Landenness. Landenness. Landenness. Lincoln. Liston. Liston. Liston. Liston. Liston. Liston. Louge Orford Permont Rusaev Plymouth Rusaev Waterville Waterville Weetville Weetville Weetville Weetville	
Landentenses. Landentent. Lateranon Lincoln Liston Liston Liston Liston Liston Liston Lyman Monroe Orion Plengmont Plengmont Plengmont Plengmont Ranges Orion Marcen	
Latouenness Latenan Lebenon Likooln Listooln Listooln Listooln Listooln Lyman Lyman Monroe Monroe Monroe Monroe Monroe Missanor Ristooln Marroe Modetock	
Lincoln Lebanon Licabanon Liston Liston Littroch Littroch Littroch Lyman Lyman Lyman Monroe Orsord Remanet Pleymouth Rusney Thornton Warren Warren Warren Warren Warren Warren Warren	
Labeliness. Labeliness. Labeliness. Lincoln. Listodon. Listodon. Listodon. Listodon. Livinan. Lyman. Monroe Orrord Orrord Plymouth Runners Plymouth Runners Warren. Warren. Warren.	
Loudeness Laboron Lincoln Liston Monroe Orrord Mennon Remenon Remenon Remenon Remenon Remenon Remenon Remenon Maren Waren Waren Waterylle Wateryll	
Londer Lebano Listool Listool Listool Liverm Lymen Monroe Ortord Plymon Plymon Plymon Rusher Watren Watren Watren Watren Watren Watren	D. D
List List List List List List List List	deri lati
	Holling Link Lity Lity Livy Lyn Lyn Run War War War War War

TABLE 13-continued.

	Total for Class I.	Total.	
	888	Sex not stated.	
	25	Female.	
		Male.	4 : :
	ຕໍ .	Total.	
	ORDER 3. Dietic.		
	Die in	Privation and Meglect.	1:::::::::
	0.7	Alcoholism.	
	ė	.LatoT E	
	ORDER 2. — En-	2	::::::::::::::::::::::::::::::::::::
rô	l <u>:</u>	Worms.	
Ä	ER 2	Thrush.	
AE	20,000	Malignant Pustule.	
88	<u> </u>	Syphilis.	
ā		Septicamia.	T : : : : : : : : : : : : : : : : : :
2		.IstoT Total.	Q : : W : Q : : : : D : : G 4
DI		12	4: HHHH:::: 100 1000 :: HH: HH
CLASS I. —ZYMOTIC DISEASES.		gitis.	
7		Rheumstiem. Oerebro spinal Menin-	1 : : : : : : : : : : : : : : : : : : :
- 1			1
H	-	Cholera Infantum. Malaria Fever.	[H H . H H
702 702	Order 1. — Miasmatic.	Diarrhea.	
I.A	9	Dysentery.	100
0	is	Influenza.	
	N.	Carbuncle.	
	l I	Puerperal Fever.	
	₩Î	Erysipelas.	[: : : : = : : : : : : : : : : : : : :
	22	Typhoid Fever.	: : : : : : : : : : : : : : : : : : :
	O E	Whooping-cough.	1 : : : : : : : : : : : : : : : : : : :
		Croup.	::: : : : : : : : : : : : : : : : : :
		Quinsy.	
		Diphtheria.	
		Scarlet Fever.	H ::::::::::::::::::::::::::::::::::::
		Measles.	1 : : : : : : : : : : : : : : : : : : :
		Small-pox.	: : : : : : : : : : : : : : : : : : :
		Towns in Cods Countr.	
		COM	
		ဗိ	
		50	
		ů	
		ă	
		122	
		E C	
		H	
			le. berland e.
			: : : : : : : : : : : : : : : : : : :
			l l l l l l l l l l l l l l l l l l l
			Rejection of the control of the cont
			Berli Carrico Clari Colari Colan Dalte Colari Milan Wilan Wilan Wilan Wilan Wilan Wilan Wilan Wilan Wilan Wilan Wilan
			TO TO THE PERMITTED TO

IJ		!	.fatoT Potat.	M : : : : : : : : : : : : : : : : : :
				m : : m m = : m : : m = : : m
ij			Asthma.	
		60	Pleurisy. Laryngitis.	
		ORDERS 2 AND 3.	Pneumonia,	वि ∙ नामन ∘स्त्रां निर्मा ∙ । । । । । । । । । । । । । । । । । ।
	00	03	Bronchitis,	1::::::::::::::::::::::::::::::::::::::
	20	88	Lung disease.	
	E.	RDE	.LadoT Er	[::::=::::::::::::::::::::::::::::::::
	8	0		: : : न : न : : न : । : : : : : : : : :
			Pericarditis.	
	- 5		Aneurism.	The second of
	1.0°		Heart disease.	H H H H H H H H H H
li	T.	em.	.latoT =	о : о : · · · · · о · · · · · · · · · ·
	범	yet	Neuralgia.	
	(1 − 1)	τΩ.	Spinal disease.	1::::::::::::::::::::::::::::::::::::::
	02	no	Brain disease.	: : : : : : : : : : : : : : : : : : :
	OLASS III LOCAL DISEASES	erv	Meningitia.	* : : : : : : : : : : : : : : : : : : :
		ORDER 1 Nervous System.	Convulsions.	1 1 1 1 m 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		-	Epilepsy. Tetanus.	
		Ħ	Insanity.	
		NO.	Paralysis.	[; · ; e ; ; ; · ; e ; e e e e · · · · ·
		ō	Apoplexy.	
			Total.	מיים שוחי מאף ימחמ יחחמים
1	ت	Total for Ol. II	Female.	ו : : : : : במים : מבט : בבבט
	N.		Male	Les: : : : : : : : : : : : : : : : : : :
	9	ż	Total.	· · · · · · · · · · · · · · · · · · ·
	8	DER 2 T	Hydrocephalus.	0 : m - : : : : : : : : : : : : : : : : :
	2.5	a 2.	Phthieis.	Ø . 4=== ·Ø=Ø ·Ø= · · = ·≡Ø
	至	De	Tabes Mesenterica.	
	28	0	Scrotula.	1 : : : : : : : : : : : : : : : : : : :
1	CLASS II CONSTITUTIONAL DISHAMES.	Onder 1. — Dia-Orden 2. — Tu-thetic.	.latoT =	1:::"::::::::::::::::::::::::::::::::::
	1	ā	Mortification.	Tarana and a second
	02	9	Noma (Canker).	
1		a 1. —	Cancer.	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	10	DE	Amemia.	
1		Oil	Dropsy.	;;;H;;;G;;
11-				
11				
П			ži.	
1			NO	
			Towns in Coös County.	
			300	
			, z	
			80	
1			W.	The state of the s
			Ĕ	a and
				eerl wm
				ning.
				Berlin. Oarroll. Oarroll. Oarroll. Oalebrook. Oalebrook. Dalton Dalton Dalton Beroll. Gotham Gotham Gotham Gotham Gotham Sarroll. Sinch Gotham Sarroll. Sinch Gotham Sinch Got
				Serlin Sarrol Jarks Jolebn Jolebn John Jordh Jeffer
11.				

TABLE 13—continued.

		Total.	c: 004000000040 : :400001
	Total for Class III.		<u> </u>
	ta.l	Sex not stated.	ର -ଅୟସ୍ୟ - ଲକ୍କାୟ୍ୟକ : ସ : କ୍ଷ
	G G	Male. Female.	 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
		Afold i	
	8 -8	.IstoI Total.	
	Sy	Tomul!	
	8. tary tem.	Disease of skin.	
	nts 8	Joint disease.	:::::::::::::::::::::::::::::::::::::::
	Order 8.—Integumentary System.	Phlegmon.	1114111111
	o n	Ulcer.	:::::::::::::::::::::::::::::::::::::::
	10	Total.	: : : : : : : : : : : : : : : : : : :
	ORDER 6.— Generative Organs.	Disease of uterus.	
	EB. rga	Uterine tumor.	
ed.	Jan O	Ovarian tumor.	
nu	<u> </u>	· yaqorb nairayO	
nt	4	LetoT Total.	H HH I H I H I H I H I H I H I H I H I
00 -	0 &		H : : : : : : : : : : : : : : : : : : :
70	nar	Prostatitis.	
CLASS III LOGAL DISEASES - continued.	ORDER 5. — Urinary Or-	Kidney disease. Uræmia.	OI
EA	gar	Cystitis.	
[2]	10	Calculus.	:::=:::::::::::::::::::::::::::::::::::
A	DER	Diabetes.	· := . : := : := : : : : : : : : : : : :
)AI	OBI	Bright's disease.	:::
Q		Nephritis.	
H		.LatoT Ed] ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
H		2	[- : - : : 0 : : 0 : - : : : : : : : : :
Ħ	σģ	Liver disease. Disease of spleen.	1 . 4
88	gan	Janualice.	
Į.	Orl	Hepatitie.	
	Δ Δ	Colic.	
	iaee	Stomach disease.	T:::::::::::::::::::::::::::::::::::::
)ig	Fistula.	
	1 7	Stricture intestines.	
	4.	Intussusception.	
	Order 4. — Digestive Organs.	Ulceration of intestines	
	ED CE	Ascites.	
		Peritonitia.	::m :::::::::::::::::::::::::::::::::
		Enteritia,	1:::::::::::::::::::::::::::::::::::::
	1	Gastritis.	: : : : : : : : : : : : : : : : : : :
		Towns in Coös Countx.	Berlin. Carroll Colekreville Colekreville Colekreville Colekreville Colekreville Colekreville Cortamine Cortam Ancaster Ancaster Ancaster Ancaster Ancaster Ancaster Ancaster Ancaster Ancaster Antinn Ancaster Antinn Ancaster Antinn Ancaster Antinn

OLASS IV.		œi e		.faloT	8::22 20:00:00:00:00:00:00:00:00:00:00:00:00:0
OLASS IV. OLASS IV. DISEASURE. OLASS IV.	Tot	nsse		Not stated.	i : : : : : : : : : : : : : : : : : : :
OLASS IV. OLASS IV. DISEASE EX. OLASS IV. pun	25	j	Females.	a -44401000-500000004001	
CLASS IV. Premature Birth. Premature Birth. Cyanosis. Spina Birth. Cyanosis. Advorphy and Scill-born. Chaldbirth. Challbirth. Chaldbirth.	Gre	All		Males	
CLASS IV. CLASS IV. DISBEASES. Cyanosia:		186	al for		1
CLASS IV. DISEASES. Cyanosia:	1	S.	Clas		1
OLASS 1V.	HS	1		ported,	
OLASS 1V.	EAT	03	-9.		::::::::::::::::::::::::::::::::::::
OLASS 1V.	la j	1392	3		
One Seill-born One	LEENT	0		2	
One Seill-born One	10	nd		TRIOT	
OLASS 1V. CLASS 1V. Premature Birth. Opanies. Opanies. Alternation. 1 7	t an			: : : : : : : : : : : : : : : : : : :	
One Seill-born One	, ×	ider co.			
One Seill-born One	883	Ron		Drowning.	1::::::::::::::::::::::::::::::::::::::
One Seill-born One	1 3	1 80	*****		
OLASS 10 10 10 10 10 10 10		B. Z.	sh		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
OLASS 10 10 10 10 10 10 10		RDE		Fractures.	1 : 2 : 2 : 2 : 2 : 2 : 2 : 2 : 2 : 2 :
OLASS 10 10 10 10 10 10 10		1 0	•вдпа	Railroad Accid	: :::::::::::::::::::::::::::::::::::::
OLAS Still-born. OLAS		4;	for	Total.	H 000 0000H H HH0040
OLAS Still-born. OLAS	'AL	AND	otal		::: अम ::: मळळ : : म : म : मळळ
OLAS Still-born. OLAS	LNS	က်	H5	Male.	- : : : : : : : : : : : : : : : : : : :
OLAS Still-born. OLAS	PME	18 2,	D)c	Atrophy a	::::::::::::::::::::::::::::::::::::::
O O O O O O O O O O	I S.	EDER		Old Age.	:: +-:::: अ-::
O .urod-line Stirll - Drown Birth	ASE	O			11 P 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
O .urod-line Stirll - Drown Birth	DE	÷			:::m::::::::::::::::::::::::::::::::::
O .urod-line Stirll - Drown Birth	ļā ļ	Ch		Z	T:::T:::T:::::::::::::::::::::::::::::
O nrod-lling Starth Brith.	AT 1	O di			
S Grid-Dornal Birth.	ASS	1		Spina Bifida.	
1	CL	DER			
1		OR	- 44		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Towns in Cods County.			Towns in Coös County.		Serlin. Jarksville Jarksville Joulobio

TABLE 13-continued.

		leal.	T	106	96	88	233	68	356	53	22	99	46	830
	for H	sx not stated.	eg l	64	:	:	:	:	:	-		:	:	63
	Total for Class I.	· .olame	E	22	10	119	10	46	179	28	12	27	28	457
	H	.ele.	W	47	45	14	13	43	221	24	10	33	18	430
	ຕໍ .		F4	:	67	:	;	:	:	:	:	:	:	67
}	Order 3. Dietic.	i	ZI	10	1 4	<u>:</u>		-	<u>:</u>	<u>:</u>	:		:	1 10
	H H	coholism. rivation and Meglect.		10	20		:	:				•	:	=
			F	3	63	÷	-	10	10	-	<u></u>	63	=	12
	En-		<u> </u>	60	q-ri	=	1-4	4	60	ged	64	4	<u>64</u>	22
	1 5	orms,	Δ	Н	7:	:	:	:	:	:	:	:	:	1
ಬ್	ORDER 2. — thetic.	rush.	TI	:	:		:	:	:	-	:	:		
SE	話む	alignant Pustule.			:	:	:	;	:	:		7	:	-
EA	18(.silinq		:		1	1 1	:	00	:	63	: 0	: ea	67
SIC		pticamia.	eg [10	60		_		- 00	-		به		88
CLASS I. — ZYMOTIC DISEASES.		Total.	E	器	47	00	6	41	174	27	12	22	27	434
TOM			Z	#1	40	13	12	88	174	24	90	35	16	401
-ZX		rebro-spinsl Menin- gitis.		62	-	:		4	2	:	:	ಣ	00	8
1		.msitsmuən		60	62	64	:	67	00	64	41	10	:	2 28
tΩ 70		daria Fever.	M	:		:	:	:	- gent	H	:	:	-:	
LAS	atic	olera Infantum.	GF	20	29	4	10	14	112	14	4	12	10	219
0	al B	arrhees.	ia	2 10	10	60	¢4	Į-a	7 22	10	64		64	59
	fia	sentery.	$ \mathbf{p} $		9	:	-	60		50		ಣ	14	6 40 59
		fuenza.		:	:	:		:	63	-	. :	63	:	
	÷	rbuncle.		2 1	-	<u>:</u>		4	7 2		-:`	:	극	4
	E	ysipelsa. Terperal Fever.		4	-		:	10	E-u	:	, FO	63	4	25 20
	Order 1. — Miasmatic.	phoid Fever,	1	18	12	6	90	15	37	14	41	=======================================	00	1
		hooping-cough.		C.5	60	-:	:		18	111			-	25 136
		-qno		12	14	- 00	-	- 2	9	60	<u>.</u>	+	63	4
		.vani		-	=	:	:	-특	-=	•	:	н	:	174
		phtheria.		3 16	10	C)	01	9	8	60	:	7 10	64	191
		arlet Fever.	ge	60	9	62	:	4	28	64	:		-	53
- 1		-aelea.		:	63	Ħ	:	63	2 39	:	7*4			2 45 53 76
		nall-pox.	ug	:	. :	:	:	:	63		:	-:	:	1 64
									:	:	:		:	;
					- :		- :				:			
						:	:			:				:
		S B		:	:	:	:	:	:		:	:		
		Recapitulation by Counties.			i	:	:			:	- ;	:		- :
		no _C												
		Þ				٠		:	:		:			:
		# **			:	:	:	:	:	:	:		:	
					:	:	:				:		:	
			:	:	:	:		:	:	:	:		:	
				:	:	:	:	1	:	:	:	:	ate	
			:	:	:	:	:				:		S	
			arn	:	:	:	, in	1gr	:	:	:	:	Total for State	
			gh	rd	d'	:	180	rol	re.	-		:	tai	
			Rockingham	Strafford	Belknap	Carroll	Merrimack	Hillsborough	Cheshire	Sullivan	Grafton	Coös	To	
				200	tra	lel]	arı	Ler	EII	he	III	rai	000	
				i pri	CO	H	0	2	H	0	20	0	0	

		LegeT	ME	41 47	35 35	8 16	17 15	53 44	77 108	29 29	14 13	23 33	15 6	312 346
		mig.	IsA	1 64	7-1	-:	-27	- es	62			1 2	:	331
		ragitis.	Lar.	17		:	:	60	:	-:	:	:	<u>:</u>	5 13
	ORDERS 2 AND 3.	· ystri		3 - 2			:	62	20	:	:	:	_:	242 14 112 504 10
	AN	-sidomu			3 48	24	3 27	72	45 128	5 52	4 22	6 48	1 20	200
1	2 88 2	etitia.		1 19	3 16	:		4 13	4					112
2	RDE	g disease.	uar <u>I</u>	108	27 8	00		31-4	-69	17 1	15.	26 1	.:	214
i g	0	Total.	M.	43	18 2	16	133	41 3	54	18 1	14 1	25	11	324
1 2		carditia.		1 4	-;		:		10	:	_:	- 67		3 253
ALC		·msiene		1=	:	:	:		=	:	_ <u>:</u>	:	:	00
1 8		.ossessib im	Hea	81	45	24	21	71	122	35	29	49	12	188
. 4		Total.	Eq	88	43	23	26	73		27	100	22	10	129
H.	i	fatoT	M	19	24	13	23	63	1 102 100	30	29	44	13	2 438 459
CLASS III LOCAL DISEASES.	Order 1 Nervous System.	. sigisti		1 =		:	:	:		:		:	-:	
11 68	SS	nsi disease.		1 00	∞	:	50	7	7	63	-2		:	122 14
5	/ons	in diseaso.		24			9 15	21	3 27	9	-4	11	00	122
1	(er)	. sizignin		17	6 19	1 10		12	28			20		133
	1	. goods . good		1 30			10	. 12	. 39	00	-	10		1 93
	1 -	iepsy.		4	4	-	20	- i	62	-:	=	- i	=	21
	DER	- Vilus		12	33		-	49 13	8	C3	C3	-	:	27
	ő	.aiayla	Par	200	18	17	11		57	23	10	37	9	278
		objex1.	ďV	41	24	10	[-	26	44	14	20	18	7	206 278 27
	Total for Class II.		toT.	191	135	1.1	28	156	337	104	99	118	33	857 25 399 507 541 730 1271
11 .	Total for	naje.	Eeı	110	88	41	88	88	191	99	83	99	55	730
IAL	0	.91	slá	200	52	36	23	89	146	38	28	52	17	241
101	ä	TELOT	Œŧ.	77	62	26	21	28	12 139	48	17	42	17	2007
15	E :	.latoT	M	10	Ŧ	26	15	44	-	28	23	31	14	300
11.00	es 2, — J	drocephalus.		100	60	1	~	65	00	10	67	=	_64	25
SN	Order 2. — Tu- bercular.	,ajaid.		133	96	28	23	102	233	12	36	17	28	2 857
98	OR	ofula.		63	- - 	· ·	64	-	0		.:			22
I E	-	F/S	F	188	21,	10	14.	30	52 10	18.	10	24	.70	22 2
CLASS II. — CONSTITUTIONAL	ORDER 1. — Dia- thetic.	Total.	H	03	1	10	-00	20	8	10	9	21	-00	7 24 143 222
ASS	10	reification.		4	00	-	4/1	00	10	3		-	:	77
GL	1.	ma (Canker).	ON	-	:			-	-	. co		-		
	DER	ncer,		34	18	14	11	27	20	13	12	29	4	212
	OB	æmia.		7	1	9 1	6 1	2	10	4	23	4	441	90 32
		opsy,	I Dr	12	01:		:	. 12	20			. 10	4.	8
		Redaptulation by Conwines.		Rockingham	Strafford	Belknap	Carroll	Merrimack	Hillsborough	Cheshire	Sullivan	Grafton	Сойв	Total for State

TABLE 13-continued.

	1	Total.	404	255	117	147	387	648	189	135	268	28	2637
	Total for Class III,	Sex not stated.	:	63		•	•	4	=	-	퓌	:	00
	al f		211	132	62	99	184	346	98	28	142	- 50	121
	Cla	Female.											13
		Male.	193	121	50	81	203	298	102	11	125	53	1314 1315
		1 =	9	H		63	4	60	H		60	=	
	F. Fr	LatoT Z	9	63	4	=	4	Į,a	;	नं	62	*	28 21
	i ta	Tumor.	4	:		7-4	ಣ	7	=	;	63	:	27
	gumenta System.	Disease of skin.	1 2		:	=	67	:	-:	+-1	:	-:	10
	ORDER 8. — Integumentary System.	Phlegmon. Joint disease.	4	:	60		:			:	67	¥H	61
	0,1	Ulcer.	=4	C4	:	:	C/3	63	:	:	77	:	80
	1.0	Total.	C/1	67	Ħ	50	- co	4	-	:	7	:	6 17
eq.	6 ativ	Disease of uterus.	Zeel	63	H	:		64	:	:	:	:	
inn	RDER 6	Uterine tumor.	-	:	:	-	:	;	:	:	-	:	60
ont	ORDER 6.— Generative Organs.	ovarian dropey.	1:	:		C2	:		-	-:		-:	1 60
0		weggeh meiner()	10	-	20	LQ.			<u>و</u>	e5		٠.	112
202		IstoT Z	12 10	12 11	4	E	25 14	33 14	=======================================	11 8	11 6	12	1 80
CLASS III.—LOCAL DISEASES—continued.	Order 5. — Urinary Organs.	Prostatitis.	1 =	+	:	:		:			:		1 138
SE	ii .	Uræmia.		63	•	:	=	=	:	•	:0	=	00
D	5, — U	Kidney disease.	60	00	4	10	60	00	:	C3	-	63	32
AL	5.	-aititayO	63	61	:	:	4	03	10	:	co		5 19 32
OQ.)ER.	- Galculus.	C3 :	00	<u>:</u>	-63	10	4	٠ •	2 1	- 63	3 1	
1	ORI	Bright's disease. Diabetes.	13	6	20	- 41 .	22	52	9	6	ro C	00	106 23
H		Nephritia.	=	10	:	111	4_ 	6 2	:	:	- 2	:	19 10
I SS			23	13	6	L-	15	48	90	6	13	4	120
'AS		.f.stoT -	24 2		4	14			15	00		00	1 153 155
CI		K	Ö	1 13			17	29			21		15
	sus.	Liver disease. Disease of spleen.	: 6	- 6	_	00	30	100	- :-	:	÷.	د ه	18
)rgı	Jaundice.	3	red		₩.	7	21	CS		-	:	9
	уе (Hepatitis.	100	:	03	:	3	67	Н	C3	4	:	4 17 11
	stin	Colic.	6	- 2	:	60	60	3 4	:	.:	_ <u>:</u>	:	
)ige	Fistula. Stomach disease.	-	:	<u>:</u>			6.5	÷		-		1 22
	1	Stricture intestines.	67	<u>:</u>	- :	-	H	63	63	÷	4	:	13
	4.	Intussusception	:	:	:	:		C3		;	:	:	03
	Order 4. — Digestive Organs.	Hernia.	4	63	:		:	-	63	:		63	8 11
	ORI	Ascites. Ulceration of intestines		<u>=</u>	=	-	67	1 1	:	-:	:	:	1.C
		Peritonitia.	6	69	63	63	9		-	62	90	60	1 #
		Enteritis.	63	00		00	10	171	L*	4	00	~	150
		Gastritia.	4	=	9	61	6.0	15	4	41	00	C4	6
		· BB										:	:
		Countles	Rockingham	:		•	:	:	:	:	:	:	:
		Cor	:		-		:						:
		BY	:	:			:			:	:		000
		REGAPITULATION BY	:	:	Helknap		:	:	1				Total for State
		Ĭ	п	Strafford	:	:	4	4	:	:		:	502
		TOL	har	:	*	:	Merrimack	Hillsborough	Cheshire	Sullivan	Grafton	:	1 fo
		ing	foro	lap	H.	ma	por	nire	787	OD	:	ota	
		ock	rafi	NI PE	Carroll	7.40	illa	leal	lliv	aft	Coös	H	
		Pi	24	25	100	Ü	20	Ħ	5	Su	5	သိ	

	9		.1.	rota	116	619	100	090	961	10	494	284	611	227	I E
ota			stated.	170.17		- 9	09	20	- 2	33 1701	- 4 i	1 22	2 61	22	6201
I po	Class		sales,		496	335	150	135	393	885 33	252	131	313 2		4 59
Grand Total	for All Classes													104	318
I	- 17		.89	BM	410	276	137	131	401	783	238	152	296	121	2948 3194
		V.	.l.	BIOT	18	52	38	16	61	33	7.1	31	23	21	200
	10,	Takal for Class V.	.ela.	Tem	1.5	21	14	0	23	09	29	16	56	0	248
	AND	35	.0	IsM	1.53	31	7	7	38	-33	42	15	33	12	308
SE	4		.betted.	1	33	101	00.	9	16	44	22	6	20	00	
EA	85	-61	Cause not	M	24	18	10	63	19	46	18	63	13	co	181
OLASS V VIOLENT DEATHS.	ORDERS 3, 4, AND 5.	90	Violent, no	1 14	1:	:	:	:	:	:	:	:	:	:	1:
Z	ō			F	1=	-:	ged.	<u>:</u>	-	<u>:</u>	<u>:</u>	-	:	-:	6 1
10			.ebioing	×	1:	=	100	344	9	4	9	10	63	:	18
- A1	- 2		Total.	-	19 7	12 6	100	- TH	9	3 15	8	8 6	9	8	61
1.	. Accident and segligence.		erwise.	E	1	1 9	61	60	4 13	14 23	8 18		18		131
1900	ide.		ocation.			10	2 - 47		63	-11	=		113	-	10 66
3	Acc		·Saiaw	Dro	1,00	-	10	:	8	12	00	41	:	4	35
0	1.— Accide	ACCEPA		Por	100	8 1	2	1		1 2	3	. 1	:	.:	1
	0 83 1 83 1 83	lda	inds. ns and Sea		1 :	-		-:	=	=	65	:	=	=	7 24
	Okorr 1		ctures.	Fra	1.4	=	.03.	ri-d	63	**	4	41	4	1	18 25
	1 130.		Proad Accid	Rail	1,00		69		4	_	61	:	41	:	
	١.	Total for Class IV.		Tor	136	200	3	25	103	227	17	4	100	8	848
,	408	otal 888	sle.	Fen	177	48	14	15	52	109	3	17	52	17	13
LAI	¥			IsM	0.0	88	8	10	51	118	34	24	48	17	\$
EN	6,	pu	Atrophy a	MF	10	8	4	1 2	5	832	8 01	-:	00	60	978
CLASS IV. — DEVELOPMENTAL DISEASES	ORDERS 2, 3, AND 4.			i Eq	13	201	00	0	24 15	44	311	10	40	0	249 89 78
33	ORD		.93A blo	Z	26	13	=	9	8	31	16	16	35	[~	
SAS			Idbirth.	CP!	4	64		03	4	00	60	00	3	-	31 181
dis	-1		Total.	154	0	818	.01	.ed	15	100	=	4	-	4	98
A	Chi			M	133		00	60.	16	53	00	5-	10	F-0	13 134
181	Ö a		Itormation thing.		:	=		:	2 1	3	-	-	.:		2 13
LIAK	1,—0, dren.		na Bifida.		:	-:	:	•	:	.	- <u>:</u>		-	:	1 12
0	Orden 1.— Of Chil- dren.		.siaona		:	8	-	-	60	=	:	03	-	:	39 10
	ORL	-147	inature Bir		15 4	16 5	63	00	21 4	64 9	6	7 1	7 1	6 3	5 39
			l-born.	1148	-	-		:	<u>.</u>	-				_	. 145
		88			:			:	:		:		:		
		CLAN			:	i	:	:	:						
		Ş			:		:						:	:	
			:	:	:	:	:	:	:	:	:	:	:		
		TON			:	:	:	:	:	:	:	:	:	:	stat
		LAT			i		:	:		ч.	:		:	:	or S
		DII			gha	d		, 40	ack	ron		100	:	:	Total for State
		Recapitulation by Counties.			20. Wingham:	Strafford	Belknap	Marroll	Merrimack	Hillsborough .	Chashire	Millivan	Fratton.	Coös	Tot
		84			200	Stra	Bell	OAK	Mer	Hill	Mile	Ins	FEB	300	
					-	32		-	and a		-	100.00	-	-	1

TABLE 14.

RECAPITULATION OF THE CAUSES OF DEATH BY CLASSES AND ORDERS, BY COUNTIES.

CAUSES OF DEATH.	Rockingham.	Strafford.	Belknap.	Carroll.	Merrinack.	Hillsborough.	Cheshire.	Sullivan.	Grafton.	Coös.	Total for State.
All causes. Specified causes. Cause not stated.	911 854 57	619 586 33	289 276 13	269 261 8		1,701 1,611 90	494 454 40	284 273 11	578 33		6,201 5,870 331
CLASSES.											
$\begin{array}{ll} I-Zymotic& \\ II-Constitutional diseases & \\ III-Local diseases& \\ IV-Developmental diseases. \\ V-Violent deaths. & \\ \end{array}$	106 191 404 126 84	96 135 255 81 52	33 77 117 34 28	23 58 147 25 16	89 156 387 103 61	356 337 648 227 133	53 104 189 77 71	22 56 135 41 31	66 118 268 100 59	46 39 87 34 21	890 1,271 2,637 848 656
Orders.											
I—1. Miasmatic diseases	95 6 5	87 3 1 6	31	21 2	79 9 1	348 8	51 2	20 - 2	60 6	43 3	835 (743 12
II — 1. Diathetic diseases	53 138	32 103	25 52	22 36	50 106	86 251	28 76	16 40	45 73	8 31	365 906
III — 1. Diseases of nervous system	151	85	42	55	136	202	57	47	99	23	897
2. Diseases of organs of circulation 3. Diseases of respiratory organs 4. Diseases of digestive organs 5. Diseases of urinary organs 6. Hissass of generative organs 7. Diseases of integumentary system 6. The control of the control	82 88 47 22 2			21 32 21 12 3	72 97 32 39 3	123 185 77 47 4 10	35 58 23 14 1	29 27 17 14	51 56 40 16 1	13 21 12 17	495 658 308 213 17
IV - 1. Developmental diseases of chil-											
dyen. 2. Child and 3. Old age 4. Atrophy and debility	80 20	33	19	3	44	84 8 75 60	9 3 47 18	3 26	12 3 75 10	16	31 430
V-1. Accident and negligence	26	18	13	7	19	38	24	14	24	9	192
2. Hemistile 3. Suicide	1	1		1	7	5	7	6	2	1	32 1

TABLE 15.

DEATHS BY AGES, SEX, AND MONTHS, -BY COUNTIES AND TOWNS.

												F				T							1		_	_	_	_	_
Towns in Rockingham County.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Atkinson, Males Females							1	1		1	1						1	1			2	1					-	3 2	
Auburn, Males Females					1		1 2		1 3						1	1			1	1					1			2 6	8
Brentwood, Males Females	1	1		2	1	2	3	2	2	5					1		2	4	3	3 3		4	2	2 2	1 3	1		19	39
Candia, Males Females					2		2	2 2	3	2 3	2 2				1		5		2	2 1	1		4	3 2	1	3		14 16	30
Chester, Males Females					1	1		1 2	3	1	1				1	2	1		2	1		 1			1	1		7 10	17
Danville, Males	1		!						2	2	4					1 1	1	1	1		1					• •		3	10
Deerfield, Males Females	3	1			1				5	3 5	3	1		1	1	1	1 2	2	2 2 1	1	1 3	2		3	2	1		17	
Derry, Males Females		2		1 2	2 6	3	· · · · · · · · · · · · · · · · · · ·	3	4	3 6	2 3			1	1	1 3	2 2	3	2	1	2	1 1 1	3 2	24	1	1		16	31
East Kingston, Males		1		2					1	2			•		1	1	1		•				1					28	
Females Epping Males					2	3	1	1	4 3	7. 3	2 3				4	1 3	2 2	3 2		1	2		1	4	2	1		6 23 17	40
Females Exeter, Males	2	1		1	1		2	1	3	1	1				1		5	2 3	3		1 4	6			i	2		15	50
Females Fremont, Males				1	1			5	2 2	5	1	1			3			1	1					1	1	2		35	
Females Greenland, Males					1					1				2	1		2					1 .		1	4			4	10
Females Hampstead, Males	1				1 .		1.	1,.		5		1		1	1	1		1		3.		2 .		1	1	1			
Hampton,	1	1														٠.							1					5	15
Males Females Hampton Falls			1.				1	1		1	2			1	1		1	2	1.			1				3 .			19
Males Females Not stated						~ t	:		1		1	1					1	1.			1 . 1 .				1.			-	7
Kensington, Males Females	1			1	i	1 .	2	2							1.		1	1.	i.	1.		4.	2.					103	13
	1	1	. -	i.	i	1	2.	2 .		2.	i.		1	1		1	1	3.	3	2 .	<u>.</u>			1 2 .				11 10	21
Males Females		i .			1	1 2 .	1.	i	1	34	1 .				1	3	2	i.	1	1		1	1.	1	2.	i.		7 13	20

		i		1		1		1		1		T					1	1	Î	[1				_	1		
Riverson val																													-3
ROCALNOHAM		1				1						١.		n.									ar.		E,	F.	å		tal.
COUNTY - con-	r 1.	١,	0	20.	30.	40.	50.	60	70.	80.	90.	100.	100	known	T.Y.	February	7.					st.	September.	er.	November	December.	Unknown		Grand total.
667610512.	Under	to 5.	to 10.	2	03	2	2	2	to	2	80 to	90 to	Over	kp	January.	bru	March.	April.	May.	June.	ly.	August.	pte	October.	vel	cen	kn	Total.	and
	5	-	5	2	20	30	40	20	9	20	80	90	ó	Un	Ja	Fe	Ms	Ap	Ma	Ju	July.	Ψn	Sel	ő	No	De	5	To	Gr
Newcastle,		_						_								_		_	_					_	-		-		
Males Females		• •	٠.	• •			1		• •	2							1				1			• •			• •	5	7
Newington,	1						1	• •	• •	**	• •		• •		**	••	• •	• •	1	• •	• •	1	••	• •	• •	٠.	• •	2	7
Newington, Males						1	ï	• •	1	ï	1			• •		٠.		1			1		• •			1		5	
Females	• •	•••	• •			• •	1	• •	1	1	1	• •	••	• •		• •	• •	1	• •		1	• •	1	• •	1	• •	• • •	4	9
Males	7	7	3	1	5	1	2	1	·i	3	1			1	2	1	$\frac{1}{7}$	3 7	2 2	1	3 2	1	1	5	5 1	4		29	
Females Newton,	4	3	1	• •	D	• •	6	2	1	4	4	• •	٠.	• •	1	1	7	7	2	1	2	1	• •	1	1	6	• •	30	59
Males			• •			1		2	2	i	1 1				i			1		2			1	٠.	1	2		7	
Females N. Hampton,	2	1		• •	1	• •	1	• •	1	1	1	• •	• •		1	1	• •	1	• •	• •	• •	2	1		2	• •	• •	8	15
Males		٠.		••	1			• •	1	1	2	• •							1	1				1		1		5	
Females Not stated							•	• •	1	1			• •	i			• •	• •	1	• •	1	1		1				5	197
Northwood,												, .		- 1		1					• •		* '	• •	5 0.	• •	• •	1	11
Males Females	2		• •	1	1	i	1	i	3	3	1 2	• •	• •	i		ï	1 2	4	1	2	1	• •	2		1			13	•••
Nottingham,								1	Î					^		1	4		1		-	• •				• •	• •	10	23
Males Females	• •	• •		ï	2	2	1		• •	2	1	ï	• •	ï	1 2	i	••	1	2	1		٠.	2	• •	• •	• •		4	
Plaistow,				Î				ij			^	•		1	1	_		Å	_	1		• •	Z	• •	• •	1	• •	10	14
Males Females	• •	• •	• •		•••	1	• •	1	i	ï	•	• •		1	ï	• •	2	1	1		• •	• •			1	• •		2 7	
Portsmouth,													•								• •	• •	• •	1	1	• •	• •	7	9
Males Females	16 12	12	5	1 6	6 9	10 10	14	11	16	8 26	16	• •	٠.	3	13 10	14	11	10	9	4	7	8	5	9	7	10	٠.	101 135	
Ans stated	• •	••							,.	2								1	12	14		12		IZ	TO	10			238
Raymond, Males		1			1	1			1	3							,		4	1	2							-	
Females	2	2	٠.				1		1							ì	1	1	3				2		1	1	•	9	16
Rye, Males	2							1	2	1							2					4	1	4		4			
Females	$\tilde{2}$	• •	i			2	2	1	2	1	2	·:			• •	2		i	::	1	i	1	1 2	1 3	• • •	2		13	19
Salem, Males	1				1	1		2	2	6					4	4	Į,	4	1					0	4			4.0	
Females	1	٠.		1	1 2		1	2	2	1	1	2		i	1 2		1	1	2		1 2	1	1	2	1	1 2		13 13	26
Fandown, Males				1						2					1			,		-									
Females										2	1	1	• •				ì		• •	1	1	i		2		• •		3	8
Seabrook, Males	2	1					1	2		2	1				2	2	2						4			6			
Females	2	3	• •			1	1	2		24										3	2	1	1		1	2	• •	12	21
S. Hampton, Males						1			2																				
Females				, .	1			. ,	2 1	1	2								• •	1 2	i	1	1		1		• •	3 5	8
S Newmarket, Males	2		1					1			2					1													
Females	1		• •		• •				i	·:			• •			1			• •		1	ï				• •		6 3	
Stratham, Males			1	1		1								1			1						4						
Females				• •	1					• •	1				1				100			1	1		• •			2	6
Windham, Males						1	1			1	1							4				-				-			
Females			٠.	2	i	1		1	1		13	1			2		3	1	1	2		1		1			1	4 10	14

Males 1 1 1 2 4 1 2 2 1 2 2 1 1 2 2 10 1 2 2 10 1 2 2 1 1 2 2 10 7 10 10 1																														1
Sarrington, Males 1	Towns in														:									F.		i.	2	122		1
Sarrington, Males 1		-		1		0	6		0	100	00		90	0	W	· A	LY							be	2	9	9	2.80		ı
Sarrington, Males 1	COUNTY.	10	10		2		4	NO.	3	7	.00	8	ĭ	10		Br	118	à.					135	H	le C	H	ā	9		1
Sarrington, Males 1				Q		13	: 2	5	:3	50	S	20	2	er	K	120	br	re	7	>	90	7	B	130	2	A A	9		18	ł.
Sarrington, Males 1		5	=	10	9	20		40	50	09	70	80	90	0	Un	Jan	Fe	Ma	Αp	Mg	Ja	Ju	Ψn	Se	ő	8	De	5	To	
Females 3	Barrington,												Γ					Г											_	ľ
Dover, Males								T.		2	4	1					2			2	1				1	2		2	10	
Males.				1		1					2	1					1	2			2					1		1	7	
Females 29 12 8 11 15 18 15 12 15 13 14 1 2 15 21 19 12 8 13 14 18 11 13 10 11 165 Not stated				1.	1.	1.					-					١.														
Not stated.							7	12	15	18	20	4		• •	1	8	12	13	10	14	16	8	12	10	14	9	7		133	k
urham, Males					11,	15	18	15	12	15	13	14	1		2	15	21	19	12	8										
Males 1 1 2 3 1 1 5 Armington, Males 5 2 1 2 3 1 1 2 26 Females 5 4 1 3 4 5 3 1 1 4 2 3 2 4 5 1 1 2 2 2 1 4 3 35 35 85 86 8 3 4 5 3 1 1 4 2 2 2 1 4 3 35 85 86 8 35 85 86 86 86 3 4 5 3 1 1 4 1			• •	P					; 3		• •		• •		1		2			• •		٠.	1		1		1		5	8
Females 1				1					١.																					ı
armington, Males. 5 2 . 1 2 3 1 4 3 3 1 . 1 4 2 3 2 2 4 5 1 1 . 2 2 26 Females 5 4 1 3 6 . 3 4 5 3 . 1 2 4 1 7 2 2 5 2 2 1 4 3 . 35 Not stated								.:	1				• •					• •	• •	• •	• •	• •			1		• •		1	ŀ
Males 5 2 1 2 3 1 4 2 3 2 2 4 5 1 1 2 2 4 5 1 1 2 4 1 7 2 2 5 2 2 1 4 3 3 3 1 1 4 2 3 2 2 4 1 7 2 2 5 2 2 1 4 3 3 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 3 3 5 3 2 2 2 1 1 1 4 3 3 3 1 1 1 1 4 4 3 3 1 <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td>1</td> <td></td> <td>2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>٠.</td> <td>3</td> <td>• •</td> <td>• •</td> <td>• •</td> <td>1</td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td>5</td> <td></td>		1						1		1		2						٠.	3	• •	• •	• •	1		1				5	
Males			10		١.			١.	١.							1.														ı
Males		5	. 2		1 1	1	3	1	4	3	. 3	1		• •		4	2	3	2	2	4	5	1	1	• •		2			
Males															1	2	4	Ľ	17	2	2	5	2	2	1	4	3			
Males. 1 1 2 1 1 2 1 1 4 4 5 6 4 5 1 <td></td> <td>• •</td> <td></td> <td></td> <td>,</td> <td></td> <td>1</td> <td></td> <td></td> <td>• •</td> <td></td> <td>• •</td> <td>• •</td> <td>• •</td> <td>1</td> <td>1</td> <td>• •</td> <td>• •</td> <td>• •</td> <td></td> <td></td> <td></td> <td>• •</td> <td>• •</td> <td></td> <td>• •</td> <td>• •</td> <td></td> <td>1</td> <td></td>		• •			,		1			• •		• •	• •	• •	1	1	• •	• •	• •				• •	• •		• •	• •		1	
adbury, Males. 1																														ı
adbury, Males. 1 1 1 1 1 1 1 1 1 1 3 3 4 4 1 5 4 9 4 1 3 1 4 5 4 9 4 1 3 1 4 5 5 6 6 1 1 1 2 8 4 3 2 1 1 1 2 4 4 3 4 5 4 9 4 1 3 1 4 4 5 6 6 1 1 1 2 8 4 3 2 4 1 1 2 4 4 3 4 5 4 9 4 1 3 1 4 4 5 6 6 6 1 1 1 2 8 4 3 2 4 1 1 2 4 4 3 4 5 4 9 4 1 3 1 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6									1	1	2		• •	• •		1 ::	1	• •	2			1	• •	• •		• •	• •			
Males. 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 3 2 2 1 1 1 2 4 1 1 1 1 1 1 2 4 1 1 1 1 1 3 2 2 1 2 4 1 1 1 2 4 7 2 4 2 1 1 3 <td></td> <td>٠.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>٠.</td> <td>• •</td> <td></td> <td>2</td> <td>2</td> <td>٠.</td> <td>• •</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>٠.</td> <td>• • </td> <td>• •</td> <td>• •</td> <td>• •</td> <td>1</td> <td></td> <td></td> <td>1</td> <td>1</td> <td>6</td> <td></td>		٠.						٠.	• •		2	2	٠.	• •	2	1	1	1	٠.	• •	• •	• •	• •	1			1	1	6	
Females. didleton, Males		_																									i			
Males				٠.					1	1	• •						• •		• •	1	• •	• •	• •	1	• •	•	• •			
Males		• •							1	1	••	5.0	1	• •			• •			1	• •	• •	1			1		**	3	
Females																				- 1										
ilton, Males.		• •							• •		• •			••;		• •	• •	• •		• •	• •				• • •		• •	20	• • •	٠
Males 2 1 1 1 2 3 1 1 2 1 1 1 1 1 8 we Durham, Males 1 1 1 1 2 1 1 1 2 1 1 1 2 1 2 1 <td></td> <td>• •</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>!</td> <td></td> <td></td> <td>• •</td> <td></td> <td>• •</td> <td></td> <td>• • </td> <td>• •</td> <td>• •</td> <td></td> <td>1</td> <td>• •</td> <td></td> <td></td> <td>1</td> <td></td>		• •						1						!			• •		• •		• •	• •	• •		1	• •			1	
Remales 2 1 1 1 1 1 2 1 2 1 1 2 1 3 1 3 3 5 5 5 6 1 1 1 1 1 1 1 1 1 1 5 5 5 1 1 1 5 5 6 1 1 1 1 1 1 2 1 1 1 5 8 9 4 1 1 1 1 1 1 1 1 5 8 9 4 1 </td <td></td> <td></td> <td></td> <td></td> <td>١.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_ 1</td> <td>-</td> <td></td> <td>-1</td> <td>_</td> <td></td>					١.							_ 1	-															-1	_	
ww. Durham, Malea. 1 1 1 2 1 1 1 1 3 5 Females. 1 1 1 1 1 2 1 1 5 Nohester, Males. 2 2 2 1 3 1 1 3 2 2 1 2 4 1 5 2 4 1 5 2 1 2 4 7 2 2 2 1 2 3 3 3 1 1 2 2 4 2 1 2 4 7 2 4 1 5 3 2 2 1 2 3 4 2 1 2 3 1 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>• •</td> <td>1</td> <td>2</td> <td></td> <td>3</td> <td>1</td> <td>• • •</td> <td></td> <td>• •</td> <td></td> <td>1</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td></td> <td>• •</td> <td>1</td> <td>1</td> <td>• •</td> <td>y</td> <td></td> <td></td>								• •	1	2		3	1	• • •		• •		1	2	1	1	1		• •	1	1	• •	y		
Malea. 1 5 5 1 1 1 1 1 1 1 1 1 1 1 1 2 1 2 3 3 1 1 1 3 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 <td></td> <td>2</td> <td>1</td> <td></td> <td></td> <td>٠.</td> <td>1</td> <td>1</td> <td></td> <td>1</td> <td></td> <td>]</td> <td>2</td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>2</td> <td>1</td> <td>• •</td> <td>1</td> <td></td> <td>2</td> <td></td> <td>• • </td> <td>1</td> <td>. 4</td> <td>- 8</td> <td></td>		2	1			٠.	1	1		1]	2					1	2	1	• •	1		2		• •	1	. 4	- 8	
Females 1 1 1 1 1 2 1 1 1 5 5 6 1 1 1 1 1 2 1 2 1 2 2 2 2 2 2 2 1 2 3 3 3 1 1 2 4 7 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 4 1 1 2 4 1 1 2 4 2 1 1 2 </td <td></td> <td>- 1</td> <td></td> <td></td> <td></td> <td></td> <td></td>																									- 1					
behester, Males									2	. :					• •	• •		1	1	• •	• •	3	• •	• •	• •	• •				
Males			• •				1	1		1	1]	1			٠.	1	2			٠					1	1	9.5	5	
Females 2 2 2 1 2 3 3 3 10 1 2 4 7 2 2 2 2 1 2 31 Not stated 2 1 2 1 1 1 1 1 2 2 1 1 1 2 2 1 <td></td> <td></td> <td></td> <td></td> <td>١.</td> <td></td> <td>1</td> <td></td> <td></td>					١.																							1		
Not stated: 2		2	4		1	3	1	2		1	4	3			16	!	3	2	2	1	2	4	4	1.						
llinsford,				2	2	1	2	3,	3	3	10					2	4	7	2	2	3	4	2	2	1	2				
Males 5 3 2 1 1 1 3 2 1		2				٠.												1	1			٠.,		• •	• •			• •	2	ų
mersworth, Males 15 6 1 1 1 2 8 4 3 2 1 1 3 6 7 7 3 6 4 4 1 3 1 45 . Females 17 2 1 4 4 2 3 6 2 4 1 1 2 4 4 3 4 5 4 9 4 3 5 47																						- 1			- }	- 1		- 1		
mersworth, Males 15 6 1 1 1 2 8 4 3 2 1 1 3 6 7 7 3 6 4 4 1 3 1 45 . Females 17 2 1 4 4 2 3 6 2 4 1 1 2 4 4 3 4 5 4 9 4 3 5 47							2	1		٠.;				• • {		1	3									۱				
mersworth, Males		4	1		1		2	1	1		2	1				2	2	2	1		2 .			1	1		1	1	13	- 5
																					- 1									
				1	1	1	2	8	4	3	2	1	1 .]	3	6	7	7	3	6	4 .		4	1	3	1			
	Females	17	2		1	4	4	2	3,	6	2	4	1.		1	2	4	4	3	4	5	4	9	4		3	5		47	1
Males 1 1 1 . 1 1 1 1 1 2 1 1 1 6 Females 1 1 1 1 3 2 2 2 1 2 1 1 9 :	afford,										1							1	1		1	1								
Females 1 1 1 1 3 2 2 2 1 2 1 1 9 1	Males	1	1]			1		1	1					1	1	2		1.							1	1		6	
	Females	1		1	1					1	3	2					2		2	1	2 .			1	1				9	1

		-	_	_		==			_					_	_	_						_		:-	-				=
Towns in Belknap County.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	2	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August,	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Alton, Males Females Barnstead.					1	2		1	1	3 2	1 2					'n	3	1 2	i	2	1	. 3	1		1			9 8	17
Males Females Belmont,								i	2 1	2					1		1	1		2	• •	2					• •	9	11
Males Females Center Harbor		'n		2	3	1	· . 1	2 1	2 3	34		1		• •	1	2		1 3	2	1	13	1	1 2	3	2	i		12 15	27
Males Females Gilford,	1	i					 															2	·: 1					2:3	5
Males Females	3 6	1	1 1	1	1 2	2	4 2	2 2	3 2	4 2	2 5			·:	1 2	2	2 9	4	·:	1 3	4 2	3	2	14	ï			22 26	48
Gilmanton, Males Females Laconia,					1	••	11		1	54	13			5	1		24	2	2		1	2 2	2					15 12	27
Males Females Not stated	10 4 2			6	2	2	1	3	3				٠.		5 4 1	1		5		3	3 2		6	7 3					78
Meredith, Males Females New Hampton	2		• •		••	2	3 2	2	1	3	24	1		• •	1	1 2	2	2		1 3	2	2		1	4			14 12	26
Males Females Sanbornton								1	1	1 2	2	1		••	1		2	1	1	1			·i			• •	• •	47	11
Males Females				1	1	i	• •	3 2	2 2	2 1	1 2						4	·.	2	1 2				1	1			10 9	19
Males Females	ì	1		1 2				2	6	• •	1	••	• •	·: 1	i	i		• •		1 3	1 2	i	13	1 2	2	·:		4 16	20

Males 1 1 1 1 1 1 1 7 1 Females 1 1 1 1 2 1 1 1 1 1 7 14 Tuftonboro', Males 3 1 2 4 1 1 4 2 2 1 11 1 2 1 11 4 2 2 1 11 1 2 1 1 1 1 2 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 8 1 Wakefield, Males 1 </th <th></th> <th>_</th> <th>_</th> <th></th> <th>_</th> <th>=</th> <th>_</th> <th>_</th> <th></th> <th>_</th> <th></th> <th></th> <th>_</th> <th>_</th> <th></th> <th></th> <th></th> <th></th> <th>_</th> <th>,</th> <th></th> <th>_</th> <th></th> <th></th> <th></th> <th>_</th> <th></th> <th></th> <th></th> <th>_</th>		_	_		_	=	_	_		_			_	_					_	,		_				_				_
Albany, Males	IN CARROLL	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.		50 to 60.	60 to 70.	70 to 80.	80 to 90	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Females						ī				Г			-				1				_	••			_		_			
Males	Females					• •					ì							i						1		• •	• •		3	···4
Brookfield, Males	Males						1				2				1							1		1		2	1		5	
Females	Brookfield,	1		2	1		• •	:	1	2	2		٠.		1	1				1	• •				• •	1	2		9	14
Chatham, Males	Females		i			1	1					·:	1		•												1	• •		5
Females		1					1				1	1					1												4	
Males	Females																						• •					٠.		4
Eaton, Males 1 1 1 2 Endingham, Males 1 1 1 2 1 1 2 5 7 Effingham, Males 1 1 1 1 1 2 1 2 4 4 Females 1 2 1 2 2 4 4 4 Females 1	Males	2	1			1 0	1 2	1 2	3	4 9	1 9	1	1						1	1		2	2	3	1 2			• •	16	
Females 2 1 1 1 2 1 2 1 2 2 2 2 5 7 Males 1 2 1 2 3 2 2 4 1 <th< td=""><td>Eaton,</td><td></td><td></td><td></td><td></td><td>ĺ</td><td></td><td>Ĭ</td><td>0</td><td>1</td><td>-</td><td></td><td></td><td></td><td></td><td>1</td><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>S</td><td></td><td></td><td></td><td></td><td>30</td></th<>	Eaton,					ĺ		Ĭ	0	1	-					1	3								S					30
Mailes	Females	2							i	i			i				2		1						2				5	7
Freedom, Males	Males																		2				2							
Females	Freedom,	. 1	2								3									• •			3							15
Males Jackson, Males Madison, Males Males	Females	::				1		2		1	1	ï	1				1	1			1	1	1		i					8
Males	Males																													
Madison, Males 1 1 1 1 1 1 2 7 8 2 2 1 1 1 1 1 1	Jackson,					٠.	• •				• •							•											• • •	• • •
Madison, Males 1 3 1 2 1							!		1	1								1											1	
Moultonboro', Males 2 1			1			1	1		2		1	1					1												7	
Males	Females		1			î		1				;										î				1			3	10
Ossipee, Males 1 1 3 1 4 1 1 5 . 2 3 1 4 1 5 . 2 3 1 2 2 1 1 1 1 1 2 2 2 1 2 1 1 1 1 2 2 1 1 1 1 2 2 2 1 2 1 1 1 1 2 2 1 2 1	Males	2	1			1	٠,	1			2							1 2	1	1	1			2	3				14	27
Sandwich, Males. 1 2 . . 3 4 2 . . . 1 2 .	Ossipee,	1					1				1																			
Males 1 2 3 4 2 1 1 3 1 2 2 1 1 2 1 1 1 2 1 1 1 1 2 2 1 2 1 <td>Females</td> <td></td> <td>1</td> <td></td> <td>i</td> <td></td> <td>1</td> <td></td> <td></td> <td>1</td> <td>3</td> <td></td> <td></td> <td></td> <td></td> <td>3</td> <td>2</td> <td>3</td> <td>1</td> <td>i</td> <td>1</td> <td>1</td> <td></td> <td></td> <td></td> <td>1</td> <td>1</td> <td></td> <td></td> <td>32</td>	Females		1		i		1			1	3					3	2	3	1	i	1	1				1	1			32
Tamworth, Males 1 1 1 1 2 1	Males	1				'				3	4	2						1						2						
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Tamworth,				•	2	3	!	1	1																				24
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Females					i	1	1		1	2					i		2	1					1		1			$\frac{7}{7}$	14
Females 1	Males					- 1					4						1	4			2				2		1			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Wakefield,							1	!	1		2			1	• •	1	1	• •	1		1			2			- 1		17
Wolfeborough,	Males	1 2			1					1		3				1		1												15
Females	Wolfeborough,				1	I				7					1											1				
								2		2	3				• •	2	1	1	6	1	2	1	1							38

	1	T	T	_	1	T	_	-	_	T	T	_	1	_	<u> </u>	-	_	7	_	_		-	-		_	=	_	-	_
TOWNS IN MERRIMACK COUNTY.	Under 1.	1 to 5.	3 5	3 +	1 90 to 80	3 5	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	Junė.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Allenstown, Males Females Andover,	1				1	1.			1		1			. 1		1	1			2				1 2	• •	1		3 8	ii
Males Females Boscawen,							2		2	6	4	1			1		1 3	5	3	2		i	1	3	1			13 12	25
Males Females Bow,					1				1 2	2	5				2	1					1		13	23	4			14 7	21
Males Females Bradford,	1 2	1				i		1	2	2	3 2				1	2	3		1	1	1		1	1	1			8	16
Males Females Canterbury,						i		2	· .	3 2	3	• •				2	1		2	1	1	• •	1	2	1			6 8	14
Males Females Chichester,	1	1				2		1	2 2	3	1		2	1	14		5	5				1						8	20
Males Females Not stated	2				1				i 1	1	1									1	1	i	1	1				4 5	
Concord, Males Females		13 7	5 2	5		13	8 15	18 12			9			ł	13		17	17	12	13	8	77	14	8	10	12	• •	1 145 119	
Danbury, Males Females					2			1		2 2	1				1			1		1	1			1	1			6	11
Females	• •		· · ·				1		1	1	1							8	1	1		1				1		4	
Epsom, Males Females	1								2	1	1	1			1			1	1 2	1.		4	1	1		1			ii
Franklin, Males Females	6	47	1 3	ï	1	2 2	3	1	3 4	3	3 2			1		24	1 3	1 2	3 2	1 .	4	3 2	4 2	4 8	2	2.1	i	23	56
Henniker, Males Females Hill,	2	2	i		3		1	1	14	23	3	2			1 2	3	1	1	2	2	12.	2	1	1 2 .	1	i		8 .	28
		• •	• •				i	1	1	1		- 1												1.		i.		2.	÷
Males Females Hopkinton,	3		• •			• •		••	4	1					1	1				2.	4	- 1		1.	2	i.		9.	16
Males	3		• •	1	1 3		2	3	4	7	3			2	3	5	1	4	4	11.	1.	1		1		3.		25 · 20	45
Males	i	1	• •	2	2	i		2	14	1					14	1		1		3.	i.	1	2		i	2 . 1 .		11 14	 25
Males				1	1	1			2	1	1				1.	i	1 .			Ĭ	1.		1.					5.	 12
Males Females Northfield.						1					-								i .				i.		i	1.		3.	
Mules Females					2	2	1.		1		1		:			:	i,	1	1	100	:				2 .			53	

TABLE 15 — continued.

Towns in Merrimack County — con- tinued.	Under 1.	to	5 to 10.	to	20 to 30.	30 to 40.	40 to 50,	50 to 60.	60 to 70.	70 to 80.	80 to 90.	1 90 to 100.	Over 100.	Unknown	January.	Felguary.	Mayele:	April.	May	June.	July.	August.	September.	October.	November.	December,	Unknown.	Total.	Grand total.
Pembroke, Males Females Pittsfield.																													
Males Females Salisbury,	6	3		3	1	1 2	2	2	3 4	5	2	2			3	5		1.5	3	1 2	2	30.02	2 2	2 2	2	23		27 22	49
Males Females Sutton,								1	1	2 2	1			• •		14		2	2	1	• •		1	1		1		5 8	
Males Females Warner,	• •			1	1	1	• •	2	• • •	1	• •	1			• •		1	• •		2	• •	٠.	3	1				7	22
Males Females Not stated					1	2	2	2	$\frac{2}{2}$	5	3	1		1	1	3	1	2 1	1	1	2	2	1	2		3		10 19 1	
Webster, Males Females Wilmot,		1				1	2	1	2	4	3	1					1 3	5 2	3		1			2	2			12 8	20
Males Females	1			1	2	· i	1	1	3		1					2	1		1	1	2		3	1	2	1		10 6	

TOWNS IN HILLSBOROUGH COUNTY.

			1	,	_	_	,	,				_	_		_		-		_				_		_	_	_		
Amherst,																													
Males	1							1	1							1	1	1					1		2			6	
Males Females	2			١	1	1	1		1	2	2				1			1		2	1	2	1		1			10	16
Antrim																													
Males	1	1	1 1	4	1	1			2	2					1		1	2	2		3	1			3	2		15	
Males Females			1	1	2			1	2	2	1						1.	3		1	1		1	2	1			10	25
Redford																													
Males Females			١		2	-1			2		1				3			1	1				1	1	1	1		12	
Females	1.		١		2				1						1	2	1		1	1				1				10	22
Bennington,																													
Maies				1					1		1				1	2												3	
Females			2						2	2					1:							1			2	2		6	
Brookline,																													
Males	2	٠.			1				3	1	1					1				1			4		1	1		8	
Females	1			1												1		1	1		1	1						- 5	13
Deering,																													
Males	1		1	٠.	1		1				1						1		2	1			1					5	
Females		2					1		1	1	4				1	1		1	2				2	2				9	14
Francestown,																													
Males							1																		1			1	
Females	1	1	١						1	1		2			1		2			2		2				1		8	9
Coffetown																													
Males			1				1	1		4	2				1		2			2		1		1	4	1		12	
Females	1	2		1	1			1	5	7	3	1		1	1 2	1	3	5	1	2	4	1		1	1	2	٠.	23	35
Chaganand																													
Malon	4	1	2	1				1		1	3				1	-1	2			1	1	1	1		1	1		13	
Females	2			1 1					1		2					1		2			1		1			1		6	19
Greenville.																													
Malee	8	1						1		2		1				3	3	1	1			3	1		1			13	
Females				1								1									1	1	2	2	1			7	20
Hancock																													
Males Females						1			1		1						1	1	1						1	1		5	
Females		1		1			1		1	4	2		!		1	!	2		1		2	1	2		1			10	15

TABLE 15—continued.

		=	1	,	-	1	1														_			-	=		1		=
Towns in Hillsborough County—continued.	Under 1.	1 to 5.	5 to 10.	10 to 20,	20 to 30.	30 to 40,	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December,	Unknown.	Total.	Grand total.
Hillsborough, Males Females Hollis,						24		2	2 3	1 3	4	1		• •	1	2	2	1	2 2	1		2 4	1 3	1	2 3	2 3		14 19	33
Males	1		1			ï	2	1	1 2	2	2 5			1	111		2	5	1	·i	2	1 2	·i		1	1		10	22
Hudson, Males Females Litchfield,	1			1	i	2	1	2	3						1	3	3	1	1		i	·i	2		2	1		11 7	18
Males Females Lyndeborough		• •	• •				• •		3		• •		• •					1						1	1			14	5
Males Wanchester,				• •			1	٠		1						i	1	2	• •				• •					3	7
Females Not stated Mason,	114	55 52	8	8 26	31 55	36	23 25 	23 31 1	31 41 1	29	11 18				42	29 43 3	37		32 36 1	34			20 25 1		26	19 29		358 440 23	821
Males Females Merrimack.	1	• E		2	1 1					2	1		• =					1				2		1	2	1		6 5	11
Males Females Milford,		16.25	e •			1	• •		2	٠.		• •	• •		1		3			1	1	i	1		• •		• •	6 4	10
Males Females Mont Vernon,		3	1	3	2	2	2	1	1	6	3	1	• •	• •	24	2 2	1 2	3	3	2	i	2	1	3	2	3 2		23 20	43
Males Females Nashua,		0 0 2 0				1	1	1	1	2		• •				2	· . 1			1	1	2	1	1	1		• •	4 8	12
Males Females Not stated	46 46 7		4 12 		12 13	8 11 		13 11		12 11	8 16 	1 4 	 	3 5 2	11 12	13 20	11 21 3	19 23	12 9 1	12 13 2	17 12	11 13 2	12	11 19	13	13 11	·· 2 1	153 180 10	343
New Boston, Males Females New Ipswich,	2 1	1				2	2	1 2	1	4	4	• •				2	2	2	1				3	1	3	1 2		14 9	23
Males Fomales Pelham,		1	, p	2	1	1	1			1 2	1 2						2 2	2	2	1	2	1		2	1			8	· i7
Males Females Peterborough,			• •	2	2	2	2	1	1 3	3 2	2	i				3 2	4 2	1 3		1		2			1	2		11 11	22
Males Females Sharon,	3	3	1	2	1	1	2 2	3 2	4	2 5	1 3	1 2				4	3 2	3	1	2 2	1	2	4 2		1 2	5		24 19	43
Females Temple,	···i					• •		1		1										1			1		1			1 2	
Males Females Wuare,	1				1		1		1	1							1	1	1	2			1		1		• •	5	8
Females Wilton	3	3	i		3		1	2 2	2	5	6				2	3	2	2	1	4	1 2	3	3 2	1 3	2	2		26 17	43
Females Windsor,	2	1		2	1	•	1	• •	1	24	2				1		1 2	1	2	1	1	2	2	1	1	1		9 11	20
Males Females			• •		••				• •	• •						• •		• •					• •				• •	• • •	

TABLE 15 - continued.

				Ī				1	-	1	i	T	I	1	11	1	T	1			7			Ī		1	ī	1	1
Towns												1.		1.									F.		F.				al.
IN CHESHIBE COUNTY.	ler 1.	5.	10.	, 20.	30.	40.	50.	.60	.07	.80	90.	100	100	TALOT	arv.	uarv	11.	1-1				ıst.	mpe	ber.	mbe	mber.	OWD		to
	Und	1 to	5 to	10 to	20 to	30 to	40 to	50 to	60 to	70 to	80 to	90 to	Over	Unknown.	January.	February	March	Apri	May.	June.	July.	August.	Septe	October.	November	Decem	Unknown,	Total.	Grand total.
Alstead, Males Females				_				_	-	-	:	i			1	,	1	-					-	Ť	_	-	=		_
Females					1	2		1	1	1					1		2		1	2	1	2	1	1	1 2	• •		10 5	15
Chesterfield, Males	2				1			1	1		1						1				2	2			1			6	
Females Dublin,	• •	1	•	• •	1	3.	•	• •	1	2	2	1	٠.	• •	2	1	1	1	2	• •	1	•	• •	3		••		11	17
Males Females		1				ï	1 2	1	1	1	2 3	1			1	1		.:			1		1	2	· i	2		5 11	16
Fitzwilliam, Males								,	1	3	2					l		3		1		,		1	1	-			
Females	1			1			1	'	3	1	2					2		1	1	1	2	1		1			• •	9	15
Gilsum, Males Females	1	• •		٠.	1	1	1	1	1 2		1	1			2		• •	1	• •	1	2	1	1	1	1			8	13
Harrisville, Males	2								Ĩ,	2	1	•			2	Ĭ,				1		1	1	1		•			
Females	2	1			1		1		1	1		1			1	1	3	1			1	1		1	3	1		7 8	15
Hinsdale, Males Females	2	2	1	1 2		2	2		2	1	1	2				2	3	1	1	1	2	2	1	1	1	1		16	29
Jaffrey, Males	2			2	1	1			2		2					1	Z		1			2.			2	1	•	13	29
Females	3	1		1		2 .		1	1	3	ï			1	2	1	2	2	2	1	i	1	1	1 2	1			14 12 2	28
Not stated Keene, Males			1	4							•		•		1												•		28
	6	5,	1	5	3 6	6	6.	6	8 5	6	7	2			2 4	7 3	6	5	3	3			6	5	6	3		56 58	114
Marlborough, Males	4		1			3 .	-	2	٠.	2	1			1	1	1	1	1	3.	2			2	1				14	
Marlow,		2		1	3	1	2	2	1	1	1			3	1	1	1	2	3	2	1	3.	•	3			• •	17	31
Males	2		i		1	1.			•	1	2				::!	2	• • •	1.	1:		$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$.	1.	2		i.			5	12
Nelson, Males				1	1.	· .			1	1.							2		1	1.								4	
Females Richmond,				1	1.	1					1					•	• • .	٠.,				1		- 0	•	1		2	6
Males Females	1			i	1.	1	2 .		2	2	i				3		2	i.	:	1		1 2 .		1	1.			11	15
Rinege,			1	1	1	١.				2	1,					1	1		1.		1.				1.			6	
Roxbury,	1	1			÷	i	1	1	• •	1	·	i					1.	1	1		•	•	•	-				2	8
Males Females													:																
Stoddard, Males					1.				2.					1					2 .	. .		2		1	1.			6.	
Females Sullivan,	2.		-	2	÷	-!-		1	1	2.	٠.	1	-	-	1 .		2.			1 2	2			1	1.		•	8	14
Males	:	:				1 .			1.		1.	. .	:			1 .			1	i :				1		:		3.	4
Surry, Males													. .				1												
Females Swanzey,			1			- -			1 :	3 .	.].			-	2.				1 -	-	1	١					-	4	4
Males Females	3.				$\frac{2}{2}$.	4		1	4 4		$\frac{2}{2}$.	1			1 3	1	1.			2 1		1 1	ŀ	2	3	2		16 12	28
Troy, Males						1		1	1						1		J.			1 2	2			1				4	
Females Walpole,	i :		i.		1 .			3			2		. :			-	1.	•	l i	1 2		I		î .	-	i .		8	12
Males	1 .			1		1.			1 :		4.6.	1:			1	1 .		2 :					1	1	i :	2		a mr	
Not stated :	2														•						j							2	30
Westmoreland Males Females	. :	1.			1 .		1		1 6		1.	3.				2	1.	2		2			2 2			3.		12 . 16	28
Winchester,											5.			1				6 3			2				1			25.	40
Males 6 Females	1 2	2 2		3	1 2	2	2	2 .	. 1						2.		1	1 1	i	j		2	1	1		2 .		15	40

TABLE 15 — continued.

Towns in Sullivan	1,			20.	30.	40.	50.	.09	70.	80.	0.	.00	00	wn.	· A.	EY.							ber.	T.	ber.	ber.	WD.		The same
COUNTY.	Under	1 to 5.	5 to 10	10 to 2	50	30 to 4	2	50 to 6		70 to 8	80 to 90.	90 to 100.	Over 100	Unknown	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Tofal,	One of town
worth, Males Females								2	4	1 5	2				3	1 3				1	1	2	- :		1			11 8	.;
harlestown, Males Females	2		·i	1		2		1 2	2	3	1 5				2	111	3	1 2	11	ï	2 3	2	11 11	2 2				15 15	
laremont, Males Females	2 5	2 2		2	46	4 2	1 5	4 2	44	63	41	1		1	1 3	5	6	138	24	2 2	1 3	5 4	1 2	46	2 3	4 3		35 32	
ornish, Males Females roydon,	·i				1				6 2	16	1			• •	2	1	2	1 2	2	3 2	1			.1				13 11	
Males Females oshen.						i	·i	1		2 2	1				1		1	1	1					2		1		5 8	
Males Females rantham,	I						i	1		4				.1			1	¥	1	1	••	1	1			·: 1		47	
Males Females angdon,		• •					• •	1	1	2	1		• •				• •	1		• •	1			1	1 1	• •		24	
Females Not stated	ï	• •	•••	• •	• •			• •	• •	• •	• •				1		• •			• •		• •		• •				1 1 1	
empster, Males Females ewport,					1				2	1	2				1			1			2		1			·i	• • •	4 5	
Males Females lainfield.	A	1		1	1 2	1		2	1 2	7	2 2	1			2	1	1	4	2 2	2			3 2	1	2			18 12	- ;
Males Females oringfield,	1			1	·. 1			3	2	6	2 1			• •		2	2	3			2	1	1					16 5	
Males Females mapee,	• •		• •	• •		•••		1						• •	1								••			• •		2	
Males Females nity,	• •		• •	1	1		• •	1			• •		• •	• •			• •		1			• •		1				5 4	
ashington,		• •	1		1			1	3	3		٠.	•••	• •	1		• •	2	1	2	3	1	1	1	• •	1 2		13 11	
Males Females	2		• •	1		• •	• •	·: 1	3	2	1	1	• •		1	1	1	2	2	• •	1	1	• •	1	1			8 7	

TABLE 15—continued.

	1	T	T		1	ī	,		T	1	1	1		1	11	T	T	,	-	=	-	-	7	-	-		_	,	=
			ı						1																		l	Ì	
Towns														i									TE		2				178
IN GRAFTON COUNTY.	ij	١.			900	9 6	50.	00	70.	80.	90.	100	001	Jnknown	annary.	Rebruary	-					100	o Pe	F.	ppe	pen	M		tot
GOUNTY.	de	0	+	3	3 5	3 5	3 5	20	to	20	100	90 to	e le	kn	una	E	1	1	2	10.	· A	TUR	Į,	ope	700	em	KDC	1.	nd
	Un	1	1	3 =	06	2 6	8 9	20	09	20	80	8	00	Un	Jan	Feel	Ma	April	Ma	June.	July.	August.	Septem	October,	November	December.	Unknown.	Total	Grand total.
Alexandria,	-		i	1		1	-,-	_	1	1					T.	-		-		-	-		142	-		-	F		
Males		ļ.,		١.	٠,٠	٠.																							
Females				١.	7	٠,	1	P		1	• •	•	•	• •			-1		• •		1	1	٠.	٠.		٠.		3	3
Males					.].	٠.			2	١	2				- 6	1				1	1			1				4	
Females Bath,	1					·i·		1	2	1	3	1	• •		2		.2		٠.	• •		٠.	1	3	i			9	13
Males	١	1				٠.		1							1													1	
Females	1				٠.			1	1	1	3					٠.		3		1		2	1					7	8
Males							Ĵ.,	١	١													-							
Females Bethlehem,	٠.	٠.	٠.	į.,		÷		٠.	• •							٠.						poi:							• • •
Males.	1		1.		. 5		. 1	2	2	1						7	1			2		3	1		1			9	
Females	1	1		٠.,			. 1	1	1	2							$\hat{2}$		1	2		1				**		7	16
Bridgewater, Males				1 2	2					4					1	1			2	1				1	1	1		0	
Females								. 1	1						î						1							8 2	10
Bristol, Males				1		1 9	1	1	3	2					2	1		1	1		1		1	3				10	
Females	1	2				2	1		2	2	2	[î		3	1	5	2	1				i		14	24
Campton, Males	1			i .			2	1	1	1					2				3		1								
Females			1	١.,	1		. 2	î		2	1				4.1			2	1	2				2		1		6 9	15
Canaan, Males	3				. 9	1	1	1	3	4					2		2		1	0	1	1	1	1					
Females	2			1	, 2	2	î		5	4	3.						2 2	5	1	2	1	4	2			2	::	15 20	35
Dorchester, Males	1					1										1					ł								
Females						1		2			i.							1	i	i.					1		1	2 4	6
Easton, Males	4										1		1			1	-												·
Females						1			1	i	1 .						1				1	1			i			2	5
Ellsworth, Males	- [-													ĺ	- 1				1		-	1	4					
Females		1		1	i			!			1.				i					i.			1 2	1				2	6
Enfield, Males	2	1	1					-	0	2	1				4				-							- 1			Ů
Females				1			1	2	4	2	2.				1	1	1	1	2	2				1 3	2	3		13	27
Franconia, Males	ł	- 1		1					1		1																		2.
Females							i			1	2							il.	1		:		2.	i.		i		3	7
Grafton,	0			1				1			9																		
Males Females	2	1		1	1			1	1	3	2.				1	2	2	1	2	1		:	2		1			8	17
Groton,								1	0	,																			^'
Males		1	1					1	2	3					1	1	i	il.	1		$\frac{2}{1}$.	:			7			5	12
Hanover,		1									11.		1																12
Females	3			1	3	1	2	1	i	3	3.	: :			2	1	1 2	$\frac{2}{2}$.		i .		1	1 .	2	2	i	1	18	27
Haverhill,											,		T	1		- 1						1							21
Males					1	1	1	i	4	9	6.			4	7 3	3 2 .			4	2		:		1.		1	3	27 18	• • •
Not stated										.].																.].		1	46
Hebron, Males			1									ļ		П											ı				
Females	:																		2:				:					3	3
Holderness,					2		1	0		1		-	-						1				ı						
Males					1	i	1	2 .	il.	-	1.	:		:11:	3	: .			1.				:					6	ii
Landaff,									1																	1			
	2	i .					il.		2 .		1:					i .	1.			1 . 1 .			: 1:	i.	:			2 .	9
Lebanon,															1	_	ł												0
Males	5	1	2	1	6	2	1	6	Z	6	6	1			4	1	1	5	1	3 3	3 '	7.	2	3	1	3	•	33	66
E CHIMICON L	-1 -	-1	-	• 1	U)	2	x j	٠,٠	. 1	o,	٠ ا٠		- 1	-13	-1	-1	41	٠, ا	-1		-1	-1	٠ [س	-		٠.	• 1	00	00

TABLE 15 — continued.

	1	_	7	_	7	_	1	_	=	7	7	_		1	-	-	-	1	,	-	-	1		1	7	ı	ī	1	
Towns IN GRAFTON COUNTY — con- tinued.	Under 1.	1 to 5.	5 to 10.	5	13	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.	January.	February.	March.	April.	May.	June,	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
Lincoln, Males																													
Females																													
Lisbon,		١.									_																		
Males Females	1 1	1			1	2 2	1	٠.	1	2 2	3				2	1	2	3	• •	2	1	• •	1 2		1	i		12	21
Littleton,	*					4			^	4	-	"		• •		1	1	1		7	1	• •		1				0	21
Males				1	1	3	3	1	1	5	3				4	3	6		2 2	1	1	3	2 5	1 2	1	1		24	
Females	4	5	٠.	3	4	1	1	2	2	4			• •	٠.		2	1	6	2	3	1	2	5	2	1	1		26	50
Livermore,					١																								
Females																													
Lyman,																													
Males	• •	• •	٠.	1	::	ï	1	1	1	٠.	1	٠.				I	 1	1	1.	1		• •	1		٠.			5	
Females		• • •	• •	1		*	•••	• •		• •		2		• •		1	1		• •	٠.		• •	• •	٠.		z		4	9
Wales	. 2					1	1		1	2 2	2				1	2	2			1				2				8	
Females				2		3		1	1	2	1			٠.		1		1	٠.	٠.		i	2	3	1	1		00	18
Monroe,									,	1													7			4		_	
Males Females						1	i		1	1 1	• •				1	1	• •		1			• •	1		٠.	1	• •	5	7
Orange,								٠.									• •	^	**	•		•	• •			• •		-	
Males							1	1		2				٠.						٠.					2		٠.	4	
Females	• •			• •	• •	٠.	• • •	٠.		٠.	•	• •	• •			• •			٠.	• •		٠.	٠.	• •		٠.			4
Males	1	2			1	1				2					1		1	1		1		1			1	1		7	
				1	î	3			1		2					2	2	1	· · · · · · · · · · · · · · · · · · ·	1								8	15
Piermont,																													
Females	1	4	• •	• •	2	• •		٠.	2	1 5	1 2	٠.	٠.	• •	2	1	-	2	2	2	2	1	1 2		1		٠.	5	• • • •
Plymouth,	-		• •	• •	۵	• •	• •	•	1	0			• •		Z	1	• •	Z	Z	Z	• •	1	Z	• •	٠.		٠.	12	17
Males	3	2		1		2	1	2	3	5				1	2	1	5	6	1	1	1	1			2			20	
Females	2	3		٠.		2	1		٠.	2	3	1			3	1	1	2	1	2		2	1	1				14	34
Rumney, Males		7				4			2	9	1					4	4												
Females	1 3		ï	i	••	1	·:	1		3	_				::	1	1 2	i	1	1	ì			3 2	ï	1	• •	9 12	21
Thornton,	Ĭ						1	-		Ĭ							-	1				-		-	•	1	٠.	14	21
Males		• •			٠.		.,	٠.	2	1	3		٠.	• •			2	1	1					1	:	٠.		6	
Females Warren,	• •	•	• •	• •		• •	1	• •	1	• •	1	• •		• •	1	٠.	• •	1		٠.,	٠.	٠.,	• •	• •	• •	1	• •	3	9
Males	2				1		1	1	1	1	1					1	2		2					9	1			8	
Females									1	2		Ш					2	1	2	1		• •						3	ii
Waterville,																													
Mules	{		• •	• •	• •	٠٠,		1	٠.		• •	• •		••			••			٠.	1	٠.						1	
Females Wentworth,		* *	• •	**						• •	• •		• •		• •		• •	•••	••	• •	•••	••	**	• •	٠.,			• • •	1
Males	2					1	1	1	3	2	4	1			1	1	1	2	1	1	1	2	1	1	1	2		15	
Fanales		* •		• •	i			٠.		2 1 1	4					1						2 3	1	1				8	
Not stated Woodstock.		••	• •	•••	• •	• •	••	٠.	• •	1	• •	٠.	• •	٠.		• •	٠.		1	• •	• •	• •	• •	٠.				1	24
Woodstock,	,								1					1	1												1	0	
				1																							1	2 2	4
							1																					2	*
																			_				-						-

TABLE 15—continued.

		-	-																									_	=
Towns in											١.	0		n.		À							190		er.	December.	Ė		Grand total
Coös County.	- 14	L.					50	3	70	80	90	10	10	100	January.	February	d					August.	September	October.	November.	B	Unknown.		43
	ade	1 to !		10 to	to	2	to	50	3	03	to	to)ver	skr	100	bri	, rc	ri	y,	ne.	٦,	B	pte	to	Aei	cel	Kn	13	and
	5	-	10	3 5	2	30	40	50	68	10	80	9	5	P	Ja	F	M	April	May.	June.	July.	Ψ	Sel	õ	ŝ	De	5	Total	G
Berlin,		T	ī	-			-			_		_		_			-	-		-		_							-
Males		(3.		١		2		1						1	3		1	1	2	1	1		1	2	٠.		13	
Females	3	I	į.				٠								1						3	î			. "	1		6	
Carroll,																													
Females		• •								• •	• • •		}				• •	• •			• •	• •	• •	• •		٠.	٠.		
Clarksville,							• •												• •	!	•	• •	•			٠.,	• •	•••	
Males									1													1						1	
Females Colebrook,			, • •			• •				٠.	1	••		• •		• •		٠.	٠.	• •	• •	• •		• •		1		1	2
Males			ш			1		2		1	2	1	!			1		1		2	3		1	2	1			11	
Females	2	1					3		2	1	2		!		2	3	3			2			1	1				14	25
Columbia,										0																			
Males	1		ŀ			1 1	• • •			2	1	!			1	• •	1	1				1	1		2		• • •	5	
Dalton,			1			1	1					1					1	"		• •	•	*	• •	•	*	*		1	9
Males	1				1			1	1		1	1				1	1			1	2	1		1			i	6	
Dummer,							• • ;	• •		• •	•••			• •				٠.	••	1		1	• •	• •	• •	• •	1	3	9
Males				2				!																1		1		2	
Females		1									••!	•-]	!						1							• •		1	3
Errol, Males								1						١.											1				
Females									1		1:							il			il.							1	3
Gorham,																												~	· ·
Males	2	1		1	2	1		1.	3	٠.,		٠.		1	2	1	2	- }.		1	1	1	1	i	2			11	14
Jefferson,	1	• •					A.,	4		٠.,					**				•				4	1	1	•	• •	8	14
Males	1	1			1			3		!							1			1	1 3 .	1	1	1				6	
Females		1			1	1	;	• •]	1	1	• •	2			• •		2		•		3.		• •			2	• •	7	13
Lancaster,		2				1		2	2	5	1				2	2	1			1	2	2	1	1	1			13	
Remales	3.	4		2	3	4		1.		2	1.					2	1	1	4	î	3	1	5	1.		1		20	33
Milan, Males				4	1				2		1						1	1							ı	1			
Females	1				1				4	•									1	1.		•			1	1	••	3	
Millsfield,																				-								Ĭ	Ů
Males							.			٠,						٠.		٠- -						٠.			• •	• • •	
Marin Language 1114			• •			••!			٠.	•														•				• • •	• • •
Males	1	1	:	1	!				1	1'.							1.	1				1	2 .					4	
Remaies		1		1	;	1	1	1.	-	1;								1	i	1	2					1		6	10
Pittsburg,		1									1				1.			ı					1.					2	
Females				1	1						î.			.11	1				i	1								3	
Randolph,		1																											
Males	٠.'		• •		•	٠. ز٠	- -								•		i.			٠.					1		٠.	2	
Shelburne,						١.			. .		-	1					1.	1.	1		1.		T		1	1		-	2
Males					1					1.	٠.											. -				1.		2	5
Females Stark,			• •	• •	• •	1.				1	1	٠.	٠.		•• •					•	. .	1	•	1	1 -			3	5
Males					1			. .		1	2 .			. 11.								J.		3	1.	٠.		4	
Females					1	1.				1 .			. :						i.				1		2 .			4	
	1.			• •	٠.									1		. [-	٠.	•	-				•	1.				1	9
Stratford, Males	1.					1.			1 9										1	. 3	3 .				1 .			5	
Females		1.		3					1			I.		- 1	i	1		1.				1	2 .					6	ii
Stewartstown,			1	4		1	, .	2	1 4		0				1	1		1	1	,	1.		1 :	, ,		1.		10	
	1 .		1	1		1.		2	1 9		2		710			1	i.	-			2			1				12 . 5	17
Whitefield.																													
Males		1.		1	3		2 1		2 1		1				2	3	2 .						2 :	1 2	2			18 .	
Females	1 .	1.		1	1	2].	1	2			2					1		1				1	4					11 .	30
Z-OU BURUCU.		1		1		. [.				1				I		T			1	1	1	1						1	UU
	-	-	-							-	-												-	-	-	-	-	-	-

TABLE 16.
DEATHS BY AGES, SEX, AND MONTHS, — BY COUNTIES.

Grand total.	; ; ; ; ;		289			1701
.letoT	100	335	137	134.	401 393	783 885 33 1
Опкпоми.	 : :	C7 C7 :	:::	:::	: 7 :	: व्यन्न
Dесешbет.	84:	18:	£1 6	101	88:	60 50
Мочешьет.	88 8 :	16	144	111 6	. 24	500
October.	83 1	1001	124 :	- 611 :	388	47 62 3
September.	22.8	18	15.	41:	36	4230
.daugu&	37	33	21:	150	1. 22 .	02 89 89
July	1222	28	113	9 II :	223	488 488
June.	84 :	88	411	00.	3 4 42 :	0000
May.	56.75	19	62	12	88	8000
· lirqA	84°	328	6.00	17	322	96
Матећ.	36	39	15	812:	411 :	8.4.70
February.	424	£04°	9	22	36	88
January.	37	17 24 1	100	11	88	40.00
Опкломп.	927	400	99	H 60 :	400:	1000
,001 TevO		:::	;;;	· ; ; ;	:01	H ::
90 to 100.	HQ:	019	നന	44:	9 日 :	16.
80 to 90.	38	300	15	128 :	47.	828
70 to 80.	897	35	4.63	18 ES	79 61	95
.07 ot 08	. 55	332	16	64 :	69	73
.00 et 0d	38 :	930	113	41:	. 20 83	558
40 to 50.	36	226	100	1.65	: 355	49
30 to 40.	323	288	10 00 +	°₽ :	388 :	61
20 to 30.	23	15 26	10	14	30:	20 10 20 10
10 to 20.	98:	861 :	481 :	. Q Q4	12	44.4
.01 ot 8	11300	130	44	. 64	00 00	222
.d ed I.	188 188 189	223	-6	to to	31	86 78
Under 1.	¥42	66.0	220	10 .	49	209 185 28
Counties,	ckingham,	fuls:ot stated	knap, lales	lalesemales	rrimack, Mes emales	sborough, ales

	100		257	3201
238	152	296	1000	9 2948 11 3194 59 6201
	F 67	10.61		он:
861	112		9 2	193 223 2
21	12	100	4.1	203
222	4113	27.	6110	228 257
16	F-0:	308	10	200
272	<u>65</u> ∞	27.	120	253 273 8
16	22	14	98	241
822	= 00	326	11.	242 271
26	14:	183	63.00	249
2283	#G:	98 :	1010	287
283	82 :	152	00:	337
23	22:	88:	25	282
23	101	33	019	225
40	CN 51 :	S = :	HH :	# 0 m
20,00	on FO -	:::		-0:
1000	010	00 F	614	85.
330	152	522 :	122	. 398
. 23	8 ± :	88-	10	478
20.03	16	38 1	1919	2304
1100	122:	130 :	120 :	2522
200	. = :	88 :	600	190
16 23	12:	8명:	F61 :	235
200 :	二音:	48.	22 ·	275
000	0.00	98 :	000	109
104	.01	010	H : :	288
1221	Ø 10 :	: 22	22 :	225
2,62	<u> </u>	¥83 :	9998	507 442 42
:::	:::	:::	:::	
::7	: : : : : : : : : : : : : : : : : : : :		: : : :	5
ire, ales state	ales	n, s . ales	S .	s
Male Tem Tot	Male Male Pem	Male Venn Vot	vale	Males Females Not state
Same	00	O C	Co	E E

LABLE 17

CAUSES OF DEATH, ALPHABETICALLY ARRANGED BY MONTHS, AGES, AND SEX.

	Опклочп.	
	,08 төтО	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	70 to 80.	. स स. १८०० सम्बद्धः स्टब्स्
	60 to 70.	
	50 to 60.	
	40 to 50.	स्नाम ०००० ०। म
Ages,	30 to 40.	H 60 H 60 H
	20 to 30.	H
	15 to 20.	- co
	10 to 1E.	
	D to 10.	
	1 to G.	
	Under 1.	HO O : : HO : H HHHH : :
ber.	Sex not stated.	
Mum	Females.	(A) : : : : : : : : : : : : : : : : : : :
Whole Number.	Males.	
- M	Totals.	10
	Сатук от Вилти.	Abscess Abscess if of brain is of head of liver. if of liver. if of liver. Alcoholism Aneurism Aneurism Astima Astima Astimax
	Unknown. December.	
	November.	: : : : : : : : : : : : : : : : : :
	October.	:: "::::::::::::::::::::::::::::::::::
r.	August.	'H 'H 'H ' H ' H ' H ' H ' H ' H ' H '
ıth	July.	
Months.	June.	::::::::::::::::::::::::::::::::::::
-	.ysM	: : : : : - : : : : : - :
	.lirqA	: : : : : : : : : : : : : : : : : : :
	March.	[[]] [] [] [] [] [] [] [] []
	February.	
	January.	[[[[[[[[[[[[[[[[[[[

.01=			-1-1		.											
	:: :	: : :	:		•		: : :		: :	: :	: :	: : ~	: :	: :	::	:
63 ::	4.01	200	9 61		- :		- 1-1								<u> </u>	_:
			-		- :		: :			: :		: :		T :	: :	
- :07	::04	401	7: 12	10:1	9 :-	1 67	. 27 67	i= :	-1-	- 64	÷	• 10	4 .	- :	::	-;
:	::		:	: "				- :					:	: :	::	:
67	: - 10 6-	0,500		: == 0	2 : 6		4 0	: :	20 41	4-	1 .		4-	===	·	÷
			. : :		:	:		::		:	: :					:
::67	::00	21 An 111	C4 FF FF		5 - 6	` : :	: : "		4 70 -	4 67	. ~ ;	-	c1 :	1 100	100	:
	-:					_ : :		::					_:	:	:	:
	:::	: : :	::	:: "	P : :				:-	10 10	' ; -	4	: :	::	:00	
0			- · ·		-::	· · ·				60				:::	-110	÷
:		:					: : :	:::	: :		: :	: "	::	: :		
: .=	::0100	: :03	: :0	: : :	: : :	::						- 00	: :	• •	24	÷
<u>::</u> _	::	::	::	:::	:::	::	:::						3 :	::	=	
	: : : "	: : :	E : "	:	: : :	. :	: : :	::	: : :	:::	::	: 03	21	:::	H 69	:
					: : :	::	: : :	::	:::	: :	::	:		::		
	: '' :	: : :'	7 : "					: :			: :	::	: :	: :		
* * * *							• • •				: :		::	::	<u>: :</u>	
		11		: : :	: : :	: :						-17	: :	i i'	7	:
:::	4100	- 460	C 10 4					-		: :	•••	-1001		. 64 .	4 : 7	<u>.</u>
:::		::									::		:			-4
	1 604	: :0	3 : 1	. : :	: : :	:::	: : :	. :	: : :	::	::	: ::		:===	1 : 2	<u>Š</u>
-			-	<u>: : :</u>	: : :	:::		::	: : :	:::	::	::		:	:	
			: E	: : :				::	: : :		: :	: :	: .	: :	::	:
- 60 -		3 . 10	. 9 .		· · ·	E110						<u> </u>	::	:::	::	።
	65 6	8 6	: "	1 : 8	: :			7 :0		7		===	: 63	12	120	89
69.0	3 :8 :¥	·=	· E 0 C	: 3	=		120	GR : 6	2	:01		47:	. 60	• 10	• • •	50
:									1	th.	-	4	:	:	: ::	T q
60 to -0	1:8:5		24.0	30: 0		-10-	2	eo : e	3 : 900	900	:03	: 3	:10	:8	: 35 9	ait a
:	: :	:	•	:=	: :		. :	- :			:	: -	:			d A
									: : :			: .	: :	: :	::	886
											::					: 5
										::	::	::	: :			. *
						:::		: : :		::				: 49		:
										::	::	::		: 56		:
				::::	: : :	: : :		:::		-	::	1.		: 吕:		•
8 : : 8		5 .	- 80		: :			g . e		- : :	::	:::	: :	: ē		i
200	0 0		3 .		[e]	in	£ .	un:	ž	8 :						3
laed	300	3	36		63	bra ore	ive	it i	3 B	ite:	one	: :	: :	E E		1
di e a	ise	19	pg .	:::	T _o	4 4 4	-	0f 1	1 42 ct	J.O.	Ď.			Q.	th.	
D D	, d.	<u> </u>	8 3		. 0	000		0 0	, 0	0 21	0	It,	ą	. 5 _{.2}	oir	8
Pod W	3 43 4	2 82	ğ: (S	223	:::	:::	= = :	: : :	3 8	း ဦး	ie.	ens	18.	qp	la la	2
Big	Bri	ä	Bu	Š						2	Can	Š	Cat	Cerebro-spinal	ig d	
							· ·					. ==				
- 1=0			i i	41			1					.000	: :-		C1 C	
- H 69	• 00 00			- 20 0		. 63		60		en .	: :		-			-
		-1010				===		63		Q1 .	-: -:-	. 63			1 10	
-: 4	•	OMO					H :		-	:		: বা	. proj			
		H 69 -						· · · ·				. 60 %			4 2 4	4
= : : :										67		. 9			. 60 =	2
		-100		40		: : :		-:.		H :		<u> </u>			. w w	
Vod 0 0		400		410			1 944	• • •			:	· E- 00		67		
		000		40											- 60	
	.0100			3 6	# prof		<u>.</u>		40 .			.100			(40 E	
. 63				=												
	.03.00	-10.5	101	- 1 Hz -			* 100		00	21					100	
	:01:00 H			-11b.		: : :	: =			21	: :	. 60 60		:-	60	
<u>i= : :</u>	:00 co co			· 4.00	: :	4 F Z	:-	: 41	E 23		: :-	- 60 60 - 60 60 - 60 60		F T		

TABLE 17—continued.

	-пмоимп	
	Over 80.	
	.08 os 07	11
	.07 o± 08	(2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
	50 to 60.	न नहिंद्ध न छ न न्यानकान नळक
	40 to 50.	0F000 4 00 L0 -104
Ages.	.04 ot 08	
	.08 04 02	
	12 to 20.	
	10 to 15.	1
	.01 ot 8	
	I to 5.	8 9 00 00 24 0 00 00 00 00 00 00 00 00 00 00 00 00
	Under 1.	9-81 - 1000 - 144 - 1-000 - 144 - 1-00 - 1
er.	Sex not stated.	* * * *
fum	Females.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Whole Number	Males.	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Wh	.slatoT	200 200 101 107 107 107 107 107 107 107 107 1
	CAUSES OF DEATH.	Cholera infantum " morpus. Cold Cold Colnemption Convulsions Cramps Cramps Cramps Cyanosis Cyanosis Cyatitis Debility Delirium tremens Diarrhess Diarrhess Diarrhess Diarrhess Diarrhess
	Опкломп.	ਜ : : : : : ਜਜ :ਜ : : : : : : : : : : :
	Мочетьет. December.	: : : : : : : : : : : : : : : : : : :
	October,	4 : - : :4:4:04 : 4:0 : - : : : : : : : : : : : : : : : : :
	September.	SHH : : : : : : : : : : : : : : : : : :
ths	-tanguA	800 : : 100 0 - 4 : 10 : : 1 : 010 : 1 : 1010 4 40 40
Months	July.	00
Z	May.	a : : : : : : : : : : : : : : : : : :
	firqA	:4 : : : : : : : : : : : : : : : : : :
	March.	
	February.	H : L : :: : : : : : : : : : : : : : : :
	January.	:144 : :00 : 1 : :00 : 0 : :01 : 000
	Sex.	HZHKHKHKHKHKHKHKH

#	
[1]::::::::::::::::::::::::::::::::::::	
· (2) 44 · · · · (2) ≒ · · (2) ≒	:
	ā
	_
	3
CA 44	
H . H	
Cd : CSH : HH : 1700 : H : 1110 : 1200 : 444 :	
	•
HH HH HHH : HHH : 1 1 1 1 1 1 1 1 1 1 1	
West to test and an arrangement of the second of the secon	
ם בארות המים באים באים באים באים באים באים באים בא	
CO et a constant a con	
FO :- : : : : : : : : : : : : : : : : : :	
00000 · · · · · · · · · · · · · · · · ·	
H444 63 - 6770 H - 5163 H - 163 - 1463 - 160	
L. 14, 10, 10/01 14, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10	
	Joe
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ş
	4.4
88 14 4 50 50 50 50 11 88 11 12 18 18 18 18 18 18 18 18 18 18 18 18 18	B
	Red
	100
	*
tious strict str	
ren iti	
Drowne Dyseine Dyseine Editoriti Encertiti Enc	
D HE CONTRACTOR OF THE CONTRAC	
· · · · · · · · · · · · · · · · · · ·	
0.001-0.001-1.0001-1.001	
4 .41	
1000 400 14 1 14 14 14 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15	
9888	
H : H : : : : : : : : : : : : : : : : :	
HH : H : : : : : : : : : : : : : : : :	
H : : : : : : : : : : : : : : : : : : :	
::::: 0 : H ::: 0 : 10 : H :::::: 0 : 100 : H : H 00 : H	
G [] [] [] [] [] [] [] [] [] [
KAKAKAKAKKAKKAAKAKAKAKAKAKAKAKAKA	

TABLE 17—continued.

		Опкпоми.	
l		.08 төүО	72.42
		70 to 80.	Ф
		.07 ot 08	8 .1 .201 .4.1 .2 .1.11 .101
		50 to 60.	8 1 1 8 1 8 1 9 1 9 1 9 1 9 1 9 1 9 1 9
		40 to 50.	H 1-41 - 21 - H 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
l	Ages.	30 to 40.	о
		.08 of 02	4
		15 to 20.	
1		10 to 15.	
		5 to 10.	
		1 to 5.	NO. 1000
		Under 1.	4 WF- 10 W W H W W W W W W
	Whole Number.	Sex not stated.	
		Females.	233823333223333323333333333333333333333
l		.89[sM	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Wh	Totala.	14 14 15 15 15 15 15 15 15 15 15 15 15 15 15
		CAUSES OF DEAVE.	Gastritis Goitre Gravel. Gravel. Gravel. Gravel. Gravel. Headaohe Heart disease Gepatitis Hernis Hernis Hydrocephalus Infantile. Infantil
		Песетрет. Пресетрет.	100m · · · · · · · · · · · · · · · · · ·
		November.	# · · · · · · · · · · · · · · · · · ·
		October.	70 : : : : : : : : : : : : : : : : : :
	.2	September,	
	the	August.	
	Months	ngh.	1
	F	May.	
		-lingA	
		March.	Q : : : : : : : : : : : : : : : : : :
		February.	
		January.	- 1::::::::::::::::::::::::::::::::::::
1		700	

, , , , , , , , , , , , , , , , , , , ,	
25.5%	· : :
44 04 4 000	161
40 40 5000 80 100 100 100 100 100 100 100 100 1	146
	1000
: 03 :00 CH = 100 CH =	
	: 01
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	=
<u>: :::::: </u>	
(A)	
4.4.0.10 (y) 10.41	
2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
889 : : : : : : : : : : : : : : : : : :	
F :	
8 4 8 F 8 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: 00 m
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Han Land
20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	ssed
	G
	* * *
FR068	
e di C	
ase.	psy.
sease dise dise from the trib. T	diro.
ttussuminit didiney "" "" "" "" "" "" "" "" ""	rian
Masi Mer	Ova
000 000 00 000 00 000 00 00 00 00 00 00	
	1011
୍ : : : : : : : : : : : : : : : : : :	
HH : : H : H : : 000 : H : : : : : : : :	8
ින : ප : කෙප : ප : අයනනාපන : ප : කදුනනාපප : ප්විරේ : : ත : : නක : ප : න නාපප : : : තන : න : හළඹින	25 25 25 25 25 25 25 25 25 25 25 25 25 2
.43 9.4 64 44 149005000 0004 4 18000 000 000 000 000 000 000 000 000 0	4 :
	201
	10
KAKAKAAKAKAKAAAAAKAKAKAKAKAKAKAKAKAKAK	

TABLE 17-continued.

	Опклоча.	; 0, ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
	.08 тэчО	(2.44 L 8.88.44
	70 to 80.	1000
	.07 ot 08	8821 810 884 1 1 1 1 1 1 1 1 1 1
	50 to 60.	34 .0144822
	40 to 50.	000 .000 .100
Ages,	30 to 40.	: : : : : : : : : : : : : : : : : : :
	20 to 30.	40
	15 to 20.	. H . M . M . M . H
	10 to 15.	H H H H H H H H H H H H H H H H H H H
	5 to 10.	.H
	1 to 5.	1 28 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Under 1.	422
)er.	Sex not stated.	* * *
(um)	Females.	167 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Whole Number	Males.	8 22 24 24 1 12 12 13 14 1 16 1 18 1 18 1 19 1 19 1 19 1 19 1 19
Wh	Totala.	286 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	CAUSES OF DEATH.	Pericaditis. • Pericaditis. • Pericaditis. • Pericaditis. • Pericaditis. • Pericaditis. • Pleurisy Pleurisy Polypus, nasal Premature births Railrad accident
	December.	жд::-ю:-15g::
	Почешвет.	20 : :0001 : 44 : : : : : : : : : : : : : : : : :
	October.	OEH :00 : 351 : : : : : : : : : : : : : : : : : : :
	September.	באבו: : : : : : : : : : : : : : : : : : :
ths	July, August,	01 1000 40
Months	June.	230 : : : : : : : : : : : : : : : : : : :
4	May.	- QQ-100
	·lirqA	801 : 18 H H O 1 1 8 8 : : : 18 H I : : : : : : : : : : : : : : : : : :
	March.	011::40 .0000:1:100::1: :40000
	January.	115-1 : 9 : 300 · · · · · · · · · · · · · · · · · ·
ļ —	Bex.	

IIIIIIIIIIIIII	
	:
::: :::::::::::::::::::::::::::::::::	Ţ
	1
	å
	i
מה ישור מו ישור ישור ישור ישור ישור ישור ישור ישו	ŀ
tities in the second of the se	:
· 64 · · · · · · · · · · · · · · · · · ·	ì
The state of the s	ľ
- 100-1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
면 (이 : : : : : : : : : : : : : : : : : :	
4	
: : : : : : : : : : : : : : : : : : :	
10 : 10 : 10 : 10 : 10 : 10 : 10 : 10 :	
10 10 10 10 10 10 10 10 10 10 10 10 10 1	
3. 60. 60. 60. 60. 60. 60. 60. 60. 60. 60	
: 1 : 4 : 4 : 4 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6 : 6 : 6	
	ŀ
	ŀ
- 1 2 2 2 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3	
Bease	
Shock Shield Shie	
AND STATE OF	
0	
=0= .= .= .= .	
::0:::::==000=0:::::=::===:::::0:::::0:::::	
6 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1	
OH	
그는 그 그는 그는 그를 보고 되었다. 그러나는 그리고	
Clare : = : Cl : CO : = : : : : : : : : : : : : : : : : :	
60 : : : : : : : : : : : : : : : : : : :	
테크 : 	
· · · · · · · · · · · · · · · · · · ·	
धारत : : च : : : : : : : : : : : : : : : :	
: :H :H : : : : : : : : : : : : : : : :	
A SAN SAN SAN SAN SAN SAN SAN SAN SAN SA	
HAKAKAKAKAKAHAHAHAHAHAHAHAHAHAHAHAHAHAH	

TABLE 17—continued.

	Unknown.	
	.08 TOYO	
	-08 o 3 07	
	·02 o4 09	
	50 to 60.	
	40 to 50.	:::
Адев.	30 to 40°	
	20 to 30.	
	15 to 20.	
	10 to 15.	
	.01 od d	- :-
	I to G.	9
	Under 1.	100
er.	Sex not stated.	*
7hole Number.	Females.	12
ole I	Males.	= :-
W	Totala.	25
	Causes of Death.	Whooping cough
	Прикломи.	::::
	Мочетарет. December.	9 · · ·
	October.	: H :
	September.	(NO).:
hs.	August.	60 10
Months	July	10100
M	May.	Ami
	.lirqA	61
	Матећ.	
	February.	1:::
	January.	:::
	Sex.	AFE

*Classed with males.

TABLE 18.

DEATHS BY SEX, AGE, AND MONTH.

	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Age not stated.	Total.
January, Males Females Not stated	29 24 5	23	6	1 3	7 12	10 34	15 12		19 14	32 36	41 39	22 36	2 3 1	225 247 6
February, Males Females Not stated	41 38 3	27 15	2 8	1	8 8	20 23	13 19	14 22	19 16	36 33	45 48	28 49	9000	
March, Males Females Not stated	43 32 6	29 19	6	2 5	8	14 25	19 26		26 35	42 40 1	57 61	35 53	4 4 1	
April, Males Females Not stated.	43 33 5	14 21	5 2	1 2	 8	15 35	12 23	22 19	19 21	47 31	56 60 1	41 65	3 6	287 326 6
May, Males Females Not stated June,	35 32 2	21 24	5 4	2 5	6 12	17 15	18 23	16 23	27 13	34 30	42 38 1	27 29	6	256 249 3
Males	31 25 3	17 19	5	1 4	9 12 1	24 30	19 27	20 15	23 23	30 29	33 35	27 40	 6	242 271 4
July, Males Females Not stated August,	72 60, 2	17 20	7	3 6	1 12	21 20	18 13	9 19	17 11	29 20	28 31	19 30	7	241 256 2
Males	78 71 7	26 20	5	3	3 7	17 23	12 11	10 18	14 16 1	27 25	26 27	26 40	6 6	253 273 8
Males	42 41 4	12 23	7	3 10	7 11	9 15	9 26	9	25 14	25 29	35 37	22 40	4	209 260 4
Males	30 33 3	16 16	2 8	7	8 7	10 22	18 17	16 22	19 24 1	33 39 1	47 27 1	27 35	1	228 257 7
Males Females Not stated December,	27 20 2	12 10	3	3 5	8	20 18	18 19	26 16	24 16	34 26	39 28	19 24	5 4	288 203 2
Males	35 30	11 15 1	9 8	7	77	13 15	10 18	10 23	20 21 1	23 17	28 32	28 88	8 1	199 223 2
Males	3						1		1		1	1	3 5 1	9 11 1
Males	507 442 42	225 217 1	62 68 1	28 52	81 112 1	190 275	180 235	190 226	252 225 4	394 355 2	478 463 3	317 474	43 50 5	2,948



DIAGRAM I. SHOWING THE COMPARATIVE MORTALITY, BY ABSOLUTE NUMBER OF DECEDENTS, FROM TWENTY PROMINENT CAUSES OF DEATH DURING THE YEAR ENDING DECEMBER 31, 1885.

OKO OTE	8								-	-									
X00	000					٠				-									
000	ممر																		
	- [ı																	
700	3 .							-											
	1																		
	ľ	ı											-						
009		ı																	
9																			
T																			
5 500	ı	Г	П															~	
350 375 400 425 450 475 500	ı	ı	ı	Г	П														
25 46		ı	ı	ı															
400	ı	ı	п	ı	Г														
376	ı	ı	ı	ı	ı														
350			ı	ı	ı	П													
0 325	ı	ı	ı	ı	ı	а													
75 30		ı	ı		г														
250 2		ı	ı	ı	ı														
00 125 150 175 200 225 250 275 300 325	ı	ı	ı	ı	ı														
300		ı	ı	ı	ı	П	F												
175	ı	ı	ı	ı	ı	ı	ı												
5 150	ı		ı	ı	ı		П	r	-		-							-	
00 12						ı	ı.	п	г		×.	_							
75 10	ı	П	ı	п	П	ı	и	ı	V.	п		П		П					
25 50 75 10								-			4								
23-	29	100	91	42	30	19	13	113	35	12	8	20	8	16	82	92	-	77.	100
TH.	30	-0	yeis.4	4	100	3	61				-	1	tery1	:	:	:	:	:	25
P DEA	:	0 0 0 0 0	Para		:	tum.	:	: :	:	, est			Dysen		:		:	:	
SES O	ption	pia	y and	isease	:	Infan	:	Feve	tis	Dise	isease		Band		Till .	ons.	:	96889	100
CAU	nsum	omne	veldo	art D	Age	olera	ncer .	phoid	ningi	ight's	ain D	bility	rrhœ	орву.	of the	vvulsi	·· dine	er Di	Scarlatina
CAUSES OF DEATH.	Consumption857	Pneumonia 504	Apoplexy and Paralysis.491	Heart Disease474	Old Age	Cholera Infantum219	Cancer213	Typhoid Fever 141	Meningitis135	Bright's Disease112	Brain Disease 109	Debility107	Diarrhea and Dysentery 100	Dropsy 91	Mintheria 78	Couvulsions 76	Croup 74	Liver Disease 62	



A BRIEF SUMMARY OF THE RECORD OF DEATHS.

CONSUMPTION,

as in previous years, caused more deaths than any other single disease, 857 being reported from this cause alone; of these 373 were males, 480 females, and 4 sex not stated. The record by month is as follows: January, 71; February, 82; March, 87; April, 79; May, 83; June, 96; July, 64; August, 54; September, 54; October, 65; November, 65; December, 55; month not stated, 2. 31 were under one year of age, 14 between one and five, 4 between five and ten, 11 between ten and fifteen, 87 between fifteen and twenty, 219 between twenty and thirty, 161 between thirty and forty, 109 between forty and fifty, 75 between fifty and sixty, 75 between sixty and seventy, 43 between seventy and eighty, 19 over eighty, and 9 age not stated. The mortality from consumption was 13.81 per cent of the total mortality for the State. In 1883 it was 14.01 per cent. The percentage of consumption to the total mortality in the cities was as follows:

Mancheste	r					13.03
Concord						10.68
Nashua.					. !	14.86
Dover					. 5	16.17
Portsmouth	1					12.18
Keene						22.80

TABLE 19.

DEATHS FROM CONSUMPTION, BY AGES, MONTHS, NATIONALITY, AND CIVIL CONDITION.

Mailes M									
Control Cont		Mot stated.							
1		Widowed.	15.8	63.44	2	CJ 44	F= F=	:	
1		Single.	17	12 27	0.61	44	222	39	1181
Control Cont		Married.	28	282	0.0	17	17	88.	18:
Company Comp	-	Not stated.	5.6	10 :	4, :	eo :	4 :	17	L+ ::
Company Comp	11-	Foreign.	-	. 23	48	-	œ :	8 : :	9 : :
1 1 1 1 1 1 1 1 1 1	-	American.	101 :	89	42	- 53	8	153	62
1 1 1 1 1 1 1 1 1 1	=	Not stated.	::		::	::	::	:::	
Control Cont						i	co co	96-11	4
Continue	-	1	10 00	-100	생 ન	<u> </u>	6161	5700=	
Control Cont	-		100	ಣಈ	0101	-:-	€ 41	∞ = .	H 00 :
Control Cont	-								71
Control Cont	11-								es 10 :
1 1 1 1 1 1 1 1 1 1	-					•		<u> </u>	- 0
Control Cont	11-					103	to to	4100	89
Control Cont	11-			910	C7 FT		F- 10		m 10 ·
Control Cont	-					PH C3	10 00		4100 :
1 1 1 1 1 1 1 1 1 1	- -			900	77	07 FT	ග ග		- CO
Contract	-		-					- 52	· 010
1 1 1 1 1 1 1 1 1 1	-						40	80 ·	- m
Control Cont	11=	Azenael.							
1 1 1 1 1 1 1 1 1 1		.Istot buard						: 83	
Control Cont						258			:
Continue						::			
1 1 1 1 1 1 1 1 1 1		Over 80.							
1 1 1 1 1 1 1 1 1 1									
P. (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 11-	.07 os 08							
1 1 1 1 1 1 1 1 1 1		00 ot 03							
1 1 1 1 1 1 1 1 1 1		₹0 to 20°							:
1 1 1 1 1 1 1 1 1 1		.04 of 08	13	8 4	61 00	14	018	29	
Dough Doug		°0€ °4 °0°	1281	17	F= C1		13	:	
Dough Doug		16 to 20.		60 00		::		1212	41:
Samphy Sa	- []	10 to 15,		: =	: -	: =	: 63		:::
CONVILES — SEX. 1. 1. 2. 2. 2. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.		.01 of G	::	::	::	::	::	. 00 :	# : ;
Sham,		1 to 5,	::		: 63	::	Fri pri		: -:
ookaties — gham, shies lies lies lies lies lies lies lies l		Under 1.	63 63	40		::	::	014:	
ookaties — gham, shies lies lies lies lies lies lies lies l									
ookaties — gham, shies lies lies lies lies lies lies lies l		EX							
ountres dam, s s s s s s s s s s s s s s s s s s s		7/2 1		::				:::	:::
COUNTIE ROCKING ham, Males				::	:::	:::	::	:::	::::
COUNTAINS Rockinghai Males Females Kales Females Not states Males Kales Not states Males Females Kales Females		TIE	a :	: :	::	: :		ਬੂੰ ਦ	
Co Rocking Males Femal Strafford Males Femal Males Femal Males Femal Males Femal Males Femal Males Femal Males Femal Males Femal Males Femal		ON	han es	,		: 88	ck 88	oug es.	88
Straff, Mala Mala Mala Mala Mala Mala Mala Mal		S	ng es	ord es nale	ap es rale	ll, es	ona es	es nal	ire es sal
Che Bel Bel Bay			fal	Tal en	Kn	ro fal	Ial en	lst fal	Fall Per
			NA THE	St.	Bel	Car	E E	HAHA	5

-	CN	eo .	:	88	
-	: 01	00	1000	18	
				=	
10				311	
	23	55,	90 G	360	
හ	41	:	00	13	
03		:	C 3	121	
8	: 2	:	23	2 667 121 79 350 311 108	
e-1 00		4	: ;	169	
01	00 0	4		123	
co	014		- 03	18	
8) EC		::	1 29	
	100	,		13	
· co	44.50 - 63.00		. 41 2 :	1 12	
es -	44 K			98	
77	44		: 41	188	
- 64	00 C1	0	103	12	
000	00.01	0	1 00	8	1
F 61	64.67		: :	188	1
				12	
15 36 2 3 1 15	30 1	er	15 28	867	
120			1 7		
401	::			0	
4101		- 61		<u> </u>	
63 .	4.6-	61		**	
07 F	4:01		-	29	
4 =	104	- 63	67	7,601	
4-4	94	-	٥	31 14 4 11 87 219 161 109 75 75 43 19 9 867 71 82 87 79 83 96 64 64 64 66	
99	16	60	00	219	
103	₩ 00	-	00	22	
-:	::	:	:	=	
::			: 1	4	
-::	- :		7	4	
	::	:	1	2	
	: :	:			
	: :	:	:		
	::	:		:	
	::	:	:	ate	
::	::		: 1	2	
		:		o l	
n's	les les	: 10		87	
Males Females	Grafton, Mules Females	Coos, Males	2	Lotal for State	
FE	FEE	9	1		
Ci.	•	0		- 1	

TABLE 20.

DEATHS FROM PULMONARY CONSUMPTION, BY SEASONS AND AGES, 1885, FOR THE CITY OF CONCORD.

Months.	A January. C February. A March.	o April.	August.	Cotober. November.	Not stated.	American.	Foreign.	Not stated.
Quarters	-10	10	4	4	- 1	28		
Ages	Under 10. 10 to 15. e 15 to 20.	α 20 to 30. σπ 30 to 40. σπ 40 to 50.	1 9 50 to 60. 70 to 70.	Over 80. Not stated.		28		
Nativity						. 21	1	2
Males						17		
Females,						11	-	- 6
Percentage to total mortality of city	10.68		ļ		••	••		

TABLE 21.

DEATHS FROM PULMONARY CONSUMPTION, BY SEASONS AND AGES, 1885, FOR THE CITY OF MANCHESTER.

Months.	(II January. II February. & March.	April. May.	Of July. August.	or November.	Total.	American. Foreign. Not stated.
Quarters		33	24	20	107	
Ages	10 to 15. 0 15 to 20.	31 22 14	9 50 to 60. 9 60 to 70. 8 70 to 80.	Over 80. Not stated.	107	
Nativity					25	57 47 8
Ms.lo4,					743	
Females					1	T
Not stated		,				
Percentage to total mortality of city	13.03	****				

TABLE 22.

DEATHS FROM PULMONARY CONSUMPTION, BY SEASONS AND AGES, 1885, FOR THE CITY OF NASHUA.

Months.	4 January. 01 February. 9 March.	April. S May.	August.	A October. O November. S December.	Not stated.	Total.	American.	Foreign.	Not atatad
Quarters	19	12	7	13	- 5	51			-
Agos	cr Under 10. 10 to 15. co 15 to 20.	2 2 40 to 50.	9 50 to 60. 70 to 80.	Over 80. Not stated.		51			
Nativity						- 0	20	14	
Males						25			
Females						25			
Not stated						1	2		
Percentage to total mortality of city	14.86						2 4		

TABLE 23.

DEATHS FROM PULMONARY CONSUMPTION, BY SEASONS AND AGES, 1885, FOR THE CITY OF KEENE.

Months.	- January. c February. r March.	9 April. 8 May. 8 June.	co July. 10 August. 10 September.	co November. December.	Not stated.	Total.	American.	Foreign.
Quarters	5	11	7	3		26	_	
Ages	1 Under 10. 10 to 15. 9 16 to 20.	20 to 30. 40 to 40. 7 40 to 50.	0,000 000 000 000 000 000 000 000 000 0	Over 80. Not stated.		26		
Sacivity						5	24	2
Maies						9		
Pensalès						17		
Percentage to total mortality of city	22.80							

TABLE 24.

DEATHS FROM PULMONARY CONSUMPTION, BY SEASONS AND AGES, 1885, FOR THE CITY OF PORTSMOUTH.

Монтня.	o January. No February. No March.	April. May. June.	no July. no August. no September.	November. S December.	Total.	American	Foreign.	Not stated.
Quarters	10	8	6	5	-	0		
≜ ges	1 Under 10, 10 to 15. 7 15 to 20.	00 20 to 30, 01 30 to 40, 14 40 to 50,	8 60 to 70. 70 to 80.	Over 80. Not stated.	U	D		
Nativity						. 18	4	1
Habas					. 1	M		
Females					. 1	5		
Percentage to total mortality of eity	12.18							

TABLE 25.

DEATHS FROM PULMONARY CONSUMPTION, BY SEASONS AND AGES, 1885, FOR THE CITY OF DOVER.

Монтня.	F January. Hebruary.	co April.	c July. T August. September.	or October. co November. co December.	Total.	American. Foreign.	Not stated.
Quarters	19	12	6	19	49		
Ages	3 Under 10. 10 to 15. α 15 to 20.	12 13 6 40 55 50 50 50 50 50 50	1 5 1 70 to 70.	Over 80. Not stated.	13		
Nativity						33 13	3
Walos					. 17		
Females					. 32		
Percentage to total mortality of city	16.17						

TABLE 26.

CONSUMPTION, SHOWING OCCUPATIONS, BY MONTHS, AGES, AND SEX.

11			
		Unknown.	
		Over 80.	
		08 ===0	1 * * * * * * * * * * * * * * * * * * *
		.08 ot 07	
		·02 04 09	
		02 9 03	
		.00 to 60.	2
		40 to 50.	
1			
	Ages.	30 to 40.	
		20 to 30.	H : H : G3 : : 4100 : : H70 H : : : : : : : : : : : : : : : : : :
		15 to 20.	1
		10 to 15.	
		.01 03 9	
		1 to 5.	
		Under 1.	
-	.	Sex not stated.	0 0 0 0 0 0 0 0 0 0
	1Der	- hetete tog yeg	
	In	Females.	
	Whole Number.	Males.	
	100	- Manol	==0====================================
-	-		
-			
-	-		
-	- ,		
-	,		
	Σ ,		
	> ,		
	Y ,		
-	× ,	Occupations.	
	¥ ,		
	¥ ,		
	Y ,		
		Occurations.	
5	> ,	Оссотватном п.	Artist Barber Illia kantitt Billia maker Billia maker Billia maker Billia maker Billia maker Garpenter Carpenter Car
	> ,	Occurations.	Artiste Barber Illia kantitl
		October. November. December. Unknown.	Artisch Miss Semith Miss Semith Mitted maker: Bolice-maker Congressen Congressen Clerk, man Cl
		September. October: Movember: December: Unknown:	Artiste Miss benutit Miss benutit Miss benutit Miss benutit Miss benuser Carpender
		August. September. November. December. Unknown.	Artisch Miss Semith Miss Semith Mitted maker: Bolice-maker Congressen Congressen Clerk, man Cl
		July. August. September. Decober. December. Unknown.	Artiste Miss benutit Miss benutit Miss benutit Miss benutit Miss benuser Carpender
	Months.	August. September. November. December. Unknown.	Artista Artista
		April. May. June. July. A gener. Geoder. Movember. December. Unknown.	Artist Birber B
		March. April. May. June. July. September. October. December. Unknown.	1 1 1 1 1 1 1 1 1 1
		Webringy, March. April. Angle. August. August. October. December. Unknown.	1
		March. April. May. June. July. September. October. December. Unknown.	1 1 1 1 1 1 1 1 1 1

TABLE 26 -- continued.

	Опклочи.	<u> </u>
	Over 80.	
	70 to 80.	800
	407 of 08	.404L
	e0 to e0.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	40 to 50°	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Ages.	30 to 40.	LO 4
7	20 to 30.	100 : 00 : 01-1-01 :4.6 : 01 : H
	12 to 20.	8 2 6 6 6 6
	10 to 15,	HC
	.01 ot 3	8
	1 to 5.	t- œ
	Under 1.	89
er.	Sex not stated.	
Whole Number.	Females.	12821
ole N	Males.	8 08 000 00 H 0 E 10 10 10 10 10 10 10 10 10 10 10 10 10
Who	Totals.	87.28 84.08 80.00 80 80.00 80 80 80 80 80 80 80 80 80 80 80 80 8
	OCCUPATIONS.	Hostler Housekeper Housekeper Fousewife Jeweler Jaborer Landlord Machinist Merchant Milliner Milliner Milliner Mill operitive Norse Norse Photographer Physician Ploker-gender Physician Polisher Printer
	Опклоти.	THE SHEARS A A SERVICE
	December.	:
	November.	:48H: :0::9::HH::40:::H::
	September, October,	H
702	August.	:=04=01 : : : : : : : : : : : : : : : : : : :
ath	-Vinc	: : : : : : : : : : : : : : : : : : :
Months.	June,	H 42
	May.	1 : - 5 4 6 : 6 : 6 : 6 : 6 5 4 6 : -
	April.	िन्द्राप्त : अन्यतः : न ः : लळ् :न ः न ः :
	March.	1 : - aug : - : : : : : : : : : : : : : : : : :
	February.	1:480 : 10: 100 : 100 : 104 : 1: 1: 1:
	Sex.	A - A - A - A - A - A - A - A - A - A
П	798	REKERKENAKAKAKENAKE

Twonfer nine work widows

63
[]]]] ON] ; et ;
- CS
N
Interpretation of the first of
* * * * * * * * * * * * * * * * * * *
::::::::::::::::::::::::::::::::::::::
::::::::::::::::::::::::::::::::::::::
:m::::::::::::::::::::::::::::::::::::
::::::::::::::::::::::::::::::::::::::
THE REPORT OF THE PARTY OF THE

PNEUMONIA

ranks third on the list, there being 504 deaths recorded under this head against 436 in 1884, 244 males, 259 females, and 1 sex not stated; 69 were under one year of age, 49 between one and five, 8 between five and ten, 4 between ten and fifteen, 11 between fifteen and twenty, 15 between twenty and thirty, 27 between thirty and forty, 32 between forty and fifty, 37 between fifty and sixty, 72 between sixty and seventy, 105 between seventy and eighty, 74 over eighty, and 1 age not stated; 53 died in January, 59 in February, 101 in March, 95 in April, 35 in May, 25 in June, 13 in July, 10 in August, 10 in September, 33 in October, 38 in November, and 32 in December.

APOPLEXY AND PARALYSIS.

There were 491 deaths from these two causes, 234 males, 256 females, and 1 with sex not stated, which was classed with the males; 2 of the decedents were under one year of age, 2 between one and five, 2 between five and ten, 2 between ten and fifteen, 10 between twenty and thirty, 15 between thirty and forty, 33 between forty and fifty, 52 between fifty and sixty, 92 between sixty and seventy, 180 between seventy and eighty, 97 over eighty, and 4 age not stated; 43 died in January, 49 in February, 39 in March, 51 in April, 31 in May, 45 in June, 39 in July, 38 in August, 36 in September, 50 in October, 41 in November, 29 in December.

HEART DISEASE.

There were 474 deaths from heart disease, 241 males and 233 females; 12 were under one year of age, 5 between one and five, 1 between five and ten, 5 between ten and fifteen, 5 between fifteen and twenty, 17 between twenty and thirty, 19 between thirty and forty, 41 between forty and fifty, 56 between fifty and sixty, 122 between sixty and seventy, 125 between seventy and eighty, 61 over eighty, and 5 age not stated; 32 died in January, 37 in February, 46 in March, 47 in April, 37 in May, 38 in June, 42 in July, 35 in August, 43 in September, 39 in October, 44 in November, 34 in December.

OLD AGE.

There are 420 deaths registered under this disease, 179 males, 240 females, and 1 with sex not stated; of these 1 was between fifty and sixty years of age, 7 between sixty and seventy, 89 between seventy and eighty, 321 over eighty, and 2 age not stated. The old-

est decedent was a male 105 years of age. 41 deaths occurred in January, 35 in February, 56 in March, 58 in April, 32 in May, 28 in June, 24 in July, 38 in August, 29 in September, 25 in October, 20 in November, 34 in December.

CHOLERA INFANTUM.

There were 219 deaths from this cause, 110 males and 109 females; 186 were under one year of age, and 33 between one and five; 1 died in February, 1 in March, 3 in April, 3 in May, 5 in June, 75 in July, 80 in August, 38 in September, 9 in October, 3 in December, and 1 not stated. Following is the total mortality from the disease in the cities of the State:

Manchester	r					88
Dover						15
Nashua						13
Portsmouth	ı					9
Concord						5
Keene						2
Total						132

TABLE 27.

CHOLERA INFANTUM, BY AGES, SEX, AND MONTHS, PARTICULARLY SHOW-ING NUMBER OF DECEDENTS IN THE CITIES AND LARGE TOWNS.

	Under 1.	1 to 5.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Concord, Males Females Ware in ster,	1	1 3			• •		• • • •		1	1 1	2		••	••••	• • • •	2 3	5
Maios Females Nashua,	39 41	6 2		• •			1		28 22	9 15	2 4	····				45 43	88
Males	5	2			• •	• • • •	••••	• • • •	5 2	3	1	1	••			7 6	13
Males	2	****			• •	••••	• • • •				••••						2
Males	-	3							1	3	1	1				3	9
Males	7	2		• •	• •			4	1	5	2 3					9	Ti8
Males Females Claremont,	2	••••			••			• • • •	• • • •	1 2	••••	• • • •	• •	••••	••••	1 2	3
Males	1	2		• •	• •	• • • •	•••	• • • •	••••	1	2	• • • •	• •	•••	• • • •	3	3
Males Females Lebanon,		•••		• •		• • • •			***		••••			• • • •			3
Males Females Newmarket,	2										1	••••		••••		2	3
Males	1 1	10.00					*	• • • •	1				• •	• • • •		2	3
Females	2 2	1			• •			1	.,		1 2	• • • •	••	• • • •		3	4
Females	1 3			• •	• •	* * * * *	• • • •	1	1			••••	• •	••••	1	3	4
Females Scoddard, Males	4			• •	• •				1	3		* * * *		* * * *		3 4	7
Females	2 1 23	5			• •	• • • •	****	****	1							1	3
Females	23 22	4					••••				• • • • •				****	28 26	54

CANCER.

There were 213 deaths from cancer, 74 males and 139 females. Cancer, 180; cancer of bowels, 6; cancer of brain, 1; cancer of breast, 5; cancer of face, 1; cancer of liver, 12; cancer of rectum, 3; cancer of stomach, 38; cancer of tongue, 1; cancer of uterus, 16. Of these, 24 died in January, 19 in February, 20 in March, 23 in April, 10 in May, 15 in June, 13 in July, 13 in August, 11 in September, 21 in October, 22 in November, 21 in December, and 1 not stated.

TYPHOID FEVER.

There were reported 141 deaths from this cause, 67 males and 74 females. This included 4 deaths from "fever," 5 from "billious fever," 5 from "gastric fever," and 3 from "typhus fever," which would leave 124 from typhoid fever, as reported. Of the decedents, 2 were under one year of age, 7 between one and five, 8 between five and ten, 11 between ten and fifteen, 21 between fifteen and twenty, 35 between twenty and thirty, 14 between thirty and forty, 8 between forty and fifty, 8 between fifty and sixty, 10 between sixty and seventy, 12 between seventy and eighty, 3 over eighty, and 2 not stated; 8 died in January, 8 in February, 13 in March, 7 in April, 12 in May, 13 in June, 3 in July, 8 in August, 28 in September, 17 in October, 13 in November, 11 in December.

MENTSCHIE.

135 deaths are recorded under this disease, 70 males, 64 females, and 1 sex not stated. Of these, 37 were under one year of age, 38 between one and five, 11 between five and ten, 5 between ten and fifteen, 8 between fifteen and twenty, 11 between twenty and thirty, 10 between thirty and forty, 2 between forty and fifty, 5 between fifty and sixty, 1 between sixty and seventy, 5 between seventy and eighty, 2 age not stated; 11 died in January, 15 in February, 10 in March, 14 in April, 9 in May, 15 in June, 8 in July, 15 in August, 7 in September, 11 in October, 11 in November, 9 in December.

BRIGHT'S DISEASE.

112 deaths from this disease, 70 males and 42 females; 2 were under one year of age, 2 between one and five, 5 between ten and fifteen, 3 between fifteen and twenty, 9 between twenty and thirty, 17 between thirty and forty, 12 between forty and fifty, 14 between fifty and sixty, 22 between sixty and seventy, 20 between seventy and eighty, 5 over eighty, and 1 age not stated; 7 died in January,

8 in February, 13 in March, 11 in April, 12 in May, 12 in June, 8 in July, 8 in August, 8 in September, 7 in October, 12 in November, 6 in December.

BRAIN DISEASE.

There were 109 deaths recorded under this head, 51 males and 58 females; 10 were under one year of age, 7 between one and five, 2 between five and ten, 1 between ten and fifteen, 1 between fifteen and twenty, 5 between twenty and thirty, 3 between thirty and forty, 1 between forty and fifty, 17 between fifty and sixty, 28 between sixty and seventy, 24 between seventy and eighty, 14 over eighty, and 1 age not stated; 9 died in January, 6 in February, 10 in March, 8 in April, 16 in May, 7 in June, 3 in July, 10 in August, 11 in September, 7 in October, 16 in November, 6 in December. "Softening of the brain" is included under this head.

BRONCHITIS.

Under this head there are 108 deaths, 41 males and 67 females; 28 under one year of age, 12 between one and five, 2 between five and ten, 1 between ten and fifteen, 2 between twenty and thirty, 4 between thirty and forty, 1 between forty and fifty, 3 between fifty and sixty, 10 between sixty and seventy, 19 between seventy and eighty, 25 over eighty, and 1 age not stated; 14 died in January, 12 in February, 14 in March, 13 in April, 15 in May, 10 in June, 2 in July, 2 in August, 7 in September, 10 in October, 4 in November, 5 in December.

DEBILITY.

There were 107 deaths from this cause, 55 males and 52 females; 48 were under one year of age, 3 between one and five, 4 between thirty and forty, 4 between forty and fifty, 1 between fifty and sixty, 12 between sixty and seventy, 18 between seventy and eighty, 17 over eighty. Of these, 5 died in January, 10 in February, 10 in March, 13 in April, 11 in May, 9 in June, 12 in July, 11 in August, 9 in September, 4 in October, 8 in November, 5 in December.

DIARRHŒA AND DYSENTERY.

One hundred deaths occurred from these diseases, 46 males and 54 females; 24 were under one year of age, 16 between one and five, 3 between five and ten, 2 between twenty and thirty, 3 between thirty and forty, 6 between forty and fifty, 5 between fifty and sixty, 14 between sixty and seventy, 14 between seventy and eighty, 12 over eighty, and 1 not stated; 5 died in January, 2 in February, 3 in

April, 3 in May, 9 in June, 16 in July, 26 in August, 20 in September, 9 in October, 3 in November, and 4 in December. The deaths from "cholera morbus" are included under this head.

DROPSY.

There were 91 deaths from dropsy, 39 males and 52 females; 2 were between one and five years of age, 2 between ten and fifteen, 2 between twenty and thirty, 3 between thirty and forty, 6 between forty and fifty, 12 between fifty and sixty, 20 between sixty and seventy, 26 between seventy and eighty, 13 over eighty, and 5 not stated; 9 died in January, 5 in February, 15 in March, 4 in April, 6 in May, 12 in June, 4 in July, 8 in August, 1 in September, 11 in October, 8 in November, 7 in December, and 1 not stated.

DIPHTHERIA.

Seventy-eight deaths are recorded under this head, 37 males and 41 females; 10 were under one year of age, 32 between one and five, 22 between five and ten, 5 between ten and fifteen, 3 between fifteen and twenty, 4 between twenty and thirty, 1 between forty and fifty, 1 between fifty and sixty; 13 died in January, 5 in February, 3 in March, 2 in April, 5 in May, 2 in June, 3 in July, 6 in August, 6 in September, 9 in October, 12 in November, 12 in December.

TABLE 28.

DEATHS FROM DIPHTHERIA, BY SEASONS AND AGES, 1885.

Months.	January. February.	5 April. 5 June.	o July. o August. o September.	C October. November.
Quarters	21	ý	15	33
Percentages	26.92	11.54	19.28	42.31
Ages	% 1 to 5.	c 10 to 15. cv 15 to 20. iv 20 to 30.	30 to 40.	60 to 70. 70 to 80. Over 80.
Total deaths	78			
Under 10 years of age	64		• • • • • • • • • •	

CONVULSIONS.

There were 76 deaths from this cause, 31 males, 43 females, and 2 sex not stated; 32 were under one year of age, 35 between one and five, 1 between ten and fifteen, 3 between fifteen and twenty, 1 between thirty and forty, 4 between forty and fifty; 3 died in January, 6 in February, 9 in March, 7 in April, 1 in May, 7 in June, 5 in July, 11 in August, 7 in September, 6 in October, 7 in November, 6 in December, and 1 not stated.

CROUP.

There were 74 deaths from croup, 42 males, 31 females, and 1 not stated; 20 were under one year of age, 41 between one and five, 9 between five and ten, 1 between twenty and thirty, 2 between thirty and forty, 1 between fifty and sixty; 9 died in January, 11 in February, 15 in March, 3 in May, 3 in June, 1 in July, 4 in August, 3 in September, 9 in October, 8 in November, 8 in December.

TABLE 29.

DEATHS FROM CROUP, BY SEASONS AND AGES, 1885.

Months.	February.	April. May. June.	- July. August.	co November.
Quarters	35	6	8	25
Percentages	47.30	8.11	10.81	33.78
Ages	5 Under 1. 11 to 5. 6 5 to 10.	10 to 15. 15 to 20. 1 20 to 30.		
Total deaths	74 70			

LIVER DISEASE.

There were 62 deaths from this disease, 32 males and 30 females; 1 was between five and ten years of age, 2 between twenty and thirty, 5 between thirty and forty, 8 between forty and fifty, 12 between fifty and sixty, 17 between sixty and seventy, 13 between seventy and eighty, 4 over eighty; 7 died in January, 4 in February, 7 in March, 5 in April, 8 in May, 7 in June, 8 in July, 5 in August, 3 in September, 2 in October, 4 in November, 2 in December.

SCARLATINA.

There were 53 deaths from scarlatina, 22 males and 31 females; 5 were under one year of age, 30 between one and five, 11 between five and ten, 4 between ten and fifteen, 1 between fifteen and twenty, 1 between twenty and thirty, 1 between thirty and forty; 2 died in January, 5 in February, 7 in March, 6 in April, 10 in May, 4 in June, 3 in July, 2 in August, 3 in September, 2 in October, 4 in November, 5 in December.

TABLE 30.

DEATHS FROM SCARLET FEVER, BY COUNTIES, 1885.

COUNTIES.	Deaths from Scar- latina, 1885.	Countries.	Deaths from Svar- latins, 1835.
Euckingham	3	Hillsborough	28
Birafford	6	Cheshire	2
Belknap	2	Bullivan	******
Carroll		Grafton	7
Marrimack	4	Coös	1

TABLE 31.


DEATHS FROM SCARLET FEVER, BY SEASONS AND AGES, 1885.

Months.	o January. o February.	9 April. 10 May. 7 June.	w July. R August. R September.	n October. n November. on December.
Quarters	14	20	8	11
Percentages	26.41	37 74	15.09	20.76
Ages	or Under 1.	1 10 to 15. 1 15 to 20. 1 20 to 30.	= 30 to 40.	
Total dealars	753			
Under 10 years of age	46			

The summary of diseases might be carried still further, but it is thought to be unnecessary. Special tables on other diseases can be constructed from the tables given in the main part of the report, excepting possibly data in reference to occupations, by any one who desires to study a given subject more in detail than is given in any single table. It is believed, however, that the present arrangement will show all the facts desired, although several tables may have to be consulted for that purpose. It is to be regretted that the reports of the several towns and cities are too incomplete upon the subject of occupation from which to compile tables that would be reliable in connection with general causes of death.

Respectfully submitted.

IRVING A. WATSON,
Registrar of Vital Statistics.





NAMES OF CAUSES OF DEATH.*

It should be stated that the nomenclature of diseases in the nosological arrangement on the following pages is not intended to include the names of the whole list of morbid phenomena affecting the human organism, but the names of such only as are directly the cause of death, or such as ordinarily predispose to or set in motion the morbid processes that end in death.

In the construction of the classification now adopted, use has been made of the results and conclusions of a committee of the Royal College of Physicians, of England (who have been engaged for several years in a revision of the British nomenclature of diseases), as far as such conclusions have been ascertained from brief reports in different medical journals, and from such other sources as were accessible (the complete report not having yet been issued), and from examination of the classifications in use in different countries in Europe and America.

It should be said that all these classifications have been and are essentially alike, that all have been based designedly on observed facts and most advanced conclusions in relation to pathological processes and morbid conditions, inductive, causative, progressive, and ultimate.

The statistical nosology will consist of two lists of causes of death.

A TABULAR LIST AND SUPPLEMENTAL LIST.

The tabular list comprises the chief or primary causes of death which will be used in Table 13, in the preparation of the Registrar's annual reports, and will, therefore, include all those named in the supplemental list, when the final arrangement is completed.

The supplemental list is subordinate to the tabular list, and contains synonyms, or names of related diseases, which may be actually, or are supposed to be, causes of death, and which are in addition to those in the tabular list, and which are often found in physicians' certificates of death. These will all have a place, in alphabetical order, in Table 18, and will be variously grouped under different heads in Table 13, as the figure which precedes each cause in the supplemental list will correspond with the figure of the head in the tabular list under which that cause is placed.

^{*}Taken largely from the list prepared by the State Registrar of Rhode Island.

NOMENCLATURE OF CAUSES OF DEATH.

CLASSES.

I. General Diseases.—A. Specific and febrile. (Zymotic.)
II. General Diseases.—B. Cachectic. (Constitutional.)

III. Special Diseases. — A. Functional or organic. (Local.)

IV. Special Diseases. — B. Developmental. (Developmental.)

V. Violent Deaths. — From injuries. (Violence.)

SUB-GROUPS OR ORDERS.

CLASS I. - ZYMOTIC DISEASES.

Order one, Miasmatic. Order two, Enthetic. Order three, Dietic. Order four, Parasitic.

CLASS II. — CONSTITUTIONAL DISEASES.

Order one, Diathetic. Order two, Tubercular.

CLASS III. - LOCAL DISEASES.

Order one, Diseases of the Nervous System. Order two, Organs of Circulation. Order three, Organs of Respiration. Order four, Organs of Digestion. Order five, Urinary Organs. Order six, Reproductive Organs. Order seven, Osseous and Locomotory Organs. Order eight, Integumentary System.

CLASS IV. - DEVELOPMENTAL DISEASES.

Order one, Of Children. Order two, Of Women. Order three, Of Old Age. Order four, Of Nutrition.

CLASS V. - VIOLENT DEATHS.

Order one, Accidents and Negligence. Order two, Homicide. Order three, Suicide.

CLASS I, - ZYMOTIC DISEASES.

TABULAR LIST.

For Table 13 of the Registration Report.

ORDER ONE. - MASMATIC.

- I. Ore. - 1. Carbuncle.
 - 2. Cholera, Asiatic.

 - 3. Cholera, sporadic. 4. Cholera infantum.
 - 5. Cholera morbus.
 - 6. Croup (pseudo mem-

 - 8. Diarrhea.
 9. Dysentery.

 - 10. Erysipelas.
 - 11. Fever, bilious.
 - 12. Fever, cerebro-spinal.
 - 13. Fever, intermittent.
 - 14. Fever, malarial.
 - 15. Fever, typhoid.
 - 16. Fever, typho-mala-
 - 17. Fever, unspecified.

 - 18. Fever, yellow. 19. Influenza (epi-

 - 22. Metria (puerperal fever).

 - 25. Scarlatina.

ORDER TWO. - ENTHETIC.

- Two. 1. Glanders. I.

 - 3. Hydrophobia.
 - Malignant pustule.
 Septicæmia.

 - 6. Syphilis.

Synonyms or Related Diseases.

ORDER ONE. - MIASMATIC.

- -1. Anthrax.
 Gangrenous boil.
 4. Entero-colitis,
 Gastro-enteritis,
 10. Hospital gangrene.
 Pyemia.
 Phagadena.
 Phagadena.
 Phigmon.
 15. Infantile fever.
 Typhus fever.
 20. Rotheln.
 21. Parotitis.
 22. Child-bed fever.
 23. Whooping-cough.
 24. Quinsy.
 25. Scarlet fever.
 Angina maligna.
 26. Varioloid.
 27. Chicken-pox.
 Miliaria.

Two. -2. Stricture of the urethra. Gonorrheal ophthalmia. 5. Necusia.

CLASS I. - ZYMOTIC DISEASES - Continued.

TABULAR LIST.

ORDER THREE, - DIETIC.

- Three. 1. Alcoholism.
 - 2. Delirium tremens.

 - 4. Purpura and scurvy.

ORDER FOUR, -- PARASITIC.

- Four. 1. Apthæ. 2. Worms. Ι.

ORDER THREE. - DIETIC.

- Three.—1. Intemperance.]
 3. Privation.
 Starvation.
 Neglect.

ORDER FOUR. - PARASITIC.

- I. Four.—1. Thrush.
 2. Tapeworm.
 Trichianasis.

 - 3. Scabies.
 Hydatids.
 Porrigo, favus, etc.

CLASS II. - CONSTITUTIONAL DISEASES.

- One. 1. Gout.

 - Anæmia.
 Cancer, various.
 - 5. Cancer of breast.
 - 6. Cancer of stomach.

 - 8. Noma (canker).
 9. Mortification.

One.—2. Anasarca. 3. Leucocythæmia. Chlorosis.

- Chlorosis.
 4. Soft cancer.
 Epithelioma.
 Melanosis.
 Lupus.
 Other kinds of cancer.
 9. Bed-sore.
 Dry gangrene.
 10. Rheumatic carditis.
 Rheumatic synovitis.
 Rheumatic meningitis.

ORDER TWO. - TUBERCULAR.

- Two. 1. Scrofula.

 - Tabes mesenterica.
 Phthisis (pulmo-
 - 4. Hydrocephalus.
 - 5. Tubercular menin-
- II. Two.—1. Psoas (lumbar) abscess.
 White swelling.
 Cretinism (goitre).
 Adenetis.
 Morbus coxarius.
 Pott's disease.
 2. Tubercular peritonitis.
 3. Hæmoptysis.

CLASS III. - LOCAL DISEASES.

TABULAR LIST.

ORDER ONE. - NERVOUS SYSTEM.

III. One. — 1. Cephalitis.

- 2. Cerebritis.
- 3. Apoplexy.
 - 4. Paralysis.
 - 5. Insanity.
 - 6. Chorea.
 - Epilepsy.
 Tetanus.

 - 9. Convulsions.
 - 10. Brain diseases.*

ORDER TWO. - CIRCULATORY SYS-

III. Two. - 1. Pericardus.

- 2. Aneurism.

ORDER THREE. - RESPIRATORY SYS-

- 2. Laryngitis.
 3. Bronchitis, acute.
- 4. Bronchitis, chronic.

- 7. Asthma.
- 8. Lung diseases.*

ORDER FOUR. - DIGESTIVE SYSTEM.

III. Four. - 1. Gastritis.

- Enteritis.
 Peritonitis.
- 4. Ascites.

SUPPLEMENTAL LIST.

III. One. - 1. Phrenitis

Meningitis Cerebro-spinal meningitis (sporadic). 5. Monomania. Fright. Grief.

Melancholia.

Hysteria. Laryngismus.

Lorking.
Trismus nascentium.

10. Neuralgia cerebral.
Neurasthenia.
Disease of spinal cord.
Necrencephalus (ramollissement).

Thrombosis, cerebral.

III. Two. - 1. Carditis.

-1. Carditis.
Endocarditis.
3. Hypertrophia.
Attrophia.
Angina pectoris.
Syncope.
Arteritis.
Ossification of arteris.
Phlebitis.
Hydropericardium.
Embolus.
Thrombosis.

Hr. Three.—2. Gedena glottidis. 5. Empyema. Diaphragmitis. Pneumothorax. Hydrothorax. 6. Pulmonary apoplexy. Hamoptysis.; Cangestian of lungs. 7. Grinders' asthma. Miners' asthma. Emphysema.

III. Four.—1. Glossitis.
Stomatitis
Thuryngitis.
Esophagitis.
2. Gastra-cuteritis, | Not in-

CLASS III. - LOCAL DISEASES - Continued.

TABULAR LIST.

ORDER FOUR. — DIGESTIVE SYSTEM — Continued.

- 5. Illceration of intes-
- 6. Hernia.
- 7. Ileus.
- 8. Intussusception.
- 9. Stricture of intes-
- 10. Fistula.
- 11. Stomach diseases.*
- 12. Pancreas diseases.*
- 13. Hepatitis.
- 14. Jaundice.
- 15. Liver diseases.*
- 16. Spleen diseases.*
- 17. Bowel diseases.*

ORDER FIVE. - URINARY SYSTEM.

- III. Five. 1. Nephritis.
 - 2. Ischuria.
 - 3. Nephria (Bright's
 - 4. Diabetes.
 - 5. Calculus (gravel, etc.).
 - 6. Cystitis.
 - 7. Prostate, disease of.

 - 8. Kidney diseases.*
 9. Bladder, diseases
 - 10. Testicles, disease of.

ORDER SIX. - GENERATIVE SYSTEM.

FEMALE.

Ш Six

- 1. Ovarian dropsy.
- 2. Diseases of uterus.*

SUPPLEMENTAL LIST.

- 5. Perforation of.6. Congenital.Femoral.

- Femoral.
 Inguinal.
 Scrotal.
 Umbilical.
 Ventral.
 7. Constipation.
 Obstipation.
 Perity phlitis.
 Typhlitis.
 9. Strict æsophagus.
 11. Dyspepsia.
 Pyrosis.
 Gastralgia.
 Hæmalemesis.
 Melæna.
 14. Gall-stones.
 15. Cirrhosis.

- III. Five.—8. Albuminuria.
 6. Cystirrhea.
 8. Diuresis.
 Hæmaturia.
 Uremia.
 9. Urethritis.
 10. Orchitis.

Six.—1. Ovarian tumor.
2. Hysteritis metritis.
Uterine uteri.

Pelvic cellulitis.

CLASS III. - LOCAL DISEASES - Continued.

TABULAR LIST.

ORDER SEVEN. - OSSEOUS AND LO-COMOTORY SYSTEM.

III. Seven. - 1. Bones, diseases of. 2. Joint discases.*

3. Vertebræ, diseases of.

ORDER EIGHT. - INTEGUMENTARY SYSTEM.

III. Eight. - 1. Phlegmon. t

2. Ulcer.

3. Skin diseases.*

ORDER NINE. - ORGANS OF SPECIAL

ETE AND EAR.

III. Nine. - 1. Malignus ceuli.

2. Ophthalmitis.

3. Ossis petrosis.

4. Otitis.

III. Seven. -1. Ostitis.

-1. Ostitis.
Periostitis.
Fragilitas ossium.
Mollities ossium.
Rickets.
Caries, necrosis.
Exostosis.
2. Synovitis.
Hip disease.
Spine, caries and necro-

III. Eight. -1. Abscess, part not stated.

Abscess, part not stated.
Boil.
Whitlow.
Roseola.
Urticaria.
Eczema.
Herpes.
Pemphigus.
Ecthyma.
Impetigo.
Psoriasis, etc.
Dermatitis (from burns, etc.).

CLASS IV. - DEVELOPMENTAL DISEASES.

ORDER ONE. — DEVELOPMENTAL DISEASES OF CHILDREN.

One. - 1. Still born.

2. Debility, infantile.

3. Debility, premature

Cyanosis.
 Spina bifida.

IV. One. - 2: Asthenia.
4. Atelectasis pulmonum.
6. Anus imperforatus.
Cleft palate.
Idiocy.

^{8.} Malnutrition.

CLASS IV. — DEVELOPMENTAL DISEASES — Continued.

TABULAR LIST.

ORDER ONE. - DEVELOPMENTAL DISEASES OF CHILDREN - Continued.

- 6. Other malformations.
- 8. Innutrition.

ORDER TWO. - DEVELOPMENTAL DISEASES OF WOMEN.

- IV. Two. 1. Paramenia.
 - 2. Childbirth.*

ORDER THREE. - DEVELOPMENTAL DISEASES OF OLD PEOPLE.

IV. Three. -1. Old age.

ORDER FOUR. — DISEASES OF NUTRI-TION. ADOLESCENT AND ADULT.

IV. Four. -1. Atrophy.

2. Debility.

SUPPLEMENTAL LIST.

IV. Two. -1. Amenorrhœa.

1. Amenorrhea.
Chlorosis.†
Climacteria.
Menorrhagia.
2. Miscarriage.
Abortion.
Puerperal mania.
Puerperal convulsions.
Phlegmasia dolens.
Cæsarian operation.
Extra-uterine fœtation.
Flooding.
Retention of placenta.
Presentation of placenta.
Deformed pelvis.
Mammary abscess.

IV. Four. -1. Marasmus. Malnutrition.

CLASS V. - VIOLENT DEATHS.

ORDER ONE. - ACCIDENT OR NEG-LIGENCE.

- One. 1. Fractures and contusions.
 - 2. Wounds, unspeci-
 - 3. Burns and scalds.
 - 4. Poison.
 - 5. Drowning.
 - 6. Suffocation.
 - 7. Various.

- One. -1. Railroad and other acci-

 - -1. Railroad and other dents.
 5. Lost at sea.
 6. Asphyxia.
 Strangulation.
 7. Exposure.
 Cold water.
 Frozen.
 Heat.
 Lightning.
 Surgical operation.

CLASS V. - VIOLENT DEATHS - Continued.

TABULAR LIST.

ORDER TWO. - HOMICIDE.

ORDER THREE. - SUICIDE.

V. Three.—1. Wounds, unspeci-

Wounds, pistol or gunshot. Wounds, knife.

- 2. Poison.
- 3. Drowning.
- 4. Hanging.
- 5. Otherwise.*

ORDER FOUR. - VARIOUS.

- V. Four. 1. Unclassified.
 - 2. Cause not specified.

SUPPLEMENTAL LIST.

V. Two. -1. Intanticide. Patricide. Matricide. Fratricide. Filicide, etc.

* Manner stated.

SUGGESTIONS CONCERNING PHYSICIANS' CERTIFICATES OF DEATH.

It should be the endeavor to specify the causes of death as definitely and correctly as possible. It is not unusual to find a return of death with the physician's certificate naming the cause of death "Paralysis," "Paraplegia," "Fits," "Convulsions," "Dropsy," etc., which are merely secondary or consecutive causes, simply symptoms only, or results of some organic lesion or pathological derangement. Sometimes the alleged cause is really the final cause, as in a case of termination of life by paralysis, but the cause given as paralysis is not the determining cause. Apoplexy, or some lesion of the nervous centers, must be the original and determining cause of paralysis, paraplegia, hemiplegia, etc., and the determining cause should be stated as the primary in the return or certificate.

Convulsions are the symptoms or results of some antecedent or concurrent disease. They follow meningitis and other structural lesions of the nervous centers; they also occur from reflex derangement or disturbance of the nervous centers, as, in children, from intestinal irritation, or from inflammation, as in gastritis, enteritis, nephritis, etc. In such cases they may be contributory to death, and perhaps, in rare instances, a final cause, by inducing or taking

the form of tonic or tetanic spasm. But as contributory, or as a final cause, they are simply concomitant, and are not unfrequently manifestations of the desperate efforts of expiring vitality to regain original and normal control. They should find place as secondary causes only in certificates of death.

"Fits" is too unmeaning a term to be used in any case. The word in a medical sense literally means an attack, an occurrence, or succession of attacks of some physical or mental disturbance, as "fits of sickness," "fits of melancholy," etc., and is not properly used as synonymous with convulsions from any cause. It would be just as sensible to attribute a death to an "occurrence" or an "attack" as a cause, as to "fits," without other qualification.

"Dropsy" and "ascites" have been allowed to stand as determining causes of death because of extended use, and because of the obscurity with which their causes in rare instances are involved. We can scarcely conceive of a dropsical accumulation without antecedent organic or functional disorder, derangement of the absorbent or secretory system, or depravation of the blood. They are left in the tabular list with not a little reluctance. Paralysis is also left in the tabular list for a like reason, and with the same doubt of pro-

"Inflammation" does not in any way define the cause of death. The organ or organs affected should be mentioned, or else the

"Hemorrhage" is sometimes returned as a cause, but unless accompanied by a further statement no inference can be drawn as to the real cause of death. The suicide who cuts his throat frequently dies of hemorrhage; sometimes the patient with typhoid fever succumbs from the same cause, yet to report "hemorrhage" as the cause of death would leave the actual cause in obscurity.

It may be suggested that it is sometimes difficult, and occasionally impossible, to ascertain positively the chief or leading cause of death. The physician last in attendance may find several functional or structural diseases, the morbid conditions multiple and complex, and not only the initial derangement, but the succession of morbid processes - proximate, consecutive, and ultimate - inextricably entangled and lost to discovery.

The careful diagnostician will, however, even then be able to conceive the probable leading cause, but, whether or not, he will be able at least to ascertain the most prominent and controlling lesion or functional derangement then existing, and which may reasonably be accepted as the primary cause of death.

The preceding remark applies very properly to eases of adventitious diseases which prove fatal, when occurring in individuals already suffering from some chronic disease of slower progress, as when fatal dysentery attacks a consumptive person, or one having chronic nephritis dies from pneumonia. The acute disease occurring independently of the chronic disease is the chief cause of death, although the fatal event may have been made more sure by the existence of the antecedent disease, and although the antecedent disease would have ultimately caused death.

In attributing death to scrofula, tuberculosis, tumor, cancer, abscess, and other generic terms as causes, the organic structure or locality where the disease is developed should always be given, otherwise such terms are very indefinite, and discredit the acquirements of the certifying physician.

The objects desired in presenting the preceding nomenclature of causes of death, and the suggestions following, are to subserve the purpose of greater uniformity in the use of nosological terms, and to promote the accomplishment of entire definiteness, accuracy, and completeness in the physicians' certificates of causes of death.



THE NEW HAMPSHIRE REGISTRATION LAW.

AN ACT FOR THE BETTER REGISTRATION OF BIRTHS, MARRIAGES, AND DEATHS.

Be it enacted by the Senate and House of Representatives in General Court convened:

SECTION 1. The secretary of the State Board of Health shall be the registrar of vital statistics for the State, and shall furnish to sextons, to clergymen, and others authorized to marry, to physicians, town-clerks, and clerks of the society of Friends, a copy of this act, and suitable blanks for recording births, marriages, and deaths, so printed with appropriate headings as readily to show the following facts and such others as may be deemed necessary to secure an accurate registration:

I. The record of a birth shall state its date and place of occurrence, full Christian and surname (if named), color and sex of child, whether living or still-born, and the full Christian and surnames,

color, occupation, residence, and birthplace of parents.

II. The record of a marriage shall state its date and place of occurrence, the name, residence, and official character of the person by whom solemnized, the full Christian and surnames of the parties, the age, color, occupation, and residence of each, the condition (whether single or widowed), whether first, second, or other marriage; and the full Christian and surnames, residence, color, occupation, and birthplace of their parents.

III. The record of a death shall state its date, the full Christian and surname of the deceased, the sex, color, condition (whether single or married), age, occupation, place of birth, place of death, the full Christian and surnames and birthplaces of parents, and the

disease or cause of death.

SECT. 2. The attending physician, accoucheur, midwife, or other person in charge, who shall attend, assist, or advise at the birth of any child, living or still-born, within the limits of any town or city

in this State, shall report to the clerk of such town, within six days thereafter, all the facts regarding such birth, as is required in section one of this act.

Sect. 3. Every person authorized to unite persons in marriage shall make a record of every marriage solemnized before him, in conformity with the requisitions prescribed for blank records of marriages in section one of this act, and shall within six days thereafter deliver or forward to the clerk of the town in which the marriage intention was recorded a copy of such record of marriage.

Sect. 4. Whenever any person shall die, or any still-born child shall be brought forth in this State, the physician attending at such bringing forth, or last sickness, shall fill out and deliver to the undertaker, town-clerk, or other person superintending the burial of said deceased person, a certificate, duly signed, setting forth, as far as may be, the facts required in the record of a death, according to section one of this act; and it shall be the duty of the undertaker, or other person having charge of the burial of said deceased person, to add to said certificate the date and place of burial, and having duly signed the same, to forward it to the clerk of the town or city, and obtain a permit for burial; and in case of any contagious or infectious disease, said certificate shall be made and forwarded immediately.

SECT. 5. In the case of any deceased person not having had the attendance of a physician in his or her last sickness, the town-clerk may issue and sign the certificate of death, upon presentation of such facts as may be obtained of relatives, persons in attendance upon said deceased person during said last sickness or present at the time of death, and the permit for burial shall be issued upon such information.

Sect. 6. No interment or disinterment of the dead body of any human being, or disposition thereof in any tomb, vault, or cemetery, shall be made without a permit as aforesaid, nor otherwise than in accordance with such permit. No undertaker or other person shall assist in, assent to, or allow any such interment or disinterment to be made, until such permit has been given as aforesaid; and it shall be the duty of every undertaker or other person having charge of any burial place as aforesaid, who shall receive such permit, to preserve and return the same to the clerk of the town within six days after the day of burial.

Sect. 7. The town-clerk may appoint suitable and proper persons, not exceeding two in number in any town, as sub-registrars, who shall be authorized to issue burial permits based upon a death certificate, as hereinbefore provided, in the same manner as is

required of the town-clerk; and the said record of death upon which the permit is issued shall be forwarded to the town-clerk within six days after receiving the same, and all permits by whomsoever issued shall be returned to the town-clerk, as required by section seven of this act. The appointment of sub-registrars shall be made with reference to locality, so as to best convenience the inhabitants of the town.

SECT. 8. The clerk of every town shall keep a chronological record of all births, marriages, and deaths reported to him, and shall annually, in the month of January, transmit a copy of the record of all births, marriages, and deaths occurring during the year ending December 31st next preceding such said report, to the state registrar, together with the names, residences, and official stations of all such persons as have neglected to make returns to him in relation to the subject-matters of such records, which the law required them to make.

SECT. 9. The state registrar shall cause the returns made to him in pursuance of the preceding section to be arranged, alphabetic indexes of all the names contained therein to be made, and the whole bound in convenient volumes and carefully preserved in his office. He shall annually make and publish a general abstract and report of the returns of the preceding year in such a form as will render them of practical utility, not more than one thousand copies of which shall be printed, one copy of which shall be forwarded to every town, one copy to each senator and representative, one copy to each State and Territory in the Union, and the remainder to such departments, libraries, and persons as the state registrar shall direct.

SECT. 10. The town-elerk's record of any birth, marriage, or death, or a duly certified copy thereof, shall be *prima-fucie* evidence of such birth, marriage, or death, in any judicial proceeding.

Sect. 11. If any person shall willfully neglect or refuse to perform any duty imposed upon him by the provisions of this act, he shall be fined not more than one hundred dollars for each offence, for the use of the town in which the offence occurred, and it shall be the duty of the state registrar to enforce this section as far as comes within his power.

Sect. 12. The fees of physicians for making returns of each birth and death, as herein provided, shall be the same as are now in force; and the clerk of each city and town shall be paid by such city or town for receiving, recording, and returning the facts required to be recorded by this act, the sum of fifteen cents for each birth, marriage, and death.

SECT. 13. This act shall take effect and be in force on and after the first day of January, 1884; and all acts and parts of acts inconsistent with this act are hereby repealed.

[Approved September 7, 1883.]

AN ACT PROVIDING FOR A REPORT OF THE NUMBER AND CAUSES OF DIVORCES.

Be it enacted by the Senate and House of Representatives in General Court convened:

SECTION 1. That the clerks of the supreme court shall, at the close of each term in their respective counties at which divorces are granted, make return to the registrar of vital statistics of the number of divorces decreed at that term, the causes thereof, the sex of the libellant, and the day of the decree.

SECT. 2. That it shall be the duty of the registrar of vital statistics to consolidate said returns, and publish them with his report of births, marriages, and deaths.

Sect. 3. That chapter 12 of the Session Laws of 1881 be and hereby is repealed.

SECT. 4. That this act shall take effect upon its passage. [Approved July 9, 1885.]

An Act for the Better Preservation and Publication of Local Vital Statistics.

Be it enacted by the Senate and House of Representatives in General Court convened:

Section 1. It shall be the duty of the clerks of towns and cities to furnish a transcript of the record of births, marriages, and deaths for each year, seasonably, to the proper municipal officers, for publication in the annual reports. The period to be annually covered by such transcripts and publication shall be fixed by regulation prescribed by the registrar of vital statistics for the State. Every printed annual town or city report shall contain a full and exact copy of such transcript for the town or city to which it relates.

[Approved October 6, 1887.]

INDEX.

PAGE.
Apoplexy and paralysis
Birth rate for the State
Births, rate of American and foreign born parentage
by counties, showing proportion of males to females
by sex and months, by counties
by sex and parentage, by towns and counfies 8-21
for 1880, 1881, 1882, 1883, 1884, and 1885, with annual increase in number peported
percentage of American and foreign, by counties, 1885
twin, by months and counties
Brain disease 138
Bright's disease 137
Bronellitis
Cancer
Cholera infantum
table of, by ages, sex, and months
Consumption, deaths from, by ages and months
nationality and civil condition 126
deaths from in the city of Concord 128
Frayer
Keene 129
Manchester 128
Nashua 129
Portsmouth 130
table showing occupation, by months, ages, and sex
Convulsions 140
· Croup
deaths from, by seasons and ages 140
Death rate for the State
Death, causes of, arranged by towns and counties
by ages, sex, and months, by counties and towns 97-109
by sex and nativity, by towns and countles 8-21
causes of, by classes and orders, by counties 96
for 1880, 1881, 1882, 1883, 1884, and 1885, with annual increase in number
reported 5
with percentage to each 1,000 of the population 6
suggestions concerning physicians' certificates of
names of causes of
summary of

Debility
Diagram 1. Showing the comparative mortality, by absolute number of
decedents, from twenty prominent causes of death during the year ending December 31, 1885
Diphtheria
deaths from, by season and age
Divorce law
Divorces decreed by the supreme court of New Hampshire in the year
1885 30
from 1870 to 1885 inclusive, by counties
Dropsy
Fever, typhoid, deaths from, by ages and months
scarlet
deaths from, by counties
by seasons and ages 141
Heart filsease
Liver disease
NATIONAL PROPERTY AND ADDRESS OF THE PARTY.
Marriage rate for the State 6 by counties and nativity. 27
by ages and months, by counties
by nativity, by towns and counties
for 1880, 1881, 1882, 1883, 1884, and 1885, with annual increase in number
reported, 5
interesting facts relating to 29
with percentage to each 1,000 of the population 6
Meningitis,
Occupations in relation to consumption, table of
Old Green
Parallysis and apoplexy
Programonia
Scarlatina (see fever, scarlet).
Summary of the record of deaths 125
Table 1. Showing births, marriages, and deaths for 1880, 1881, 1882, 1883, and
1884, with annual increase in number reported 5
2. Population 1880; births, marriages, and deaths, with percentage
of each to 1,000 of the population, for the year ending Decem-
por 31, 1885, by counties
3. Births, marriages, and deaths for the year ending Dec. 31, 1885 8-21
4. Births by counties, showing proportion of males to females, 1885 23
5. Percentage of American and foreign births, by counties, 1885 24 6. Twin births, by months and counties
7. Births by sex and months, by counties
9. Marriages by ages and months, by counties
10. Interesting facts in relation to marriages
11. Divorces decreed by the supreme court of New Hampshire in the
year 1885, as returned by the clerks of the several counties 20

12.	Divorces decreed from 1870 to 1885 inclusive, by counties	31
13.	Causes of death, arranged by towns and counties 32	_95
14.	Recapitulation of the causes of death by classes and orders, by	
	countles	196
15.	Deaths by ages, sex, and months, by counties and towns 97-	-109
16,	Deaths by ages, sex, and months, by counties	110
	Causes of death alphabetically arranged, by months, ages, and	
	SOT	¥20
18.	Deaths by sex, age, and month	121
	Deaths from consumption, by ages, months, nationality, and	
	civil condition	126
20.	Deaths from pulmonary consumption, by seasons and ages, 1885,	
	for the city of Concord	128
21.	Deaths from pulmonary consumption, by seasons and ages, 1885,	
	for the city of Manchester	128
22.	Deaths from pulmonary consumption, by seasons and ages, 1885,	
	for the city of Nashua	128
23.	Deaths from pulmonary consumption, by seasons and ages, 1885,	
	for the city of Keene	129
24.	Deaths from pulmonary consumption, by seasons and ages, 1885,	
	for the city of Portsmouth	130
25.	Deaths from pulmonary consumption, by seasons and ages, 1885,	
	for the city of Dover	130
26.	Consumption, showing occupation, by months, ages, and sex	131
27.	Cholera infantum, by ages, sex, and months; particularly show-	
	ing number of decedents in the cities and large towns	136
28.	Deaths from diphtheria, by seasons and ages, 1885	139
29.	Deaths from croup, by seasons and ages, 1885	140
30.	Deaths from scarlet fever, by counties, 1885	141
an.	Deaths from searlet fever, by seasons and ages, 1885	141















3 2044 062 631 445

3 2044 062 631 445